

Bestway

LAY-Z-SPA™

2017
COLLECTION



FULLY OWNED
PRODUCTION
FACILITIES



2017
COLLECTION



Our Vision

We create fun, lasting experiences to everyone in the world through the products and services we provide.

Our Mission Happiness

Happy Consumers

Through our creative & professional staff, innovative & superior products and sustainable, effective manufacturing processes, we create fun, memorable experiences for our customers.

Happy Employees

We create an environment in which employees are able to develop their talents and pursue their professional passions.

Happy World

To limit impact on the environment at every stage of our production process, while investing resources in exploring alternative energy solutions.



Vertically
Integrated



Sustainable



Customer
Focused



Consumer Driven
Market Research



Innovative

Bestway's Lay-Z-Spa™ Is The World's First Premium Inflatable Spa.



Your customers deserve the best portable spa - they deserve Lay-Z-Spa™ by Bestway.



WELCOME

Bestway's Lay-Z-Spa™ is the world's first premium inflatable spa. Almost a decade of advanced engineering innovations have built total market dominance and a name consumers have grown to trust. The Lay-Z-Spa™ offers an affordable spa experience that's convenient to use, easy to set up and offers total relaxation. Another reason consumers love Lay-Z-Spa™ is because it's backed by Bestway's comprehensive customer support services. These include online support, video tutorials detailing step-by-step how to set up and maintain your spa, plus localized call centers to answer any questions. For this reason, customers enjoy peace of mind and can spend more time relaxing in their Lay-Z-Spa™. Your customers deserve the best portable spa – they deserve Lay-Z-Spa™ by Bestway.





AIRJET™

54123 54124
MIAMI

54112
VEGAS

54148 54149
PARIS

54129 54130
PALM
SPRINGS

54154 54155
HAWAII

54156 54157
SIENA

14



HYDROJET™

54144 54145
PALM
SPRINGS

46



HYDROJET PRO™

54138 54139
HAWAII


52



XTRAS™

BESTWAY HAS
AN EXTENSIVE
ASSORTMENT OF
ACCESSORIES
TO FROM WHICH
TO CHOOSE.

58



BENEFITS OF SPA

► A short introduction of Hydrotherapy History

The word hydro-massage contains 2 parts, hydro (from Greek hydro-, meaning water) and massage. Therefore, hydro massage is composed of 2 elements, water and massage, both beneficial elements for the body and our overall well-being.

The therapeutic use of water has a long history. Various forms of hydrotherapy have been recorded in ancient Egyptian, Greek and Roman civilizations. Egyptian royalty bathed with essential oils and flowers, while Romans had communal public baths for their citizens. Other cultures noted for a long history of hydrotherapy include China and Japan, the latter centered primarily on Japanese hot springs.

► What is Hydrotherapy?

Hydrotherapy, or water therapy, is the use of water (hot, cold, steam, or ice) to relieve discomfort and promote physical well-being. Hydro-massage uses the flowing pressure of the water and/or air on the skin. The water mixed with the pressure of the air flowing out creates a direct massage which stimulates blood circulation throughout the body.

The effects of hydro-massage come from the combination of the physical massage action of water jets in combination with the bath's water temperature and/or any special salts used.

► Benefits and effects

Hydro-massage is a type of massage based on the use of water pressure. The essence of hydro-massage is applying massage techniques to the human body through the water. Hydro-massage helps to relax muscles, helps blood circulation, and relieves muscular tension. Hydro-massage therapy is excellent especially with stress management techniques.

► Side effects

Hydro-massage is not recommended for older people, children and pregnant women as well those who may have hypertension, capillary fragility, respiratory failure, heart disease or dysfunction in a critical phase. It is recommended to consult your doctor before beginning any type of hydro massage therapy.




▲
AirJet™

Float away on a cloud of bubbles with an AirJet massage! Sooth your body and relax your mind with the touch of a button. Simply press the Lay-Z-Massage button on the control panel and Airjets will surround you with effervescent enjoyment.

HydroJet™

This is ultimate spa relaxation right at your fingertips with eight fully adjustable HydroJets. Simply twist the HydroJet's bezel to adjust the water flow rate, and then pivot the nozzle to direct the jets to wherever you like. Share the luxury evenly among your spa companions, or if you're alone, direct all 8 HydroJets toward yourself for a deep, soothing, magical massage.





HydroJet Pro™

AirJets PLUS HydroJets! You get the best of both worlds with the HydroJet Pro. Eight directional and flow-adjustable HydroJets combine with AirJets to provide the ultimate in spa relaxation. Select only the AirJets, just the HydroJets, or both at the same time – the choice is yours with HydroJet Pro!

TECHNOLOGIES EXPLANATION





Float away on a cloud of bubbles with an AirJet massage!






AIRJET™

Float away on a cloud of bubbles with an Airjet massage!

Soothing to the limbs and relaxing to the spirit, just press the Lay-Z-Massage button on the control panel and the Lay-Z-Spa's Airjets will surround you with effervescent enjoyment.



Lay-Z-Spa's sturdy structure is composed of both vertical and horizontal I-Beam construction.





STURDY I-BEAM CONSTRUCTION

DELIVERING STRENGTH AND COMFORT



Lay-Z-Spa's sturdy structure is composed of both vertical and horizontal I-Beam construction. This design offers superior structural stability while maintaining a comfortable surface for a luxurious and refreshing spa experience. This durable configuration allows our spas to retain their shape no matter how many times they are inflated or deflated.



Fast, easy setup - inflates using the spa's pump



Lay-Z-Spa[™]
miami

Patent Pending

MIAMI

54123 54124

Outer walls of the inflatable pool are made
from coated rayon material



Soothing AirJet™ system



Built-in water filtration



Heating system



Heating -running when massage activated



Digitally controlled pump with
soft-touch control panel





Automatic start/stop timer-controlled
heating system - saves energy



Fast, easy setup - inflates using the spa's pump





MIAMI

PRODUCT HIGHLIGHTS



SPECIFICATIONS

ITEM NO.	54123	54124*
CAPACITY	2-4 Adults	2-4 Adults
WATER CAPACITY (80%)	669 L (177 gal.)	177 gal. (669 L)
INFLATED SIZE	1.80 m x 66 cm (71 in. x 26 in.)	71 in. x 26 in. (1.80 m x 66 cm)
FILLED WEIGHT	696 kg (1,534 Lb.)	1,534 Lb. (696 kg)
RATING	220-240V-50Hz, 2050W at 20°C	110-120V-60Hz, 12A at 20°C
ACTUAL WATER FLOW	≥ 1,325 L/h (≥ 350 gal./h)	≥350 gal./h (≥ 1,325 L/h)
HEATING SYSTEM	Approx. 1.5-2.0°C/h (3-4°F/h)	Approx. 2-3°F/h (1-1.5°C/h)
MAX. HEAT CAPABILITY	40°C (104°F)	104°F (40°C)
CERTIFICATION	CE/EMC/TUV	ETL approved
PACK/GROSS WEIGHT	1 Ea., 33.6 kg (74.1 Lb.)	1 Ea., 70.9 Lb. (32.2 kg)



* SALUSPA VERSION

PRODUCT CHARACTERISTICS

- Sturdy I-Beam construction
- Insulating inflatable top cover included
- 81 all-surrounding AirJets
- Fashionable black exterior & mosaic-print interior



POWER SAVING TIMER



AIRJET SYSTEM



NO TOOLS NEEDED



MAXIMUM TEMPERATURE



2-4



QUICK SET-UP

DIGITAL CONTROL PANEL



Filter cartridge



Chemical floater



Spa setup and maintenance DVD





Lay-Z-Spa™
Vegas

Patent Pending

VEGAS

54112

Leatheroid exterior cover



Soothing AirJet™ system



Inbuilt water filtration



Heating system



Heating -running when massage activated



Digitally controlled pump with
soft-touch control panel



Automatic start/stop timer-controlled
heating system - saves energy



Fast, easy setup - inflates using
the spa's pump





VEGAS

PRODUCT HIGHLIGHTS





Patent Pending

PARIS

54148 54149

Leatheroid exterior cover



Soothing AirJet™ system



Heating system



Heating -running when massage activated



Automatic start/stop timer-controlled
heating system – saves energy



Multi-colored automatic cycle LED lighting system
with remote control



Integrated water filtration





Digitally controlled pump with
soft-touch control panel



Fast, easy setup – inflates using the spa's pump





PARIS

PRODUCT HIGHLIGHTS



SPECIFICATIONS

ITEM NO.	54148	54149*
CAPACITY	4-6 Adults	4-6 Adults
WATER CAPACITY (80%)	806 L (213 gal.)	213 gal. (806 L)
INFLATED SIZE	1.96 m x 66 cm (77 in. x 26 in.)	77 in. x 26 in. (1.96 m x 66 cm)
FILLED WEIGHT	840 kg (1,851 Lb.)	1,851 Lb. (840 kg)
RATING	220-240V-50Hz, 2050W at 20°C	110-120V-60Hz, 12A at 20°C
ACTUAL WATER FLOW	≥ 1,325 L/h (≥ 350 gal./h)	≥ 350 gal./h (≥ 1,325 L/h)
HEATING SYSTEM	Approx. 1.5-2.0°C/h (3-4°F/h)	Approx. 2-3°F/h (1.0-1.5°C/h)
MAX. HEAT CAPABILITY	40°C (104°F)	104°F (40°C)
CERTIFICATION	CE/EMC/TUV	ETL approved
PACK/GROSS WEIGHT	1 Ea., 40.7kg (89.7 Lb.)	1 Ea., 87.1 Lb. (39.5kg)



* SALUSPA VERSION

PRODUCT CHARACTERISTICS

- Sturdy I-Beam construction
- 87 all-surrounding AirJets
- Insulating inflatable top cover included
- Remote control LED stripe technology



POWER SAVING TIMER



AIRJET SYSTEM



NO TOOLS NEEDED



MAXIMUM TEMPERATURE



46



LED LIGHTS



QUICK SETUP

DIGITAL CONTROL PANEL

Lock/Unlock Button

Power Saving Timer

Lay-Z-Massage Activation

Celsius/Fahrenheit Mode Toggle



LED Display

Temperature/Hour Adjustment

Power On/Off

Water Filter Activation

Heat Activation



Filter cartridge



Chemical floater



Wireless LED Remote control



Spa setup and maintenance DVD



Intertek




Offering superior strength and durability.





TRITECH™ 3-PLY

DURABLE. YET COMFORTABLE



TriTech™ is a 3-ply reinforced material with a polyester mesh core that's encased in two layers of laminated PVC – offering superior strength and durability.





Patent Pending

PALM SPRINGS

54129 54130

Inflated walls are made of TriTech™ material, providing the ultimate in durability and comfort



Soothing AirJet™ system



Automatic start/stop timer-controlled heating system – saves energy



Integrated water filtration



Heating system



Heating -running when massage activated




Fast, easy setup – inflates using the spa's pump



Digitally controlled pump with soft-touch control panel





PALM SPRINGS

PRODUCT HIGHLIGHTS



LAY-Z-SPA™ PALM SPRINGS

AirJet™

SPECIFICATIONS

ITEM NO.	54129	54130*
CAPACITY	4-6 Adults	4-6 Adults
WATER CAPACITY (80%)	916 L [242 gal.]	242 gal. [916 L]
INFLATED SIZE	1.96 m x 71 cm [77 in. x 28 in.]	77 in. x 28 in. [1.96 m x 71 cm]
FILLED WEIGHT	954 kg [2, 103 Lb.]	2, 103 Lb. [954 kg]
RATING	220-240V- 50Hz, 2050W at 20°C	110-120V- 60Hz, 12A at 20°C
ACTUAL WATER FLOW	≥ 1,325 L/h (≥ 350 gal./h)	≥320 gal./h (≥1,211 L/h)
HEATING SYSTEM	Approx. 1.5-2.0°C/h [3-4°F/h]	Approx. 2-3°F/h [1.0-1.5°C/h]
MAX. HEAT CAPABILITY	40°C [104°F]	104°F [40°C]
CERTIFICATION	CE/EMC/TUV	ETL approved
PACK/GROSS WEIGHT	1 Ea., 39.6 kg [87.3 Lb.]	1 Ea., 87.7 Lb. [39.8 kg]



* SALUSPA VERSION

PRODUCT CHARACTERISTICS

- Sturdy TriTech™ I-Beam construction
- 120 all-surrounding AirJets
- Integrated water filtration
- Insulating inflatable top cover included



POWER SAVING TIMER



AIRJET SYSTEM



NO TOOLS NEEDED



MAXIMUM TEMPERATURE



4-6



TRITECH MATERIAL



QUICK SETUP

DIGITAL CONTROL PANEL

Lock/Unlock Button

Power Saving Timer

Lay-Z-Massage Activation

Celsius/Fahrenheit Mode Toggle



LED Display

Temperature/Hour Adjustment

Power On/Off

Water Filter Activation

Heat Activation



Filter cartridge



Chemical floater



Pressure Gauge



Spa setup and maintenance DVD



Intertek





Lay-Z-Spa
Hawaii

Patent Pending

HAWAII

NEW

54154 54155

Inflated walls are made of TriTech™ material, providing the ultimate in durability and comfort

◆
Soothing AirJet™ system

◆
Automatic start/stop timer-controlled heating system – saves energy

◆
Integrated water filtration


◆
Heating system

◆
Heating -running when massage activated

◆
Fast, easy setup – inflates using the spa's pump

◆
Digitally controlled pump with soft-touch control panel






HAWAII

PRODUCT HIGHLIGHTS



4-6 PEOPLE



1.80 m × 1.80 m × 71 cm / 71" × 71" × 28"

AirJet™



SPECIFICATIONS

ITEM NO.	54154	54155*
CAPACITY	4-6 Adults	4-6 Adults
WATER CAPACITY (80%)	840 L (222 gal.)	222 gal. (840 L)
INFLATED SIZE	1.80 m x 1.80 m x 71 cm (71 in. x 71 in. x 28 in.)	71 in. x 71 in. x 28 in. (1.80 m x 1.80 m x 71 cm)
FILLED WEIGHT	879 kg (1,938 Lb)	1,938 Lb (879 kg)
RATING	220-240V-50Hz, 2050W at 20°C	110-120V-60Hz, 12A at 20°C
ACTUAL WATER FLOW	≥ 1,325 L/h (≥ 350 gal./h)	≥ 320 gal./h (≥ 1,211 L/h)
HEATING SYSTEM	Approx. 1.5-2.0°C/h (3-4°F/h)	Approx. 2-3°F/h (1.0-1.5°C/h)
MAX. HEAT CAPABILITY	40°C (104°F)	104°F (40°C)
CERTIFICATION	CE/EMC/TUV	ETL approved
PACK/GROSS WEIGHT	1 Ea., 39.7 kg (87.5 Lb.)	1 Ea., 85.8 Lb. (38.9 kg)



* SALUSPA VERSION

PRODUCT CHARACTERISTICS

- Sturdy TriTech™ I-Beam construction
- 120 all-surrounding AirJets
- Insulating inflatable top cover included
- Integrated water filtration



POWER SAVING TIMER



AIRJET SYSTEM



TRITECH MATERIAL



NO TOOLS NEEDED



MAXIMUM TEMPERATURE



4-6



ONE-CLICK SETUP

DIGITAL CONTROL PANEL

Lock/Unlock Button

Power Saving Timer

Lay-Z-Massage Activation

Celsius/Fahrenheit Mode Toggle



LED Display

Temperature/Hour Adjustment

Power On/Off

Water Filter Activation

Heat Activation



Filter cartridge



Chemical floater



Pressure Gauge



Spa setup and maintenance DVD



Intertek





Patent Pending

SIENA

NEW

54156 54157

Inflated walls are made of TriTech™ material, providing the ultimate in durability and comfort

◆
Soothing AirJet™ system

◆
Automatic start/stop timer-controlled heating system – saves energy

◆
Integrated water filtration

◆
Heating system

◆
Heating -running when massage activated


◆
Two handles help user go in and out the pool safely

◆
Fast, easy setup – inflates using the spa's pump

◆
Removable table provides convenient spot for drinks

◆
Digitally controlled pump with soft-touch control panel





SIENA

PRODUCT HIGHLIGHTS



2 PEOPLE



2.49 m × 1.49 m × 66 cm / 98" × 59" × 26"

AirJet™



SPECIFICATIONS

ITEM NO.	54156	54157*
CAPACITY	2 Adults	2 Adults
WATER CAPACITY (80%)	509 L (134 gal.)	134 gal. (509 L)
INFLATED SIZE	2.49 m x 1.49 m x 66 cm (98 in. x 59 in. x 26 in.)	98 in. x 59 in. x 26 in. (2.49 m x 1.49 m x 66 cm)
FILLED WEIGHT	548 kg (1,205 Lb.)	1,205 Lb. (548 kg)
RATING	220-240V-50Hz, 2050W at 20°C	110-120V-60Hz, 12A at 20°C
ACTUAL WATER FLOW	≥ 1,325 L/h (≥350 gal./h)	≥ 280 gal./h (≥1,060 L/h)
HEATING SYSTEM	Approx. 2.0-2.5°C/h (3.5-4.5°F/h)	Approx. 3-4°F/h (1.5-2.0°C/h)
MAX. HEAT CAPABILITY	40°C (104°F)	104°F (40°C)
CERTIFICATION	CE/EMC/TUV	ETL approved
PACK/GROSS WEIGHT	1 Ea., 43.0 kg (94.8 Lb.)	1 Ea., 95.7 Lb. (43.4 kg)



Heating & Airjet

* SALUSPA VERSION

PRODUCT CHARACTERISTICS

- Sturdy TriTech™ I-Beam Construction
- Insulating inflatable top cover included
- 127 all-surrounding AirJets
- Integrated water filtration



POWER SAVING TIMER



AIRJET SYSTEM



TRITECH MATERIAL



NO TOOLS NEEDED



MAXIMUM TEMPERATURE



2



QUICK SET UP

DIGITAL CONTROL PANEL

Lock/Unlock Button

LED Display

Power Saving Timer

Temperature/Hour Adjustment

Lay-Z-Massage Activation

Power On/Off
Water Filter Activation

Celsius/Fahrenheit Mode Toggle

Heat Activation



Filter cartridge



Chemical floater



Pressure Gauge



Beverage Table



Spa setup and maintenance DVD



Intertek



ClearSoft™

WATER SOFTENING SYSTEM

Electromagnetic Water Softening




Reduce the adverse effects of "hard" water (commonly spa staining and skin irritation) with our in-built ClearSoft Water Softening System.

Just activate the ClearSoft system using the spa's control panel and powerful electromagnetic coils surrounding the spa's water work to condition the water passing through the system.

Plus, it's not just "low-maintenance," it's virtually "NO-maintenance" - with no additional moving parts!

WATER ENTERS THE CLEARSOFT SYSTEM

Water circulating within the spa pump enters via the water inlet.




ELECTROMAGNETIC COILS SURROUND THE PIPING

The magnetic field surrounding the circulating water changes its electrical and chemical characteristics.

TREATED WATER EXITS

Water moves on to the spa-softened and treated to reduce scaling.



ClearSoft™

WATER TREATMENT SYSTEM


Just add salt & water - let your
HydroJet Spa do the rest!

A safe, trouble-free way to chlorinate your spa pool, the Bestway ClearSoft in-built electrostatic system converts salt and pool water into hygienic, chlorinated water.

Why mess around with complicated pool chemicals when the ClearSoft Water Treatment System can do the job for you? Relatively low-maintenance, it comes as standard equipment with all Bestway HydroJet spas.

CHLORINATION PROCESS

Charged titanium electrostatic plates convert the sodium into chlorine.



CHLORINATED WATER

The pool water is converted to hygienic chlorinated water.

WATER AND SALT

The spa pool is filled with water and sodium chloride (salt) in the correct ratio which then enters the chlorinator for treatment.

Perfect spa relaxation at your fingertips






HYDROJET™

Perfect spa relaxation
at your fingertips

All **EIGHT HydroJets** are fully adjustable. Simply twist the HydroJet's bezel to adjust the water flow rate, then pivot the nozzle to re-direct the jet to wherever you like.

You can use them to share the luxury around evenly among your spa companions or, if you're alone, re-direct the HydroJets toward yourself for a deep, relaxing solo massage.




FLOW CONTROL

Twist the bezel to adjust the flow rate.



8 HYDROJETS



HYDROJET
positioning



Lay-Z-Spa
Palm Springs
HydroJet

Patent Pending

PALM SPRINGS

54144 54145

Inflated walls are made of TriTech™ material, providing the ultimate in durability and comfort

◆
HydroJet™ massage system

◆
Clearsoft™ water treatment


◆
Automatic start/stop timer-controlled heating system and heating system – saves energy

◆
Heating system

◆
Integrated water filtration

◆
Digitally controlled pump with soft-touch control panel






PALM SPRINGS

PRODUCT HIGHLIGHTS




4-6 PEOPLE



1.96 m x 71 cm / 77" x 28"

HydroJet™



LAY-Z-SPA™ PALM SPRINGS

HydroJet™

SPECIFICATIONS

ITEM NO.	54144	54145*
CAPACITY	4-6 Adults	4-6 Adults
WATER CAPACITY (70%)	795 L (210 gal.)	210 gal. (795 L)
INFLATED SIZE	1.96 m x 71 cm (77 in. x 28 in.)	77 in. x 28 in. (1.96 m x 71 cm)
FILLED WEIGHT	864 kg (1,905 Lb.)	1,905 Lb. (864 kg)
RATING	220-240V-50Hz, 2060W at 20°C	110-120V-60Hz, 12A at 20°C
ACTUAL WATER FLOW	≥ 1,325 L/h (≥ 350 gal./h)	≥ 320 gal./h (≥1,211 L/h)
HEATING SYSTEM	Approx. 1.5-2.0°C/h (3-4°F/h)	Approx. 2-3°F/h (1.0-1.5°C/h)
MAX. HEAT CAPABILITY	40°C (104°F)	104°F (40°C)
CERTIFICATION	CE/EMC/TUV	ETL approved
PACK/GROSS WEIGHT	1 Ea., 67.6 kg (149.0 Lb.)	1 Ea., 149.9 Lb. (68.0 kg)
* SALUSPA VERSION		

PRODUCT CHARACTERISTICS

- Sturdy TriTech™ I-Beam Construction
- ClearSoft™ Water Treatment system
- 8 HydroJet massage nozzles
- Insulating Inflatable top cover included



POWER SAVING TIMER



TRITECH MATERIAL



NO TOOLS NEEDED



MAXIMUM TEMPERATURE



HYDROJET SYSTEM



4-6



QUICK SETUP

DIGITAL CONTROL PANEL

LED Display

Lock/Unlock Button

Hydrojet System

Heat Activation

Water Filter Activation



Power On/Off

Temperature/Hour Adjustment

Celsius/Fahrenheit Mode Toggle

Power Saving Timer

Salt Chlorinator System



Filter cartridge



Chemical floater



Air hammer & Sidewinder pump



Spa setup and maintenance DVD



Pressure Gauge



Perfect spa relaxation at your fingertips





FLOW CONTROL AND DIRECTION


Pivot the nozzle to direct the jet wherever you wish. Twist the bezel to adjust the flow rate.

HYDROJET PRO™

Perfect spa relaxation
at your fingertips

All **EIGHT HydroJets** are fully adjustable. Simply twist the HydroJet's bezel to adjust the water flow rate, then pivot the nozzle to re-direct the jet to wherever you like.

You can use them to share the luxury around evenly among your spa companions or, if you're alone, re-direct the HydroJets toward yourself for a deep, relaxing solo massage.




8 HYDROJETS

120 AIRJETS

encircle the perimeter of the spa pool's floor to produce relaxing bubbles.

HYDROJET PRO™



AIRJET
positioning

HYDROJET
positioning



Patent Pending

HAWAII

54138 54139

Inflated walls are made of TrTech™ material, providing the ultimate in durability and comfort!

◆
HydroJet™ massage system & AirJet™ system

◆
Clearsoft™ Water Treatment system

◆
Integrated water filtration

◆
Heating system


◆
Heating -running when massage activated

◆
Fast, easy setup – inflates using the spa's pump

◆
Automatic start/stop timer-controlled heating system and heating system- saves energy


◆
Digitally controlled pump with soft-touch control panel





HAWAII

PRODUCT HIGHLIGHTS



4-6 PEOPLE



1.80 m × 1.80 m × 71 cm / 71" × 71" × 28"

HydroJet Pro™



LAY-Z-SPA™ HAWAII

HydroJet Pro™

SPECIFICATIONS

ITEM NO.	54138	54139*
CAPACITY	4-6 Adults	4-6 Adults
WATER CAPACITY (70%)	795 L (210 gal.)	210 gal. (795 L)
INFLATED SIZE	1.80 m x 1.80 m x 71 cm (71 in. x 71 in. x 28 in.)	71 in. x 71 in. x 28 in. (1.80 m x 1.80 m x 71 cm)
FILLED WEIGHT	867 kg (1,911 Lb.)	1,911 Lb. (867 kg)
RATING	220-240V-50Hz, 2060W at 20°C	110-120V-60Hz, 12A at 20°C
ACTUAL WATER FLOW	≥ 1,325 L/h (≥ 350 gal./h)	≥ 320 gal./h (≥ 1,211 L/h)
HEATING SYSTEM	Approx. 1.5-2.0°C/h (3-4°F/h)	Approx. 2-3°F/h (1.0-1.5°C/h)
MAX. HEAT CAPABILITY	40°C (104°F)	104°F (40°C)
CERTIFICATION	CE/EMC/TUV	ETL approved
PACK/GROSS WEIGHT	1 Ea., 70.6 kg (155.6 Lb.)	1 Ea., 157.2 Lb. (71.3 kg)



* SALUSPA VERSION

PRODUCT CHARACTERISTICS

- TriTech™ material
- 120 all-surrounding AirJets
- 8 HydroJet massage nozzles
- ClearSoft™ Water Treatment system
- Insulating Inflatable top cover included



DIGITAL CONTROL PANEL



Lay-Z-Spa™ Xtras

For easy maintenance

and added comfort for your spa,

Bestway has a range of accessory options to choose from.

Pillows, floor protectors, testing kits, filters,

inflatable domes and electric pool vacuums make up the majority of ways to maximize your

comfort and cleanliness

of your spa.





For easy maintenance and added comfort for your spa.



Patent Pending



Patent pending

LAY-Z-SPA™ ENTERTAINMENT STATION

NEW

58434 58435*
(220-240V) (110-120V)

- Suitable for all of Lay-Z-SPA™ AirJet pumps
- Two cup holders
- Supports Bluetooth 4.0 allowing user to play music or talk on the phone
- Able to supply power to Bestway LED strip (available with Paris model)
- Silicone control buttons
- Rechargeable, built-in LIPO battery
- Charger included
- Low power consumption in off/hibernate mode
- Low power warning
- High quality speaker
- 1Ea., 6.0 kg(13.1 Lb.)

* SALUSPA VERSION



Lay-Z-Spa
Palm Springs

LAY-Z-SPA™ SURROUND

NEW

58432

Patent pending

- 1.98 m x 40 cm x 40 cm (78 in x 16 in x 16 in)
- Inflatable spa surround
- Made of TriTech™ material
- Solid I-beam structure
- Inflate by spa pump or air pump
- Can be connected by velcro which is located on each end
- 3 surrounds form a circle you can assemble around the spa to sit or lie on
- Full color box
- 1 Ea., 6.186 kg (13.6 Lb.)



LAY-Z-SPA™ STEP

NEW

58436

Patent pending

- 2.02 m x 45 cm x 25 cm (80 in x 18 in x 10 in)
- Inflatable spa step
- Made of TriTech™ material
- Solid I-beam structure
- Inflate by spa pump or air pump
- Can be connected by velcro which is located on each end
- 3 steps form a circle you can assemble against the spa
- Convenient for entering and exiting spa
- Full color box
- 1 Ea., 5.025 kg (11.1 Lb.)



LAY-Z-SPA™ DRINKS HOLDER

NEW

58416

- Compatible with all Lay-Z-Spas (Except Monaco)
- Includes two drinks holders and one tray
- Keep beverages or snacks close by while you relax
- Easily positioned anywhere on the top of the side wall
- Drinks holder can be separated
- Full color box
- 12 Ea., 0.6 kg (1.3 Lb.)



LED FLOATING POOL LIGHT

NEW

58419

- $\phi 18\text{cm} / \phi 7''$
- Beautiful display: 4 super bright LEDs in 4 colors (yellow, red, blue and green) with 7 flashing light models
- Easy to operate: simply press on button on the top of ball
- No wiring or outside electrical power required
- No operation and maintenance cost
- Powered by 3xAA Batteries (not included)
- IP68 waterproof
- Light range has a diameter of 8" wide and 5" deep
- Shuts off automatically after one hour when not in use
- Full color box
- 12 Ea., 4.05 kg (8.93 Lb.)





Lay-Z-Spa
Paris



AQUA SCAN ELECTRIC POOL VACUUM

NEW

58422* **58427**
[110-120V] [120-240V]



- Rechargeable battery pack with Lithium battery
- Completely submersible body vacuums debris on pools/spa floor and also filters water.
- Compatible with spas and above ground pools (up to 6.09m (20') diameter).
- Easily remove and empty the filter bag.
- Wheels ensure smooth and easy gliding on any pool surface.
- Replaceable bristles for scrubbing off debris efficiently.
- Connects to a 5-section poles (included).
- Also fits standard telescopic pole (not included) with quick-release clip.
- Compact design for shipping & storage.
- 4 Ea., 8.5kg (18.7 Lb.)

* SALUSPA VERSION



AQUA SCAN ELECTRIC POOL VACUUM

58340



- Battery-powered pump creates suction, without the use of hoses or electrical cords.
- Telescopic handle with ergonomic grip and locking mechanism.
- Simple press-button operation.
- Telescopic pole reaches up to 1.5m / 5ft when fully extended.
- Underside wheels for easy gliding.
- Quick to assemble, no tools needed.
- Requires 8 AA batteries (not included)
- Includes an easy-to-empty debris collection bag.
- Full Color Box
- 6 Ea., 8.4kg (18.4Lb.)



LAY-Z-SPA™ ALL IN ONE TOOL SET

NEW

58421



Lay-Z-Spa™ Scoop

- Bumper protects spa surface
- Round shaped design fits the contours of the spa's interior
- Deep net to collect debris
- Handheld or connects to standard telescopic pole

Lay-Z-Spa™ Brush

- Bumper and nylon bristles protect spa's surface
- Handheld or connects to standard telescopic pole

Lay-Z-Spa™ Scrubbing Mitt

- Scrub along spa water line
- Latex glove bonded with scrubber pad
- Full color box
- 8 Ea., 1.7 Lb. (0.8 Kg)



FLOWCLEAR™ POOL & SPA TEST STRIPS



- The ideal solution for basic pool & spa water testing
- Easy Color-Match system
- Contains 50 test strips
- 18-month shelf life



58142

- 3-in-1 Test Strip
 - Free Chlorine - pH - Total Alkalinity
- Measures Free Chlorine 0 to 10ppm, Total Alkalinity 0 to 240ppm and pH 6.2 to 8.4 with instant results
- Blister card
- 24 Ea., 1.2kg (2.7Lb.)



58247

- 5-in-1 Test Strip
 - Free Chlorine - pH - Total Chlorine
 - Total Hardness - Total Alkalinity
- Measures pH 6.2 to 8.4, Free Chlorine 0 to 10ppm, Total Chlorine 0 to 10ppm, Total Hardness 0 to 1000ppm and Total Alkalinity 0 to 240ppm with instant results
- Blister card
- 24 Ea., 1.2kg (2.7Lb.)

FILTER CARTRIDGE(VI)

58323



Φ10.6cm x H8.0cm
(Φ4.2in x H3.1in)

- Replacement cartridge for Lay-Z-Spa™
- Easy to clean
- Contains two filter cartridges
- Shrink wrapped with inset card
- Packed in display
- 6 Sets, 1.45kg (3.20Lb.)

LAY-Z-SPA™ PILLOW

58317

- Super soft pillow offers a comfortable cushioned surface that provides premium head and neck support
- Organic PU foam is 100% waterproof and resistant to chemicals and odors
- Easy to clean
- Securely connects to all Lay-Z-Spas (except Monaco)
- 2 Pillows Included in each color box
- Can also be used in the bath tub
- Full color box
- 4 Prs., 5.1kg (11.2Lb.)



POOL FLOOR PROTECTORS

58220 / 58265



• 81cm x 81cm (32in x 32in)
• 8 Sets, 17.4kg (38.4Lb.)



• 50cm x 50cm (20in x 20in)
• 30 Sets, 22.7kg (50.0Lb.)

- Durable Polyethylene
- Provides added protection for pool floors
- Fits all sizes of Spas
- Package contains 8 pieces
- Shrink wrapped with Insert card

LAY-Z-SPA™ TECHNICAL FEATURES


		STURDY I-BEAM	TRITECH™	POWER SAVING TIMER	CLEANING/ WATER FILTER ACTIVATION	HEATING SYSTEM	CLEARSOFT™ SYSTEM	LED LIGHTS
AIRJET™	MIAMI	•		•	•	•		
	VEGAS	•		•	•	•		
	PARIS	•		•	•	•		•
	PALM SPRINGS	•	•	•	•	•		
	HAWAII	•	•	•	•	•		
	SIENA	•	•	•	•	•		
HYDROJET™	PALM SPRINGS	•	•	•	•	•	•	
HYDRIJET PRO™	HAWAII	•	•	•	•	•		

LAY-Z-SPA XTRAS™ COMPATIBLE WITH...

LAY-Z-SPA™ XTRAS	MIAMI	VEGAS	PARIS	PALM SPRINGS	HAWAII AIRJET™	SIENA	PALM SPRINGS HYDROJET™	HAWAII HYDROJET PRO™
58434 Lay-Z-Spa™ Entertainment Station	•	•	•	•	•	•		
58432 Lay-Z-Spa™ Surround	•	•	•	•			•	
58436 Lay-Z-Spa™ Step	•	•	•	•			•	
58416 Lay-Z-Spa™ Drinks Holder	•	•	•	•	•	•	•	•
58247 Flowclear™ Pool & Spa Test strips	•	•	•	•	•	•	•	•
58340 Aqua Scan Electric Pool Vacuum	•	•	•	•	•	•	•	•
58421 Lay-Z-spa™ All in One Tool Set	•	•	•	•	•	•	•	•
58323 Filter Cartridge (VI)	•	•	•	•	•	•	•	•
58317 Lay-Z-Spa™ Pillow	•	•	•	•	•	•	•	•
58220 Pool Floor Protector	•	•	•	•	•	•	•	•
58265 Pool Floor Protector	•	•	•	•	•	•	•	•

JUST INFLATE, CONNECT AND FILL!

In minutes, you'll be relaxing in your LAY-Z-SPA™!



FABRICS & FINISHES



MIAMI

54123 54124



OUTER TEXTURE



VEGAS

54112



OUTER TEXTURE



PARIS

54148 54149



OUTER TEXTURE



PALM SPRINGS

54129 54130



OUTER TEXTURE



HAWAII

54154 54155



OUTER TEXTURE



SIENNA

54156 54157



OUTER TEXTURE



PALM SPRINGS
HYDROJET™

54144 54145



OUTER TEXTURE



HAWAII
HYDROJET PRO™

54138 54139



OUTER TEXTURE

2017 COLLECTION

LAY-Z-SPA™

SHANGHAI

Bestway (China) Holding Inc.
No.3865 Sui Ai Road
Shanghai 201811, China
Tel: 86 (21) 91119588
Fax: 86 (21) 91129396
E-mail: info@bestwaycorp.com

HONG KONG

Bestway (Hong Kong) International Ltd.
Suite 215, 19/F, East Wing, Lam Sha Teu Centre
46 Masi Road, Kwun Tong, Hong Kong
Tel: 852 2492 7149
Fax: 852 2497 1949
E-mail: info@bestwaycorp.hk

EUROPE

Bestway Europe S.p.A.
Via Roccamare, 9
20099 San Giuliano Milanese (MI), Italy
Tel: 39 02 9694 381
Fax: 39 02 9894 8828
E-mail: info@bestwaycorp.eu

LATIN AMERICA

Bestway Latin & South America Ltda.
Suzar Avenue, 1260 Parque Serra
Riacho do Santinho, Curitiba
Tel: 55 21 3283 6233
Fax: 55 32 3282 6409
E-mail: info@bestwaycorp.br

U.S.A.

Bestway USA Inc.
2411 E. Harbor Blvd., Phoenix, Arizona
85034, United States of America
Tel: 1 480 938 5887
Fax: 1 480 364 5345
E-mail: info@bestwaycorp.us

AUSTRALIA

Bestway Australia Pty Limited
28/118/1185 Adelaide Street
Stirling Heights, QLD 4713, Australia
Tel: 61 7 4607 3288
Fax: 61 7 4607 3282
E-mail: info@bestwaycorp.au

BRAZIL

Bestway Brasil
Rua São João, 1543 Maracanã - 119 - Brasil
Zip Code: 21300-101
Tel: 0055 001 4400
E-mail: info@bestwaycorp.com.br

FRANCE

Bestway France SpA
Comme Rivière, 102 rue Albert Calvot
92410 Bois France
Tel: 33 497 04 97 99
Fax: 33 4 97 04 91 07
E-mail: info@bestwaycorp.fr

GERMANY

Bestway Deutschland GmbH
Parkstraße 11
24634 Neumünster, Germany
Tel: 49 4321 558 05 - 0
Fax: 49 4321 558 09 - 0
E-mail: info@bestwaycorp.de

RUSSIA

Bestway Rus LLC
01/03b, Yevheniy Zhuravskiy St.
Senn Ekstremburg, 19514, Russia
Tel: 7 812 646 9541
Fax: 7 812 646 8244
E-mail: info@bestwaycorp.ru

Bestway Lay-Z-Spa

www.bestwaycorp.com

