

WATER SPORTS

HONG KONG

LATIN AMERICA 0

SHANGHAI

0

BRAZIL

•

AUSTRALIA 9

U.S.A.

9

EUROPE **9**

FRANCE

9

EASTERN EUROPE 0

GERMANY 9









VISION MISSION

We create fun, lasting experiences to everyone in the world through the products and service we provide.

Happiness — Happy Consumers, Happy Employees, Happy World







Vertically integrated



Customer focused



Innovative



Sustainable



Consumer driven



Fully owned production facilities



Public stock exchange

BESTWAY WORLD





♦ R&D CENTER

♦ OVERSEAS SUBSIDIARY

PRODUCTION FACILITY

WEBSITE

way falle of Carllette Other publications

Bestwaycorp.com is debuting a new and improved look. Keeping it fresh and modern, our new website uses large visuals and graphics to help tell the story of each brand. Now it's easier than ever to learn about our different products and technologies!





THE NEW CATALOG APP

Easily access all of our Bestway® catalogs while on the go with our brand new app. Download to see the conveniently portable, digital versions of our catalogs!



FLOATS

LAKE INFLATABLES pg 8-27

SUPS & SURF

STAND-UP PADDLEBOARDS pg 28-57

BOATS

KAYAKS pg 62-73

RAFTS pg 74-89

SPORT BOATS pg 90-101

ACCESSORIES

pg 102-105




pg 106-107





From one-seaters to giant islands, the Hydro-Force[™] line of floats was made for fun in the sun with family and friends. Whether it's the pool, river or beach, these products promise a great time. Made with a thicker material, this collection offers top-notch durability. With added accessories like built-in backrests, cup holders and storage buckets, Hydro-Force floats will make sure the party never ends!





















FEATURES

- 3 assorted colors: blue, orange, green - Heavy-duty handles - 1cup holder

CONTENTS

WEEKEND TUBE 36173/E Deflated: 40 in. / 1.02 m diameter

- One swim tube -Heavy-dutyrepairpatch

	Weight Capacity	Passengers	Case Pack	Lb. (kg)	Packaging
-	198.4 lbs (90 kg)	1	12 pcs	19.2 lbs (8.7 kg)	Fullcolorbox

SPECIFICATIONS

WHITECAP RIDER TUBE



Deflated: 47 in. / 1.19 m diameter

SPECIFICATIONS

Weight Capacity	Passengers	Case Pack	Lb. (kg)	Packaging
198.4 lbs (90 kg)	1	6 pcs	20.2 lbs (9.2 kg)	Fullcolorbox
EATURES CONTENTS				

FEATURES

- Interlocking quick release valve -1cupholder - Wraparound grab rope with built-in grommets - Premium construction with backrest - Cool mesh bottom

- One tube - Repair patch



CAMO CRUISER TUBE 43284/E

Deflated: 53 in. / 1.35 m diameter

- One tube - Heavy-duty repair patch

- Wraparound grab rope with

-Heavy-duty handles

- Premium construction with

backrest

- Cool mesh bottom



RAPID RIDER QUAD

43115/E

Deflated: 8 ft. 5 in. x 8 ft. 5 in. / 2.57 m x 2.57 m

FEATURES

- Interlocking quick release valves - Wraparound grab rope with built-in grommets [43115E] 4 grab ropes with built-in grommets [43115] - Premium construction with backrest - Each seat has pliable mesh bottom -2built-incoolers - 4 cup holders - 2 storage buckets

CONTENTS

- One quad tube - Heavy-duty repair patch

SPECIFICATIONS

Weight Capacity	Passengers	Case Pack	Lb. (kg)	Packaging
793.7 lbs 4 (360 kg) 4		1pcs	23.7 lbs (10.7 kg)	Full color box



Weight Capacity	Passengers	Case Pack	Lb. (kg)	Packaging
198.4 lbs (90 kg)	1	6 pcs	28.2 lbs (12.8 kg)	Full color box





43280/E



TOUGH GUARD FORTECH 15% LIGHTER* 150% MORE ABRASION 150% MORE PUNCTU

DISCLAIMER: COMPARED TO AN EQUIVALENT SIZE VINYL BED

Deflated: 53 in. / 1.35 m diameter

FEATURES

- Interlocking quick release valves 2 heavy-duty handles 1cup holder

- Wrapholoci Wraparound grab rope with built-in grommets Premium construction with backrest Pliable mesh bottom

CONTENTS

- One tube - Heavy-duty repair patch

SPECIFICATIONS

Weight Capacity	Passengers	Case Pack	Lb. (kg)	Packaging	
198.4 lbs (90 kg)	1	4 pcs	19.3 lbs (8.8 kg)	Full color box	



RUGGED RIDER II

43279/E



TOUGH GUARD FORTECH 150% MOREABRASION 150% MOREPUNC D TO AN EQUIVALENT SIZE VINYL BED

Deflated: 99 in. x 52 in. / 2.51 m x 1.32 m

FEATURES

- Interlocking quick release valves - 2 heavy-duty handles - 2 cup holders

- Premium construction with backrest Cool mesh bottom
- Center console storage

CONTENTS

- One double tube - Heavy-duty repair patch

SPECIFICATIONS

Weight Capacity	Passengers	Case Pack	Lb. (kg)	Packaging
396.8 lbs (180 kg)	2	2 pcs	17.6 lbs (8.0 kg)	Full color box

GLACIAL SPORT COOLER



Deflated: 34.5 in. x 30 in. / 88 cm x 77 cm

SPECIFICATIONS

Case Pack	Lb. (kg)	Packaging	
8 pcs	24.4 lbs (11.1kg)	Full color box	

FEATURES

- Inflatable cooler and base - 49 L (13 gal.) insulated cooler - 4 cup holders - Heavy-duty handles

- One cooler - Heavy-duty repair patch

CONTENTS



FEATURES - 2 air chambers [43156E] - 3 air chambers [43156] - Comfortable headrest - Pre-cut openings for refreshing water immersion









water immersion

SUNBED AIRMAT



Deflated: 72 in. x 28 in. / 1.83 m x 71 cm

SPECIFICATIONS

Weight Capacity	Passengers	Case Pack	Lb. (kg)	Packaging		
198.4 lbs (90 kg)	1	6 pcs	16.5 lbs (7.5 kg)	Full color box		
FEATURES CONTENTS						
- Premium construction with pillow - One airmat						

- Heavy-duty repair patch



SUMMER VIBES



Deflated: 63 in. x 34 in. / 1.60 m x 86 cm

SPECIFICATIONS

ltem No.	Weight Capacity	Passengers	Case Pack	Lb. (kg)	Packaging
43156E	198.4 lbs (90 kg)	1	8 pcs	12.8 lbs (5.8 kg)	Full color box
43156	198.4 lbs (90 kg)	1	8pcs	14.5 lbs (6.6 kg)	Full color box

CONTENTS

```
- One lounge
- Heavy-duty repair patch
```

AQUA BREEZE FLOAT



Deflated: 65 in. x 47 in. / 1.65 m x 1.20 m

SPECIFICATIONS



- Interlocking quick release valve - Pre-cut openings for refreshing

- One lounge - Heavy-duty repair patch





COOL BLUE LOUNGE 43155/E Deflated: 63.5 in. x 33 in. / 1.61 m x 84 cm

. .

AL SHERE AL

FEATURES

- -2airchambers
- Premium construction with armrests and backrest -1cupholder
- Opening to dip feet into the water (43155E)

CONTENTS

- One lounge - Repair patch

de ...

SPECIFICATIONS

ltem No.	Weight Capacity	Passengers	Case Pack	Lb. (kg)	Packaging
43155E	198.4 lbs (90 kg)	1	8 pcs	21.11bs (9.6 kg)	Full color box
43155	198.4 lbs (90 kg)	1	8 pcs	21.4 lbs (9.7 kg)	Full color box



Deflated: 91 in. x 42 in. / 2.31 m x 1.07 m

SPECIFICATIONS

eight acity	Passengers	Case Pack	Lb. (kg)	Packaging
.4 lbs) kg)	1	2 pcs	21.0 lbs (9.5 kg)	Full color box

CONTENTS

- One lounge - Heavy-duty repair patch

19

FEATURES

43130/E COOL DAYS LOUNGE

- Interlocking quick release valves 5 airchambers Premium construction with armrests and backrest
- 1cup holder
- Ice bucket for drinks or a cooler

XЗ ISLAND

43111/E



Deflated: 6 ft. 6 in. x 69 in. / 1.99 m x 1.76 m

FEATURES

- Interlocking quick release valves - 2 air chambers - Heavy-duty handles - 3 inflatable backrests - 3 cup holders - Open bottom to dip feet into the water

CONTENTS

- One island - Heavy-duty repair patch

SPECIFICATIONS

Weight Capacity	Passengers	Case Pack	Lb. (kg)	Packaging
595.2 lbs (270 kg)	Э	2 pcs	18.2 lbs (8.3 kg)	Full color box



CALP-FORCE



CHILL SPLASH LOUNGE

43297/E



Deflated: 87 in. x 68.5 in. / 2.21m x 1.74 m

FEATURES

- Interlocking quick release valve - Curved backrest on both sides - 2 cup holders - Heavy-duty handles - 2 air chambers

CONTENTS

- One lounge - Heavy-duty repair patch

SPECIFICATIONS

Weight Capacity	Passengers	Case Pack	Lb. (kg)	Packaging
396.8 lbs (180 kg)	2	1pcs	21.3 lbs (9.7 kg)	Full color box

KICK BACK LOUNGE 43120/E Deflated: 9 ft. 1 in. x 8 ft. 7 in. / 2.77 m x 2.62 m

FEATURES

- Interlocking quick release valves Grab rope with built-in grommets Extra-wide backrest
- -5cupholders

CONTENTS

- One island - One swim-up platform - One anchor bag - Heavy-duty repair patch

Weight Capacity	Passengers	Case Pack	Lb. (kg)	Packaging
992.0 lbs (450 kg)	5	1pcs	31.11bs (14.1kg)	Full color box

SPECIFICATIONS







Deflated: 8 ft. 9 in. x 8 ft. 9 in. / 2.67 m x 2.67 m

43135/E LAZY DAYZ ISLAND

SPECIFICATIONS

ight acity	Passengers	Case Pack	Lb. (kg)	Packaging
1.7 lbs 0 kg)	4	1pcs	27.3 lbs (12.4 kg)	Full color box

CONTENTS

- One island - One anchorbag - Heavy-duty repair patch

FEATURES

- Interlocking quick release valves - 3 extra-wide pillow backrests - 4 cup holders - 2 heavy-duty handles

TROPICAL BREEZE ISLAND

43105/E



Deflated: 12 ft. 9 in. x 9 ft. / 3.89 m x 2.74 m

FEATURES

- Interlocking quick release valves - Heavy-duty handles - Safety grab rope on both ends - Extra-wide pillow backrests - 6 cup holders - Detachable sunshade

CONTENTS

- One island - One cooler bag - One sunshade - Heavy-duty repair patch

SPECIFICATIONS

Weight Capacity	Passengers	Case Pack	Lb. (kg)	Packaging
1190.5 lbs (540 kg)	6	1pcs	57.6 lbs (26.1kg)	Full color box









RIDE THE WAVES

Stand-up paddleboarding has become incredibly popular all across the globe, and with a wide range of Hydro-Force[™] boards to choose from, there's something for every consumer. Both beginners and experienced riders can have a summer full of exploration. The engineering team at Bestway[®] has crafted and fine-tuned each board, ranking them for overall maneuverability, tracking, stability and speed. Year after year, Hydro-Force continues to rule the lineup!

BOARD WITH BENEFITS

Bestway's inflatable SUP line offers all the advantages that come along with hard boards, plus these added benefits:

- Easy to transport in a car or on a plane a true money saver, as there is no need to purchase a roof rack or pay expensive shipping costs
- A great choice for beginners the thicker material is generally more stable than a hard board
- Sold as a package deal everything that's needed is included in one lightweight, graband-go carrier
- Bounce back ability the flexible material is more resilient than a hard board

Advantages of ease and portability make an inflatable SUP the ultimate board, especially for beginners. Some models even come with a convenient kit to convert the paddleboard into a kayak, giving the user two options every time they cruise the open water. With a Hydro-Force SUP, anyone can have summer of adventures.





STANDINGUP UP ON YOUR BOARD


When you're new to the sport, it's best to start out in flat, calm water that's free of obstacles like boats and buoys. At first, you may find it easier to kneel on the board rather than to stand upright. Here are the steps to get you started:

- Standing alongside the board in shallow water, place your paddle across the deck of the board and use it as an outrigger. The paddle grip is on the rail (edge) of the board; the blade rests on the water.
- Hold the board by the rails. One hand will also be holding the paddle grip.
- Climb onto the board in a kneeling position, just behind the center point of the board.
- From that kneeling position, get a feel for the balance point of the board. The nose shouldn't pop up out of the water and the tail shouldn't dig in.
- Keep your hands on either side of the board to stabilize it.
- Once you're ready, stand up on the board one foot at a time. Place your feet where your knees were. You might also bring a friend to help stabilize the board as you get the hang of standing on it.



Tritech, a 3-ply reinforced material with a polyester mesh core encased in two layers of laminated PVC that offers superior strength and durability. This premium marine grade material can withstand the most extreme nautical conditions including exposure to petroleum products and ultraviolet rays. JUHOL - OMA





To provide unmatched strength and durability, drop stitch material is a network of thousands of polyester threads. They securely connect the material surfaces internally, which sealinairtokeeptheboardinflated and rigid, yet still lightweight. Drop stitch material can support considerable weight when inflated while still being easily portable when deflated.



PLANOGRAM STORE DISPLAY



Actual in-store displays may vary.

SURF


The glide is secured for small/medium waves. It's a board suitable for novice riders who want to approach the sport safely and for experienced riders who seek an alternative way to have fun than the classic board.

ALL AROUND

High maneuverability and lightness make this board per-fect for flat water and small wave riding (Aqua Journey, Oceana, Huaka'i Tech).

TOURING

Stability, speed and space for luggage. Perfect for long and safe tours on the water (Cruiser Tech, Freesoul Tech).



RIVER

Perfect for long and safe tours on the water, suitable for use both in flat water and on river (Kahawai).

RACE | FAST TOURING

Long, fast and stable board, suitable for fast riding and medium-long tours on the water (Fastblast).

the second s		And in case of the local data water	And a state of the	
LENGTH	8ft.(2.43m)	9ft.(2.74m)	10 ft. (3.05 m)	10 ft. (3.05 m)
WIDTH	22 in.(57 cm)	30 in.(76 cm)	33 in. (84 cm)	33in.(84cm)
THICKNESS	3in.(7cm)	6 in (15 cm)	6 in.(15 cm)	6 in. (15 cm)
WEIGHTCAPACITY	198 lbs (90 kg)	242 lbs(110 kg)	287 lbs(130 kg)	309 lbs (140 kg)
INTERNALVOLUME	21 gal.(80L)	66gal.(251L)	84 gal. (320 L)	84 gal.(320 L)
PRESSURE	17 psi(1.172 bar)	15 psi (1.034 bar)	15 psi(1.034 bar)	15 psi (1.034 bar
SEATED OPTION		//		
DARS	J.P.			• (For
FINS	atterne the second		रत्य	
OVERALL				
PERFORMANCE				MANEUVERABILITY
	STABILITY SPEED	STABILITY SPEED	STABILITY	STABILITY

STABILITY

STABILITY

STABILITY

SPEED

37

COMPACT SURF 8

65336/E



Inflated: 8 ft. x 22 in. x 3 in. / 2.43 m x 57 cm x 7 cm

FEATURES

- Non-slip traction pad - Stainless steel ring located astern to hook the leash


- Made from Tritech™ with drop stitch construction which provides superior durability - Non-slip traction pad experienced riders who seek an alternative way to have fun than the classic board.

CONTENTS

- Surfboard - Handpump - Travelbag - Surfleash - Repairkit

eight lacity	Passengers	Case Pack	Lb. (kg)	Packaging
3 lbs) kg)	1	1pcs	21.9 lbs (10.0 kg)	Full color box







AQUA		Koung	30'x4.75" 1.208	ETH	
JUA JOURNEY	Aqua Journey	DPICE Aqua J	Aqua Journey 9x		
S N N N		- OPIGH	HYDRO- <mark>FDRA</mark>	HYDRO-FORLE.	
Ĩ				Ł	

AQUA JOURNEY SET

65302/E



Inflated: 9 ft. x 30 in. x 6 in. / 2.74 m x 76 cm x 15 cm

FEATURES

Drop stitch material provides unparalleled strength, stability and durability
 Non-slip traction pad
 Convenient deck handle to easily carry the SUP
 Adjustable 85 in. (2.17 m) aluminum paddle
 Category: All Around
 High maneuverability and lightness make this board ideal for flat water and small wave riding

Contraction of the second second

100

CONTENTS

- Paddleboard Paddle Hand pump Travel bag Surf leash Repair kit

Weight Capacity	Passengers	Case Pack	Lb. (kg)	Packaging
242 lbs (110 kg)	1	1pcs	30.5 lbs (13.8 kg)	Full color box





65303/E



Inflated: 10 ft. x 33 in. x 6 in. / 3.05 m x 84 cm x 15 cm

FEATURES

Drop stitch material provides unparalleled strength, stability and durability
 Non-slip traction pad
 Detachable seat with back and footrest
 Convenient deck handle to easily carry the SUP
 Elastic cord for extra storage
 Adjustable 85 in (2.17 m) aluminum paddle
 Category: All Around
 Best shape for safe and multifunctional driving in every water condition

SOBCE Ocean

CONTENTS

- Paddleboard - Paddle - Haude - Hand pump - Travelbag - Surfleash - Seat - Footrest - Repairkit

1111	Weight Capacity	Passengers	Case Pack	Lb. (kg)	Packaging	-14
	287 lbs (130 kg)	1	1pcs	35.7 lbs (16.2 kg)	Full color box	など

10'x33"x 6" L304











ET.I



KAHAWAISET

65308/E



Inflated: 10 ft. 2 in. x 34 in. x 6 in. / 3.10 m x 86 cm x 15 cm

FEATURES

- Drop stitch material provides unparalleled strength, stability and durability - Non-Slip traction pad - Long rubber fins have greater directionality with strong undertow - Elastic cord for extra storage

- Multiple convenient handles to easily carry the SUP and for grabbing during use on river
 Kickboard helps to increase the maneuverability
 Category: Touring
 Perfect for long and safe tours on the water, suitable for use both in flat water and on the river

CONTENTS

- Paddleboard Paddle Hand pump Travel bag Surf leash Repair kit

	Weight Capacity	Passengers	Case Pack	Lb. (kg)	Packaging
5	309 lbs (140 kg)	1	1pcs	36.4 lbs (16.5 kg)	Full color box







65312/E 65330/E



Inflated: 10 ft. x 33 in. x 6 in. / 3.05 m x 84 cm x 15 cm

FEATURES

Constructed with TritechTM and drop stitch material to ensure strength, stability and durability
 Non-slip traction pad
 Adjustable 85 in (217m) aluminum paddle (for 65330/E)
 Elastic cord for extra storage
 Convenient deck handle to easily carry the SUP
 Category: All Around
 Best shape and thickness for stability and safety
 Suitable for use with pet due to the wider pad

CONTENTS

- Paddleboard - Paddle for (#65330/E) - Hand pump - Deluxe backpack - Surfleash - Repainkit

1	ltem Number	Weight Capacity	Passengers	Case Pack	Lb. (kg)	Packaging	
	65312/E	309 lbs (140 kg)	1	1pcs	34.9 lbs (15.9 kg)	Full color box	2.10
	65330/E	309 lbs (140 kg)	1	1pcs	38.0 lbs (17.2 kg)	Full color box	







AQUA CRUISE TECH

65305/E 65329/E



Inflated: 10 ft. 6 in. x 30 in. x 6 in. / 3.20 m x 76 cm x 15 cm

FEATURES

- Constructed with Tritech™ and drop stitch material to ensure strength, stability and durability Non-slip traction pad Adjustable 85 in. (2.17 m) aluminum paddle (for 65329/E)
- Front and back elastic cord for extra storage
 Convenient deck handle to easily carry the SUP
 Category: Touring
 Perfect for long and safe tours on the water due to its stability, speed and space for luggage

CONTENTS

- Paddleboard Paddle for (#65329/E) Hand pump Deluxe backpack

- Surfleash

			- nepair i				
	ltem Number	Weight Capacity	Passengers	Case Pack	Lb. (kg)	Packaging	
	65305/E	265 lbs (120 kg)	1	1pcs	34.4 lbs (15.6 kg)	Full color box	
è	65329/E	265 lbs (120 kg)	1	1pcs	37.6 lbs (17.1kg)	Full color box	

FREESOUL TECH SET

65310/E



Inflated: 11 ft. 2 in. x 35 in. x 6 in. / 3.40 m x 89 cm x 15 cm

FEATURES

- Constructed with Tritech™ and drop Tritech^{IM} and drop stitch material to ensure strength, stability and durability - Non-slip traction pad - Detachable seat with back and footrest - Ability for quick rig connection (mast foot base not included)

Elastic cord for extra storage
Convenient side handles to easily carry the SUP
Removable daggerboard for windsurfing use
Category: Touring
Perfect for long and safe tours on the water, sailing, yoga and kayaking due to its stability, speed and space for luggage

CONTENTS

- Paddleboard - Paddle - Hand pump - Deluxe backpack - Surf leash - Seat - Footrest - Repair kit

Weight Capacity	Passengers	Case Pack	Lb. (kg)	Packaging	
353 lbs (160 kg)	1	1pcs	48.3 lbs (21.9 kg)	Full color box	















FASTBLAST TECH

65306/E



Inflated: 12 ft. 6 in. x 30 in. x 6 in. / 3.81 m x 76 cm x 15 cm

FEATURES

 Constructed with Tritech[™] and drop stitch materials to ensure strength, stability and durability
 Non-slip traction pad
 Elastic cord for extra storage

ADDRESS OF THE OWNER.

Sec. 674. 16

Convenient deck handle to easily carry the SUP
Category: Race/Fast Touring
Long, fast and stable board, suitable for fast riding and medium-long tours on the water

CONTENTS

- Paddleboard - Hand pump - Deluxe backpack - Surf leash - Repair kit

f	Weight Capacity	Passengers	Case Pack	Lb. (kg)	Packaging
/	265 lbs (120 kg)	1	1pcs	34.2 lbs (15.5 kg)	Full color box





12V AUTO-AIR ELECTRIC PUMP

65315/NA NA = Four Languages

Size: 9 in. x 5.5 in. x 5 in. / 23.5 cm x 14 cm x 13 cm

SPECIFICATIONS



FEATURES

- DC 12V 110W car charger 9.8 ft. (3 m) long power cord Inflates stand-up paddleboards and other items with high pressure valves Easy-to-read LCD display with built-in preset pressure sensors Unit selection button switches between PSI and BAR Inflates from 0-16 PSI in just minutes with easy to use touch button
- controls
- Fully adjustable pressure settings (increments of 0.5 PSI) Automatic shut-off triggers when predetermined pressure is reached preventing over-inflation

FIBERGLASS PADDLE

65307/E

Length: 85 in. / 2.17 m

SPECIFICATIONS



FEATURES

- Adjustable paddle with 2 sections, the length can be adjusted from 66 in. (167 m) to 85 in. (2.17 m)
 Adjustable length options printed on paddle
 Single lock clip and snap fastener structure for easy

- On get local part of approximate and obtained of easy adjustments
 Ourable fiberglass shaft
 T-shaped comfortable handgrip
 Streamlined blade design provides efficient paddling

ĔĽŮ

GIF



ADVENTURE is MAITING

Bestway's kayaks, rafts and boats are all uniquely designed with adventure in mind. From paddling to fishing to just floating along, this collection of boats promises a summer to remember! The wide range included in this line means every water explorer can find exactly what they're looking for. Plus, the thick, inflatable materials provide durability along with portability, make a Bestway boat the ultimate choice.







COVE CHAMPION 65115/E

К	\Box	
65	09	

3 ft. (3.96 m)		
2 ft. (3.66 m)		
1ft.(3.35m)		
0 ft. (3.05 m)		
)ft.(2.74m)		
3ft.(2.44m)		
7 ft. (2.13 m)		
6 ft. (1.83 m)		
5 ft. (1.52 m)		
1 ft. (1.22 m)		
3ft.(91cm)		
2 ft. (61cm)		
ft. (30 cm)		
	W	
INFLATEDLENGTH	9 ft. (2.75m)	

INFLATED LENGTH	9 ft. (2.75m)	8 ft. 10 in. (2.70 m)	10 ft.6 in.(3.21m)	10 ft. 10 in. (3.30 m)
INFLATED WIDTH	32 in.(81cm)	39 in. (1.00 m)	35 in. (88 cm)	37 in. (94 cm)
WEIGHT CAPACITY	220 lbs (100 kg)	331lbs(150kg)	350 lbs (160 kg)	440 lbs (200 kg)
INTERNAL VOLUME	55 gal. (210 L)	111gal.(420L)	100 gal. (379 L)	120gal. (453L)
DARS	•	•	•	•
PASSENGERS	1Adult	1Adult	2 Adults	2 Adults



LITE-RAPID X2

VENTURA 65052/e





COVE CHAMPION

65115/E



Inflated: 9 ft. x 32 in. / 2.75 m x 81cm

FEATURES

- 3 air chamber construction Made with durable PVC

- Nade with durable PVC material
 Firm and rigid inflated floor
 Removable fin for directional stability
 Comfortable cockpit with inflatable seat

- Storage cord (front and back) Wraparound grab rope 86 in. (2.18 m) aluminum
- paddle - Air Hammer™ hand pump (#62086)
- Interlocking quick release valves

CONTENTS

- Kayak 1pair of oars Hand pump Repair patch

ltem Number	Weight Capacity	Case Pack	Lb. (kg)	Packaging	Certifications
65115	220 lbs (100 kg)	1pcs	23.6 lbs (10.7 kg)	Full color box	GS
65115E	220 lbs (100 kg)	1pcs	23.6 lbs (10.7 kg)	Full color box	NMMA



65097/E



Inflated: 8 ft. 10 in. x 39 in. / 2.70 m x 1.00 m

FEATURES

- 3 air chamber construction for better buoyancy - Made with durable PVC material - Kayak category: Fishing - Built-in backrest for comfort - Built-in fishing rod holder - Wraparound grab rope - Built-in oar clasps - Detachable dorsal fin for maneuverability - 4 footrests to accommodate short or tall kayakers
- 2 elastic cord storage areas (front and back)
- 2 carry handles (front and back)
- Air Hammer™ hand pump (#62086)
- 86 in. (2.18 m) paddle
- Interlocking quick release valves

CONTENTS

- Boat - Paddle - Hand pump - Repair patch

ltem Number	Weight Capacity	Case Pack	Lb. (kg)	Packaging	Certifications
65097	331 lbs (150 kg)	1pcs	20.2 lbs (9.2 kg)	Full color box	GS
65097E	331 lbs (150 kg)	1pcs	20.2 lbs (9.2 kg)	Full color box	NMMA
















LITE-RAPID X2

65077/E



Inflated: 10 ft. 6 in. x 35 in. / 3.21 m x 88 cm

FEATURES

 Made with durable PVC material
 Form-fitted construction prevents water from entering the cockpit
 Inflated cushions for comfortable sitting

ETENTS

Grab rope with built-in grommets
Removable middle fin for directional stability
Carry handles
Tow ring
Interlocking quick release valves

CONTENTS

- Boat - 2 paddles - Repair patch

	-				The second se	
2	ltem Number	Weight Capacity	Case Pack	Lb. (kg)	Packaging	Certifications
	65077	350 lbs (160 kg)	1pcs	27.7 lbs (12.6 kg)	Full color box	GS
	65077E	350 lbs (160 kg)	1pcs	27.7 lbs (12.6 kg)	Full color box	NMMA



65052/E



Inflated: 10 ft. 10 in. x 37 in. / 3.30 m x 94 cm

FEATURES

- 3 air chamber construction
- Premium coated nylon hull that is sun, oil and seawater resistant
- 2 removable side chambers & I-beam floor made from heavy-duty PVC
- Removable fin for directional stability
- 2 adjustable seats with storage compartments Removable storage bag
Oar clasps
2 86 in. (2.18 m) aluminum paddles
Air Hammer™ hand pump (#62086)
Guick inflation/deflation screw valves
Interlocking quick release valve
Integrated drain valve

CONTENTS

- Kayak - 2 paddles - Hand pump - Repair patch

ltem Number	Weight Capacity	Case Pack	Lb. (kg)	Packaging	Certifications
65052	440 lbs (200 kg)	1pcs	40.7 lbs (18.5 kg)	Full color box	GS
65052E	440 lbs (200 kg)	1pcs	40.7 lbs (18.5 kg)	Full color box	NMMA









		NOT FOR SALE IN US					NOT FOR SALE IN US		
	TRECK X1 61064/e	TRECK X1set 61083	TRECK X2 SET 61068/E	TRECK X3 SET 61110/E	VOYAGER 300 65051/e	VOYAGER 500 65001/E	NEVA III 65008	NEVA III 65095e	MARINE PRO
13 ft. (3.96 m)									
12 ft. (3.66 m)									
11ft.(3.35m)									
10 ft. (3.05 m)						210		-	
9ft.(2.74m)							i		
8ft.(2.44m)								MAAAAA	
7 ft.(2.13 m)									
6 ft. (1.83 m)				TITTT		5 ft. (1.83 m)			
5 ft. (1.52 m)					. / 17	ANA INVITE			
4 ft. (1.22 m)	The second second			and the second					* <u>1</u>
3ft.(91cm)		. 1 8							
2 ft.(61cm)							ACCOUNTS .		
1ft. (30 cm)								4	
					and the second sec				
INFLATED LENGTH	7 ft.6in.(2.28m)	7ft.6in.(2.28m)	8 ft. 4 in. (2.55 m)	10 ft. 1in. (3.07 m)	8ft.(2.43m)	11ft.5in.(3.48m)	10 ft. 4 in. (3.16 m)	10 ft. 4 in. (3.16 m)	9ft.6in.(2.91m)
INFLATED WIDTH	48 in.(1.21m)	48 in. (1.21m)	50 in.(1.27 m)	50 in. (1.26 m)	40 in. (1.02 m)	56 in. (1.41m)	49 in. (1.24 m)	39 in. (1.00 m)	50 in. (1.27 m)
WEIGHT CAPACITY	374 lbs(170 kg)	374 lbs(170 kg)	495 lbs (225 kg)	594 lbs (270 kg)	374 lbs (170 kg)	573lbs(260kg)	661lbs(300kg)	661lbs(300kg)	594lbs(270kg)
INTERNAL VOLUME	81gal.(308 L)	81gal.(308 L)	127 gal.(481L)	163 gal. (617 L)	105 gal. (396 L)	185 gal.(700 L)	166 Gal (629 L)	166 gal. (629 L)	172 gal. (651L)
OARS		•	•	•	•				•
PASSENGERS	2 Adults	2 Adults	2 Adults + 1 Child (61068) / 2 Adults (61068E)	3 Adults + 1Child (61110) / 3 Adults (61110E)	2 Adults	3 Adults	3 Adults	3 Adults	2 Adults + 1Child (65096) / 3 Adults (65096E)









61064/E



Inflated: 7 ft. 6 in. x 48 in. / 2.28 m x 1.21 m

FEATURES

- 3 air chamber construction
- Interlocking quick release valves
- Sturdy pre-tested vinyl
- Wraparound grab rope with built-in grommets
- Inflatable floor for extra comfort Includes one pair of 49 in.
(1.24 m) oars (#62015) GS certified, one 9 in.x 6 in.
(23 cm x 15 cm) foot pump (#62023) (for #61083)
Heavy-duty handle
Sturdy oarlocks
Oar clasps
Tow ring

CONTENTS

- Boat - Repair patch



Inflated: 7 ft.6 in. x 48 in. / 2.28 m x 1.21 m

CONTENTS

- Boat - 1pair of oars - Foot pump - Repair patch

ltem Number	Deflated Size	Inflated Size	Weight Capacity	Passengers	Case Pack	Oars	Pump	Lb. (kg)	Packaging
61064/E	7 ft. 8 in. x 53 in. (2.34 m x 1.35 m)	7 ft.6 in.x 48 in. (2.28 m x 1.21 m)	374 lbs (170 kg)	2 adults	Зрсs			35.7 lbs (16.2 kg)	Full color box
61083	7 ft. 8 in. x 53 in. (2.34 m x 1.35 m)	7 ft. 6 in. x 48 in. (2.28 m x 1.21 m)	374 lbs (170 kg)	2 adults	2 pcs			30.3 lbs (13.8 kg)	Full color box



61068/E





FEATURES

- 3 air chamber construction
- Made with durable PVC material
- Wraparound grab rope with built-in grommets
- Inflatable floor for extra comfort
- Inflatable seat cushions
- Heavy-duty handle

- Sturdy oarlocks - Dar clasps - Tow ring - One pair of 49 in. (1.24 m) oars (#62015) GS certified (for #61068/E) - One pair of 49 in. (1.24 m) oars (#62015) (for #61110/E) - Foot pump (#62023)

CONTENTS

- Boat - 1pair of oars - Foot pump - Repair patch



Inflated: 10 ft. 1 in. x 50 in. / 3.07 m x 1.26 m



CONTENTS - Boat - 1pair of oars - Foot pump - Repair patch

	ltem Number	Deflated Size	Inflated Size	Weight Capacity	Passengers	Case Pack	Oars	Pump	Lb. (kg)	Packaging
	61068/E	8 ft. 7 in. x 57 in (2.62 m x 1.45 m)	8 ft. 4 in. x 50 in. (2.55 m x 1.27 m)	495 lbs (225 kg)	2 adults + 1child (#61068) 2 adults (#61068E)	1pcs			40.7 lbs (18.4 kg)	Full color box
100	61110/E	10 ft.5 in. x 60 in. (3.18 m x 1.52 m)	10 ft. 1in. x 50 in. (3.07 m x 1.26 m)	594 lbs (270 kg)	3 adults + 1 child (#611110) 3 adults (#61110E)	1pcs			47.3 lbs (21.5 kg)	Full color box













VOYAGER 300

65051/E



Inflated: 8 ft. x 40 in. / 2.43 m x 1.02 m

FEATURES

 Interlocking quick release
 Inflatable I-beam floor for comfort and rigidity
 Sturdy pre-tested vinyl
 Heavy-duty handles
 Sturdy oarlocks
 Oar clasps
 Ohregated fishing rod holders
 Towping - Sturdy pre-tested vinyl - Sturdy pre-tested vinyl - 3 air chamber construction - Wraparound grab rope with built-in grommets

- Tow ring

CONTENTS

- Boat - 1pair of oars - Repair patch

	ltem Number	Weight Capacity	Case Pack	Lb. (kg)	Packaging	Certifications
	65051	374 lbs (170 kg)	2 pcs	34.2 lbs (15.5 kg)	Full color box	GS
-	65051E	374 lbs (170 kg)	2 pcs	34.2 lbs (15.5 kg)	Full color box	NMMA

VOYAGER 500

65001/E



Inflated: 11ft.5 in. x 56 in. / 3.48 m x 1.41 m

FEATURES

- 3 air chamber - Attache construction - Carryh - Made with durable PVC - Sturdy material - Vraparound grab rope with built-in grommets - Inflatable floor for extra comfort - Inflatable seat cushions - Interloo - Built-in fishing rod holders valves

- Attached storage bag - Carry handles - Sturdy oarlocks - Oar clasps - Tow ring - One pair of 57 in. (1.45 m) oars (#62064) - Interlocking quick release valves

CONTENTS

- Boat - 1pair of oars - Repair patch

ltem Number	Weight Capacity	Case Pack	Lb. (kg)	Packaging	Certifications
65001	573 lbs (260 kg)	1pcs	32.4 lbs (14.7 kg)	Full color box	GS
65001E	573 lbs (260 kg)	1pcs	32.4 lbs (14.7 kg)	Full color box	NMMA










Width: 56 in. (1.41m)

Length: 11ft.5in. (3.48m)









NEVA III

65008



Inflated: 10 ft. 4 in. x 49 in. / <u>3.16 m x 1.24 m</u>

FEATURES

- Made with durable PVC material
 Wraparound grab rope with built-in grommets
 Inflatable floor for extra comfort
 Inflatable seat cushions

HYDRO-FORCE.

- valve

- Built-in fishing rod holders - Heavy-duty handles - Sturdy oarlocks

- Tow ring Interlocking quick release

CONTENTS

- Boat - Repair patch

ltem No.	Weight Capacity	Case Pack	Lb. (kg)	Packaging	Certifications
65008	661lbs (300 kg)	1pcs	30.7 lbs (13.9 kg)	Full color box	GS



65095E



Inflated: 10 ft.4 in. x 39 in / 3.16 m x 1.00 m

FEATURES

- 2 7ft.6in. (2.30 m) grab ropes with built-in grommets, so boat re-entry is easy - Made with inflatable floor & seat cushions for extra comfort - Made with heavy-duty handles for safety and convenient transport

- Mounted fishing rod holders - Made with sturdy oarlocks - Interlocking quick release valves - Made of a durable, pre-tested Fortech™ Material

conserver a circle

CONTENTS - Boat - Repair patch

ltem No.	Weight Capacity	Case Pack	Lb. (kg)	Packaging	Certifications	
65095E	661lbs (300 kg)	1pcs	28.3 lbs (12.8 kg)	Full color box	NMMA	N.N









Width: 39 in. (1.00 m)

Length: 10 ft. 4 in. (3.16 m)

MARO FORCE

and the second s







MARINE PRO

65096<u>/E</u>



Inflated:9ft.6in.x50in.x18in./2.91mx1.27mx46cm

FEAT<u>URES</u>

Made with Tritech™ - a
S-ply reinforced material
Firm and rigid inflated floor
Includes motor mount grommets for use with
1.4 hp (10 kW) motor mount (Motor and motor mount not included)
3 ain chamber construction

- Quick inflation/deflation screw valves
- Interlocking quick release valve
- valve - Carry handle
- Safety grab ropes
- Tow ring
- One pair of 60 in. (1.52 m) aluminum oars
- construction Air Hammer™ inflation - Omni-directional oarlocks pump (#62086)

CONTENTS

- Boat - 1pair of oars - Hand pump - Storage bag - Repair patch

ltem Number	Weight Capacity	Case Pack	Lb. (kg)	Packaging	Certifications
65096	594 lbs (270 kg)	1pcs	34.9 lbs (15.9 kg)	Full color box	GS
65096E	594 lbs (270 kg)	1pcs	34.9 lbs (15.9 kg)	Full color box	NMMA







CASPIAN 65046/e



13 ft. (3.96 m)		
12 ft. (3.66 m)		
11ft.(3.35m)		
10 ft.(3.05 m)		
9ft.(2.74m)		
8ft.(2.44m)		
7 ft.(2.13 m)		
6 ft. (1.83 m)		
5 ft. (1.52 m)		
4 ft.(1.22 m)		
3 ft.(91cm)		
2ft.(61cm)		
1ft.(30 cm)		
INFLATEDLENGTH	7 ft.6in.(2.30m)	
INFLATED WIDTH	51in.(1.30m)	
WEIGHT CAPACITY	568.8 lbs (258 kg)	
INTERNAL VOLUME	107 gal. (405 L)	

PASSENGERS

OARS

2 Adults



MIROVIA PRO 65049/E


SUNSAILLE 65062/e



9ft.2in.(2.80m)	10 ft. 10 in. (3.30 m)	12 ft. 6 in. (3.80 m)
60 in. (1.52 m)	64 in. (1.62 m)	71in. (1.80 m)
1058.2 lbs (480 kg)	1411lbs(640kg)	1719.6 lbs(780 kg)
204 gal.(773 L)	267 gal. (1011 L)	327 gal. (1240 L)
•	•	•
3 Adults +1Child (65047)/ 4 Adults (65047E)	4 Adults + 1Child (65049) / 5 Adults (65049E)	6 Adults







CASPIAN

65046/E



Inflated: 7 ft. 6 in. x 51 in. x 13 in. / 2.30 m x 1.30 m x 33 cm

FEATURES

Pre-tested materials and quality tested
construction
Superior strength, high density, sunlight resistant, terylene supported PVC
3 air chamber construction
Marine-grade plywood transom
Inflated floor made from drop stitch material providing unparalleled

strength and durability

Metal steel tow rings
Guick inflation/deflation air valves
Extra tough strake protects against impacts and friction
Molded motor mount (Motor not included)
Easy to assemble bench seat - no tools needed
Omni-directional oarlocks
Safety grab ropes
Integrated drain valve

CONTENTS

- One boat - One pair of 57 in. (1.45 m) aluminum oars that can be easily disassembled for convenient storage and transport - One 14.5 in. (37 cm) Air Hammer™ inflation pump (#62086) - One pressure gauge - One 33 ft. (10 m) tow rope - Repair kit

	and the second				
ltem No.	Weight Capacity	Case Pack	Lb. (kg)	Packaging	Certifications
65046	568.8 lbs (258 kg)	1pcs	52.2 lbs (23.7 kg)	Sturdy Cardboard Box with Pictures	GS
65046E	568.8 lbs (258 kg)	1pcs	52.2 lbs (23.7 kg)	Sturdy Cardboard Box with Pictures	NMMA



65047/



Inflated: 9 ft. 2 in.x 60 in.x 16.5 in. / 2.80 m x 1.52 m x 42 cm

FEATURES

- Pre-tested materials and quality tested - Superior strength, high density, sunlight resistant, terylene supported PVC 3 air chamber construction with high pressure inflatable keel - Marine-grade plywood transom - Inflated floor made from drop stitch material providing unparalleled strength and durability

- Metal steel tow rings - Carry handles - Guick inflation/deflation air valves - Extra tough strake protects against impacts and friction Molded metal motor mount (Motor not included) - Easy to assemble floorboards and bench seat - no tools needed - Omni-directional oarlocks - Safety grab ropes - Integrated drain valve

CONTENTS

- One boat - One pair of 64 in. (1.62 m) oars that can be easily disassembled for convenient storage and transport


One 14.5 in (37 cm) Air
Hammer™ inflation pump (#62086)
One pressure gauge
One durable carry bag
One 33 ft. (10m) tow rope

Repairkit

ltem No.	Weight Capacity	Case Pack	Lb. (kg)	Packaging	Certifications
65047	1058.2 lbs (480 kg)	1pcs	91.0 lbs (41.3 kg)	Sturdy Cardboard Box with Pictures	GS
65047E	1058.2 lbs (480 kg)	1pcs	91.2 lbs (41.4 kg)	Sturdy Cardboard Box with Pictures	NMMA











HYDRO-FORCE

MIROVIA PRO

65049/E



Inflated: 10 ft. 10 in. x 64 in. x 17 in. / 3.30 m x 1.62 m x 44 cm

FEATURES

- Pre-tested materials and quality tested construction -Superiorstrength, high density, sunlight resistant,terylene supported PVC - 3 air chamber construction with high pressure inflatable keel - Marine-grade plywood transom - Inflated floor made from drop stitch material providing unparalleled strength and durability - Metal steel tow rings

- Carry handles - Quick inflation/deflation airvalves - Extra tough strake protects against impacts and friction - Molded metal motor mount (Motor not included) - Easy to assemble floorboards and bench seats - no tools needed - Omni-directional oarlocks - Safety grab ropes - Integrated drain valve - Fixed buckle for oil box

CONTENTS

- One boat - One pair of 64 in. (1.62 m) aluminum oars that can be easily disassembled for convenient storage and transport
- One 14.5 in. (37 cm) Air Hammer™ inflation pump (#62086)
- One pressure gauge
- One durable carry bag One 33 ft. (10 m) tow rope Repairkit
- Sturdy Cardboard 1411 lbs 105.8 lbs 65049 GS 1pcs (640 kg) 48.0 ka) Box with Pictures Sturdy Cardboard 1411 lbs (640 kg) 106.2 lbs 65049E 1pcs NMMA (48,2 ka) Box with Pictures



65062/E



Inflated: 12 ft. 6 in. x 71 in. x 18 in. / 3.80 m x 1.80 m x 46 cm

FEATURES

 Pre-tested materials and quality tested construction
 Superior strength, high density, sunlight resistant, terylene supported PVC
 3 air-chamber construction with highpressure inflatable keel
 Marine-grade plywood transom
 Inflated floor made from drop stitch material providing unparalleled strength and durability Metal steel tow rings
Carrying handles
Quick inflation/deflation air valves
Extra tough strake protects against impact and friction
Molded motor mount (Motor not included: Max. Power: 25 hp / 18.4 kW)
Easy to assemble bench seats - no tools needed
Omni-directional carlocks
Safety grab ropes
Integrated drain valve
Fixed buckle for oil box

CONTENTS

- One boat - One pair of 64 in. (1.62 m) aluminum oars that can be easily disassembled for convenient storage and transport - One 14.5 in. (37 cm) Air HammerTM inflation pump (#62086) - One pressure gauge - One durable carry bag - One 33 ft. (10 m) tow rope - Repair kit

ltem No.	Weight Capacity	Case Pack	Lb. (kg)	Packaging	Certifications
65062	1719.6 lbs (780 kg)	1pcs	139.8 lbs (63.4 kg)	Sturdy Cardboard Box with Pictures	GS
65062E	1719.6 lbs (780 kg)	1pcs	140.1 lbs (63.5 kg)	Sturdy Cardboard Box with Pictures	NMMA



1000







Width: 71 in. (1.80 m)





SPLASH GUARD

62103/E

SIZE: 11 in. x 8 in. / 27.5 cm x 20.5 cm

FEATURES

-Splash-proofexterior - Keeps your belongings dry when you're enjoying outdoor activities such

- Allows easy access to keys, wallet and other personal items you need cludes adjustable straps for easy waist as: fishing, boating, kayaking, hiking, camping or other adventures as: fishing, boating, carrying - Quick release adjustable buckle buckle

CONTENTS

- One splash guard

SPECIFICATIONS

Case Pack	Lb. (kg)	Packaging
24pcs	8.0 lbs (3.6 kg)	Full color box





BOAT ACCESSORY COMPATIBILITY

Item No. 65115/E 65097/8 65077/E 65052/8

61068/E

61064/E

61083

61110/E

65051/E

65001/E

65008

65095E

65096/E

65046/E

65047/E

65049/E

65062/E

Description	Maximum Power	0ars 62015/E	Alum. Oars 62064/E
Cove Champion			•
Koracle			•
Lite-Rapid X2 Kayak			•
Ventura Kayak			•
Treck X2 Set		•	•
Treck X1		•	•
Treck X1Set		•	•
Treck X3 Set		•	•
Voyager 300		•	•
Voyager 500		•	•
Nevalli		•	•
Nevalli		•	•
Marine Pro			
Caspian	3.0 hp (2.25 kW)		
Caspian Pro	10.0 hp (7.5 kW)		
Mirovia Pro	15.0 hp (11.2 kW)		
Sunsaille	25.0 hp (18.4 kW)		

OARS

62015/E

Length: 49 in. / 1.24 m

SPECIFICATIONS Case Pack Packaging 19.0 lbs (8.6 kg) Polybag with header card 12 prs



FEATURES

- Three-section structure Easy to assemble and disassemble
- Ribbed blade
- Light and strong plastic material



SECTIONAL ALUMINUM OARS

62064/E

Length: 57 in. / 1.45 m

SPECIFICATIONS

Case Pack	Lb. (kg)	Packaging
6 prs	18.11bs (8.2 kg)	Polybag with header card

FEATURES

- Multifunctional: Use as two, 57 in. (1.45 m) oars
- Combine and use as a single, 86 in.
- (2.18 m) twin blade paddle
- Aluminum pole sectionals Sturdy twist-locking section
- connectors and blades







FLOATS

36173/E	PG. 12
43105/E	PG.26-27
43108/E	PG. 13
43109/E	PG. 18
	PG.22
43113/E	PG. 15
43115/E	PG. 14
43116/E	PG. 15
43120/E	PG.24
43130/E	PG.21
43135/E	PG.25
43155/E	PG.20
	PG. 19
43169/E	PG. 19
43191/E	PG. 18
43279/E	PG.17
43280/E	PG. 16
43284/E	PG. 13
43297/E	PG.23

SUP

65302/E	PG. 40-41
65303/E	PG. 42-43
65305/E	PG.50-51
65306/E	PG.54-55
65307/E	PG.57
65308/E	PG. 44-45
65310/E	PG.52-53
	PG.48-49
65315/NA	PG.56-57
65329/E	PG.50-51
65330/E	PG.48-49
	PG.38-39

KAYAKS

65052/E	PG. 72-73
65077/E	PG. 70-71
65097/E	PG.69-69
65115/E	PG.66-67

RAFTS

61064/E	PG. 78
61068/E	PG. 79
61083	PG. 78
61110/E	PG. 79
65001/E	PG.82-83
65008	PG.84-85
65051/E	PG. 80-81
65095E	PG.86-87
65096/E	PG.88-89

SPORT BOATS

65046/E	PG.94-95
65047/E	PG.96-97
65049/E	PG.98-99
65062/E	PG. 100-101

ACCESSORIES

62015/E	PG. 105
62064/E	PG. 105
62103/E	PG. 104