

ABOVE GROUND POOLS 2024



Bestway
Steel Pro[®]
MAX

Bestway

Bestway

2024 CATALOG COLLECTION


Enjoy our extensive collection of products in our six catalogs.

- Above Ground Pools
- Air Mattresses
- Lay-Z-Spa
- Summer & License
- Watersports
- Camping Gear*
Only available for INTL

Digital Catalogs

Easily access all of our catalogs while on the go. Ask your Sales Rep for the link to our catalog website, and Bestway® products can be right at your fingertips!

- View the latest catalogs
- Quickly flip through and find any product
- Check out product details, photos and even videos





SUMMER

2024

Bestway

ABOVE GROUND POOLS

2024

Bestway Steel Pro MAX

Bestway



Y-Z-SPA

Bestway

WATER SPORTS

2024

Bestway

CAMPING

2024

CAMPING

AIR MATTRESS

2024





VISION & MISSION

Since 1994, our vision has been to create fun, memorable experiences for everyone in the world through our innovative, dependable products.

Now, just over 25 years later, **Bestway** has forged a global presence in more than 100 countries by developing an extensive product line and becoming forward thinkers about sustainable business practices. Today, we manufacture and sell more than 1,100 different products within four core categories: above ground pools and portable spas, recreational products, sporting goods, and camping products.

SERVICE

Bestway is committed to customer satisfaction and providing you with the best product solutions. That's why every department in Bestway works closely together - from our technology and quality assurance centers to our laboratories, vertically integrated manufacturing systems and after-sales service centers around the globe.

Bestway's advanced online services and regional call centers allow customers to easily resolve issues that arise with their products, offering downloadable manuals, instructional videos, and 24/7 call support.



VERTICALLY INTEGRATED



CUSTOMER FOCUSED



INNOVATIVE



SUSTAINABLE



CONSUMER DRIVEN



FULLY OWNED PRODUCTION FACILITIES



SERVICE & SOLUTIONS

GLOBAL FACTORIES



JIANGSU



YANCHENG



HAIAN



NANTONG



SHANGHAI



VIETNAM

AROUND THE WORLD



CHANDLER, U.S.A.
R&D • SUBSIDIARY



SANTIAGO, CHILE
SUBSIDIARY



SAN PAULO, BRAZIL
SUBSIDIARY



HAMBURG, GERMANY
SUBSIDIARY



NICE, FRANCE
SUBSIDIARY



MILAN, ITALY
R&D • SUBSIDIARY



COPENHAGEN, DENMARK
SUBSIDIARY



WARSAW, POLAND
SUBSIDIARY



DUBAI, U.A.E.
SUBSIDIARY



MOSCOW, RUSSIA
SUBSIDIARY



HONG KONG, CHINA
R&D • SUBSIDIARY



SHANGHAI, CHINA
HQ • PRODUCTION



SYDNEY, AUSTRALIA
SUBSIDIARY

CONTENTS

Fast Set™ Pools	PG. 12
Steel Pro® Pools	PG. 18
Steel Pro MAX™ Pools	PG. 22
Power Steel® Pools	PG. 36
Power Steel® Swim Vista Series™ II	PG. 48
Power Steel® Comfort Jet Series™	PG. 52
Hydrium™ Pools	PG. 54
Kiddie Pools	PG. 62
Pool Accessories	PG. 68
Filtration	PG. 72
Environment	PG. 84
Maintenance Equipment	PG. 90
Pool Covers – Ground Cloths	PG. 120
Index	PG. 126





POOL TECHNOLOGY HIGHLIGHTS

We're taking Bestway products to the next level. We looked closely at how our pools are built with the goal of improving durability and enhancing the overall product line.



STEEL POOL FRAMES

Advanced Connection Systems

The advanced design of our three frame connection systems is engineered to hold the corrosion-resistant steel frame together with strength and durability. The protective coating prevents damage and metal-on-metal contact, which can lead to rust.

Durable Framework

Steel pool frames are built to last, even under the considerable weight of water and families having fun. In testing, our frames are proven to provide superior bend - and damage-resistance. They never showed signs of rusting - even after 92 days of testing!

Perfect Frosted Finish

Our pool frames feature a textured, frosted finish that not only looks great, but also has many benefits for the consumer. The coating serves as an extra barrier to damage, while the texture prevents the liner from sticking to the frame. This makes set-up and takedown easier than before!



A View Into The Fun

Swim Vista built-in pool portholes bring function and fun to Power Steel® Swim Vista Series™ II pools. Peek inside of the pool or dive down for an underwater photo. These portholes are immediate conversation starters and enjoyable for all. Durably constructed, they'll last all summer long – and so will the fun!



A Hands-Free Solution for Chlorine Cleaning

The ChemConnect™ chlorine dispenser works with the pool's pump to consistently spread chlorine across your pool. This hassle-free maintenance solution replaces the need for a floating dispenser.



PLANOGRAM

Actual in-store displays may vary.



US DISPLAY

BESTWAY ABOVE GROUND POOLS PACKAGING

With a modern and informational design, our packaging looks great on the shelf. Prospective pool owners will get a feel for our different lines of above ground pools with a quick glance. And, don't forget the pool accessories!





INTERNATIONAL DISPLAY



FAST SET™

ABOUT

Fast and simple to assemble – just select a level surface, inflate the top ring, fill the pool with water and you'll be splashing around in no time! No tools required for a Bestway® Fast Set Pool.

HIGHLIGHTS



SELF-SUPPORTING

Inflatable Top Ring

No tools needed! Simply inflate the top ring, start filling the pool with water, and watch as the ring rises with the water level.



DURAPLUS™

Puncture-Resistant Liner

This 3-layer, sturdy material blends PVC and mesh to create a durable material that is reinforced for strength and puncture-resistance.



EASY SETUP

It's as easy as 1-2-3!
Simply unpack, inflate, and fill!

PRODUCT MATRIX

20 - 26 in. / 51 - 66 cm			30 - 33 in. / 76 - 84 cm			42 in. / 1.07 m	
6 ft. x 20 in. / 1.83 m x 51 cm PG. 14	8 ft. x 24 in. / 2.44 m x 61 cm PG. 14	10 ft. x 26 in. / 3.05 m x 66 cm PG. 15	12 ft. x 30 in. / 3.66 m x 76 cm PG. 15	12 ft. x 30 in. / 3.66 m x 76 cm PG. 17	13 ft. x 33 in. / 3.96 m x 84 cm PG. 17	15 ft. x 33 in. / 4.57 m x 84 cm PG. 17	15 ft. x 42 in. / 4.57 m x 1.07 m PG. 17



FEATURES & TECHNOLOGIES


SELF-SUPPORTING Inflatable Top Ring



BUILD



DURAPLUS™ 3-Layer Puncture-Resistant Liner



CONVENIENCE



PACKAGING Full Color Box



12 ft. x 30 in. / 3.66 m x 76 cm

Water Capacity (80%): 1,421 gal. (5,377 L)

NEW



Item #	Region	Pack	lbs (kg)	Filter Pump	Voltage	Cartridge
57498E	US	1	35.0 (15.9)	58384 (530 gal./2,006 L)	110-120 V	58012, Type: III - A/C
57444	N. America / Asia, Africa & Latin America	1	33.0 (15.0)	58511 (330 gal./1,249 L)	110-120 V	58093, Type: I
57444	Oceania	1	31.7 (14.4)	58381 (330 gal./1,249 L)	220-240 V	58093, Type: I
57445	Europe	1	32.5 (14.7)	58381 (330 gal./1,249 L)	220-240 V	58093, Type: I
57445	Asia, Africa & Latin America	1	30.8 (14.0)	58381 (330 gal./1,249 L)	220-240 V	58093, Type: I

13 ft. x 33 in. / 3.96 m x 84 cm

Water Capacity (80%): 1,939 gal. (7,340 L)



Item #	Region	Pack	lbs (kg)	Filter Pump	Voltage	Cartridge
57375E	US	1	41.9 (19.0)	58384 (530 gal./2,006 L)	110-120 V	58012, Type: III - A/C
57375	N. America / Asia, Africa & Latin America	1	41.7 (18.9)	58384 (530 gal./2,006 L)	110-120 V	58012, Type: III - A/C
57375	Oceania	1	40.3 (18.3)	58383 (530 gal./2,006 L)	220-240 V	58094, Type: II
57376	Europe	1	40.2 (18.2)	58383 (530 gal./2,006 L)	220-240 V	58094, Type: II
57376	Asia, Africa & Latin America	1	39.5 (17.9)	58383 (530 gal./2,006 L)	220-240 V	58094, Type: II

15 ft. x 33 in. / 4.57 m x 84 cm

Water Capacity (80%): 2,556 gal. (9,677 L)



Item #	Region	Pack	lbs (kg)	Filter Pump	Voltage	Cartridge
57315E	US	1	53.0 (24.0)	58384 (530 gal./2,006 L)	110-120 V	58012, Type: III - A/C
57315	N. America / Asia, Africa & Latin America	1	51.5 (23.4)	58384 (530 gal./2,006 L)	110-120 V	58012, Type: III - A/C
57315	Oceania	1	51.5 (23.4)	58383 (530 gal./2,006 L)	220-240 V	58094, Type: II
57313	Europe	1	51.3 (23.3)	58383 (530 gal./2,006 L)	220-240 V	58094, Type: II
57313	Asia, Africa & Latin America	1	50.1 (22.7)	58383 (530 gal./2,006 L)	220-240 V	58094, Type: II

15 ft. x 42 in. / 4.57 m x 1.07 m

Water Capacity (80%): 3,266 gal. (12,362 L)



Item #	Region	Pack	lbs (kg)	Filter Pump	Voltage	Cartridge	Ladder
57371E	US	1	79.5 (36.1)	58384 (530 gal./2,006 L)	110-120 V	58012, Type: III - A/C	58335
57371	N. America / Asia, Africa & Latin America	1	78.0 (35.4)	58384 (530 gal./2,006 L)	110-120 V	58012, Type: III - A/C	58335
57371	Oceania	1	78.0 (35.4)	58383 (530 gal./2,006 L)	220-240 V	58094, Type: II	58335
57372	Europe	1	80.3 (36.4)	58383 (530 gal./2,006 L)	220-240 V	58094, Type: II	58330
57372	Asia, Africa & Latin America	1	77.8 (35.3)	58383 (530 gal./2,006 L)	220-240 V	58094, Type: II	58335

STEEL PRO®

ABOUT


Easy to assemble and very affordable, with a strong, steel frame – you get a lot of pool for your money with a Bestway® Steel Pro Pool.

HIGHLIGHTS



FRAMELINK SYSTEM™ Corrosion Prevention

Simple to set up, the FrameLink System ensures remarkable strength and durable frame connection – all with a protective coating that prevents damage.



DURAPLUS™ Puncture-Resistant Liner

This 3-layer, sturdy material blends PVC and mesh to create a durable material that is reinforced for strength and puncture-resistance.

PRODUCT MATRIX

17 in. / 43 cm	24 – 26 in. / 61 – 66 cm	32 in. / 81 cm
7 ft. 3 in. x 59 in. x 17 in. / 2.21 m x 1.50 m x 43 cm PG. 20	8 ft. 6 in. x 67 in. x 24 in. / 2.59 m x 1.70 m x 61 cm PG. 20	9 ft. 10 in. x 6 ft. 7 in. x 26 in. / 3.00 m x 2.01 m x 66 cm PG. 20
		13 ft. 1 in. x 6 ft. 11 in. x 32 in. / 4.00 m x 2.11 m x 81 cm PG. 21



FEATURES & TECHNOLOGIES


FRAMELINK SYSTEM™
Corrosion Prevention



BUILD



DURAPLUS™
3-Layer Puncture Resistant Liner



CONVENIENCE



Drain Valve



Corrosion-Resistant Steel Frame



No Tools Required
Easy To Assemble

PACKAGING
Full Color Box



7 ft. 3 in. x 59 in. x 17 in. / 2.21 m x 1.50 m x 43 cm

Water Capacity (90%): 317 gal. (1,200 L)

Item #	Region	Pack	lbs (kg)
56545E	US	1	21.3 (9.6)
56545	North America	1	21.3 (9.6)
56545	Oceania	1	21.3 (9.6)
56401	Europe / Asia, Africa & Latin America	1	21.2 (9.6)

8 ft. 6 in. x 67 in. x 24 in. / 2.59 m x 1.70 m x 61 cm

Water Capacity (90%): 608 gal. (2,300 L)

Item #	Region	Pack	lbs (kg)
56496E	US	1	29.7 (13.5)
56496	North America	1	29.7 (13.5)
56496	Oceania	1	29.7 (13.5)
56403	Europe / Asia, Africa & Latin America	1	29.7 (13.5)

9 ft. 10 in. x 6 ft. 7 in. x 26 in. / 3.00 m x 2.01 m x 66 cm

Water Capacity (90%): 872 gal. (3,300 L)



Item #	Region	Pack	lbs (kg)	Filter Pump	Voltage	Cartridge
56498E	US	1	38.7 (17.6)			
56498	North America	1	38.7 (17.6)			
56498	Oceania	1	38.7 (17.6)			
56404	Europe / Asia, Africa & Latin America	1	38.8 (17.6)			
56412E	US	1	43.8 (19.9)	58511 (330 gal./1,249 L)	110-120 V	58093, Type: I
56412	N. America / Asia, Africa & Latin America	1	42.4 (19.2)	58511 (330 gal./1,249 L)	110-120 V	58093, Type: I
56412	Oceania	1	42.4 (19.2)	58381 (330 gal./1,249 L)	220-240 V	58093, Type: I
56411	Europe	1	42.7 (19.4)	58381 (330 gal./1,249 L)	220-240 V	58093, Type: I
56411	Asia, Africa & Latin America	1	41.8 (19.0)	58381 (330 gal./1,249 L)	220-240 V	58093, Type: I

13 ft. 1 in. x 6 ft. 11 in. x 32 in. / 4.00 m x 2.11 m x 81 cm

Water Capacity (90%): 1,506 gal. (5,700 L)



Item #	Region	Pack	lbs (kg)	Filter Pump	Voltage	Cartridge
56512E	US	1	61.8 (28.0)			
56512	North America	1	61.8 (28.0)			
56512	Oceania	1	61.8 (28.0)			
56405	Europe / Asia, Africa & Latin America	1	61.8 (28.0)			
56425E	US	1	67.0 (30.4)	58511 (330 gal./1,249 L)	110-120 V	58093, Type: I
56425	N. America / Asia, Africa & Latin America	1	65.7 (29.8)	58511 (330 gal./1,249 L)	110-120 V	58093, Type: I
56425	Oceania	1	65.7 (29.8)	58381 (330 gal./1,249 L)	220-240 V	58093, Type: I
56424	Europe	1	65.9 (29.9)	58381 (330 gal./1,249 L)	220-240 V	58093, Type: I
56424	Asia, Africa & Latin America	1	65.0 (29.5)	58381 (330 gal./1,249 L)	220-240 V	58093, Type: I



STEEL PRO MAX™

ABOUT

The Steel Pro MAX above ground pool is designed with durability, strength and family fun in mind. Built with enhanced materials, these pools will last for years to come.

HIGHLIGHTS




FRAMELINK AND CLICKCONNECT SYSTEM™ Corrosion Prevention

Simple to set up, the connection systems ensure remarkable strength and durable frame connection all with a protective coating that prevents damage. The ClickConnect System also features quick-click technology that expedites the set-up process.



All 12 ft. / 3.66 m diameter and under pools are built with FrameLink, while larger pools are built with ClickConnect.



DURAPLUS™ Puncture-Resistant Liner

This 3-layer, sturdy material blends PVC and mesh to create a durable material that is reinforced for strength and puncture-resistance.

PRODUCT MATRIX

30 - 33 in. / 76 - 84 cm			39.5 - 42 in. / 1.00 - 1.07 m				
10 ft. x 30 in. / 3.05 m x 76 cm PG. 24	12 ft. x 30 in. / 3.66 m x 76 cm PG. 25	14 ft. x 33 in. / 4.27 m x 84 cm PG. 29	12 ft. x 39.5 in. / 3.66 m x 1.00 m PG. 25	13 ft. x 42 in. / 3.96 m x 1.07 m PG. 26	14 ft. x 42 in. / 4.27 m x 1.07 m PG. 29	15 ft. x 42 in. / 4.57 m x 1.07 m PG. 30	
48 in. / 1.22 m				52 in. / 1.32 m			
12 ft. x 48 in. / 3.66 m x 1.22 m PG. 25	13 ft. x 48 in. / 3.96 m x 1.22 m PG. 29	14 ft. x 48 in. / 4.27 m x 1.22 m PG. 29	15 ft. x 48 in. / 4.57 m x 1.22 m PG. 32	16 ft. x 48 in. / 4.88 m x 1.22 m PG. 32	18 ft. x 48 in. / 5.49 m x 1.22 m PG. 33	18 ft. x 52 in. / 5.49 m x 1.32 m PG. 34	20 ft. x 52 in. / 6.10 m x 1.32 m PG. 34



FEATURES & TECHNOLOGIES

FRAMELINK SYSTEM™

Corrosion Prevention



BUILD



Color



Inner Liner




Hardware



DURAPLUS™

3-Layer Puncture-Resistant Liner



CONVENIENCE



Drain Valve



Corrosion-Resistant Steel Frame



3-Ply PVC Wall Support Band



No Tools Required Easy To Assemble

PACKAGING

Full Color Box & Sturdy Cardboard Box with Pictures



10 ft. x 30 in. / 3.05 m x 76 cm

Water Capacity (90%): 1,236 gal. (4,678 L)



Item #	Region	Pack	lbs (kg)	Filter Pump	Voltage	Cartridge
56493E	US	1	38.9 (17.6)			
56493	North America	1	38.9 (17.6)			
56493	Oceania	1	38.9 (17.6)			
56406	Europe	1	38.8 (17.6)			
56407E	US	1	44.3 (20.1)	58511 (330 gal./1,249 L)	110-120 V	58093, Type: I
56407	N. America / Asia, Africa & Latin America	1	44.1 (20.0)	58511 (330 gal./1,249 L)	110-120 V	58093, Type: I
56407	Oceania	1	44.1 (20.0)	58381 (330 gal./1,249 L)	220-240 V	58093, Type: I
56408	Europe	1	43.5 (19.8)	58381 (330 gal./1,249 L)	220-240 V	58093, Type: I
56408	Asia, Africa & Latin America	1	42.4 (19.2)	58381 (330 gal./1,249 L)	220-240 V	58093, Type: I



12 ft. x 30 in. / 3.66 m x 76 cm

Water Capacity (90%): 1,710 gal. (6,473 L)



Item #	Region	Pack	lbs (kg)	Filter Pump	Voltage	Cartridge
561GFE	US	1	56.6 (25.7)	58384 (530 gal./2,006 L)	110-120 V	58012, Type: III - A/C
56417	N. America / Asia, Africa & Latin America	1	54.6 (24.8)	58511 (330 gal./1,249 L)	110-120 V	58093, Type: I
56417	Oceania	1	54.6 (24.8)	58381 (330 gal./1,249 L)	220-240 V	58093, Type: I
56416	Europe	1	53.8 (24.4)	58381 (330 gal./1,249 L)	220-240 V	58093, Type: I
56416	Asia, Africa & Latin America	1	52.8 (23.9)	58381 (330 gal./1,249 L)	220-240 V	58093, Type: I

NEW

12 ft. x 39.5 in. / 3.66 m x 1.00 m

Water Capacity (90%): 2,417 gal. (9,150 L)



Item #	Region	Pack	lbs (kg)	Filter Pump	Voltage	Cartridge	Ladder
56419	N. America / Asia, Africa & Latin America	1	65.9 (29.9)	58384 (530 gal./2,006 L)	110-120 V	58012, Type: III - A/C	
56419	Oceania	1	64.8 (29.4)	58383 (530 gal./2,006 L)	220-240 V	58094, Type: II	
56418	Europe	1	83.5 (37.9)	58383 (530 gal./2,006 L)	220-240 V	58094, Type: II	58330
56418	Asia, Africa & Latin America	1	82.0 (37.2)	58383 (530 gal./2,006 L)	220-240 V	58094, Type: II	58335
56260	Asia, Africa & Latin America	1	63.9 (29.0)	58383 (530 gal./2,006 L)	220-240 V	58094, Type: II	

12 ft. x 48 in. / 3.66 m x 1.22 m

Water Capacity (90%): 2,708 gal. (10,250 L)



Item #	Region	Pack	lbs (kg)	Filter Pump	Voltage	Cartridge	Cover	Ladder
56421	N. America / Asia, Africa & Latin America	1	104.8 (47.5)	58384 (530 gal./2,006 L)	110-120 V	58012, Type: III - A/C	58037	58336
56421	Oceania	1	104.8 (47.5)	58383 (530 gal./2,006 L)	220-240 V	58094, Type: II	58037	58336
56420	Europe	1	108.7 (49.3)	58383 (530 gal./2,006 L)	220-240 V	58094, Type: II	58037	58331
56420	Asia, Africa & Latin America	1	100.8 (45.7)	58383 (530 gal./2,006 L)	220-240 V	58094, Type: II	58037	58336



FEATURES & TECHNOLOGIES

CLICKCONNECT SYSTEM™ Corrosion Prevention



BUILD



Pattern



Inner Liner



Hardware



DURAPLUS™ 3-Layer Puncture-Resistant Liner



CONVENIENCE



Drain Valve



Corrosion-Resistant Steel Frame



3-Ply PVC Wall Support Band



No Tools Required
Easy To Assemble

PACKAGING

Sturdy Cardboard Box with Pictures



13 ft. x 42 in. / 3.96 m x 1.07 m

Water Capacity (90%): 2,941 gal. (11,133 L)

NEW



Item #	Region	Pack	lbs (kg)	Filter Pump	Voltage	Cartridge	Cover	Ladder	Canopy
561FXE	US	1	111.6 (50.6)	58384 (530 gal./2,006 L)	110-120V	58012, Type: III - A/C	58292	58335	•
561FX	Oceania	1	110.1 (49.9)	58383 (530 gal./2,006 L)	220-240V	58094, Type: II	58292	58335	•
561FY	Europe	1	113.3 (51.4)	58383 (530 gal./2,006 L)	220-240V	58094, Type: II	58292	58330	•
561FY	Asia, Africa & Latin America	1	109.2 (49.6)	58383 (530 gal./2,006 L)	220-240V	58094, Type: II	58292	58335	•
561FX	Asia, Africa & Latin America	1	109.2 (49.6)	58384 (530 gal./2,006 L)	110-120V	58012, Type: III - A/C	58292	58335	•





FEATURES & TECHNOLOGIES


CLICKCONNECT SYSTEM™
Corrosion Prevention



BUILD



DURAPLUS™
3-Layer Puncture-Resistant Liner



CONVENIENCE



Drain Valve



Corrosion-Resistant Steel Frame



3-Ply PVC Wall Support Band



No Tools Required
Easy To Assemble

PACKAGING
Full Color Box &
Sturdy Cardboard
Box with Pictures





13 ft. x 48 in. / 3.96 m x 1.22 m

Water Capacity (90%): 3,352 gal. (12,690 L)



Item #	Region	Pack	lbs (kg)	Filter Pump	Voltage	Cartridge	Cover	Ladder
5618UE	US	1	120.8 (54.8)	58388 (1,000 gal./3,785 L)	110-120 V	58012, Type: III - A/C	58248	58336
5618V	N. America / Asia, Africa & Latin America	1	119.6 (54.3)	58387 (800 gal./3,028 L)	110-120 V	58012, Type: III - A/C	58248	58336
5618W	Oceania	1	119.6 (54.3)	58386 (800 gal./3,028 L)	220-240 V	58094, Type: II	58248	58336
5618W	Europe	1	124.3 (56.4)	58386 (800 gal./3,028 L)	220-240 V	58094, Type: II	58248	58331
5618W	Asia, Africa & Latin America	1	120.0 (54.4)	58386 (800 gal./3,028 L)	220-240 V	58094, Type: II	58248	58336

14 ft. x 33 in. / 4.27 m x 84 cm

Water Capacity (90%): 2,700 gal. (10,220 L)



Item #	Region	Pack	lbs (kg)	Filter Pump	Voltage	Cartridge
56597E	US	1	78.4 (35.6)	58384 (530 gal./2,006 L)	110-120 V	58012, Type: III - A/C
56597	N. America / Asia, Africa & Latin America	1	78.3 (35.5)	58384 (530 gal./2,006 L)	110-120 V	58012, Type: III - A/C
56597	Oceania	1	78.3 (35.5)	58383 (530 gal./2,006 L)	220-240 V	58094, Type: II
56595	Europe	1	76.5 (34.7)	58383 (530 gal./2,006 L)	220-240 V	58094, Type: II
56595	Asia, Africa & Latin America	1	76.3 (34.6)	58383 (530 gal./2,006 L)	220-240 V	58094, Type: II

14 ft. x 42 in. / 4.27 m x 1.07 m

Water Capacity (90%): 3,440 gal. (13,030 L)



Item #	Region	Pack	lbs (kg)	Filter Pump	Voltage	Cartridge	Cover	Ladder
56948E	US	1	115.1 (52.2)	58388 (1,000 gal./3,785 L)	110-120 V	58012, Type: III - A/C	58248	58335
56949	N. America / Asia, Africa & Latin America	1	113.9 (51.7)	58387 (800 gal./3,028 L)	110-120 V	58012, Type: III - A/C	58248	58335
56949	Oceania	1	113.9 (51.7)	58386 (800 gal./3,028 L)	220-240 V	58094, Type: II	58248	58335
56950	Europe	1	116.3 (52.7)	58386 (800 gal./3,028 L)	220-240 V	58094, Type: II	58248	58330
56950	Asia, Africa & Latin America	1	112.2 (50.9)	58386 (800 gal./3,028 L)	220-240 V	58094, Type: II	58248	58335

14 ft. x 48 in. / 4.27 m x 1.22 m

Water Capacity (90%): 4,024 gal. (15,232 L)



Item #	Region	Pack	lbs (kg)	Filter Pump	Voltage	Cartridge	Cover	Ladder
5613HE	US	1	128.8 (58.4)	58388 (1,000 gal./3,785 L)	110-120 V	58012, Type: III - A/C	58248	58336
5612Y	N. America / Asia, Africa & Latin America	1	127.8 (58.0)	58387 (800 gal./3,028 L)	110-120 V	58012, Type: III - A/C	58248	58336
5612Y	Oceania	1	127.8 (58.0)	58386 (800 gal./3,028 L)	220-240 V	58094, Type: II	58248	58336
5612X	Europe	1	132.5 (60.1)	58386 (800 gal./3,028 L)	220-240 V	58094, Type: II	58248	58331
5612X	Asia, Africa & Latin America	1	126.0 (57.2)	58386 (800 gal./3,028 L)	220-240 V	58094, Type: II	58248	58336

FEATURES & TECHNOLOGIES

CLICKCONNECT SYSTEM™
Corrosion Prevention




BUILD



Pattern Inner Liner Hardware



DURAPLUS™
3-Layer Puncture-Resistant Liner



CONVENIENCE



Drain Valve



Corrosion-Resistant Steel Frame



3-Ply PVC Wall Support Band



No Tools Required Easy To Assemble

PACKAGING
Sturdy Cardboard Box with Pictures



15 ft. x 42 in. / 4.57 m x 1.07 m
Water Capacity (90%): 3,955 gal. (14,970 L)

NEW



Item #	Region	Pack	lbs (kg)	Filter Pump	Voltage	Cartridge	Cover	Ladder	LED Light
561GBE	US	1	126.1 (57.2)	58388 (1,000 gal./3,785 L)	110-120 V	58012, Type: III - A/C	58038	58335	•
561GC	N. America / Asia, Africa & Latin America	1	123.9 (56.2)	58387 (800 gal./3,028 L)	110-120 V	58012, Type: III - A/C	58038	58335	•
561GC	Oceania	1	123.9 (56.2)	58386 (800 gal./3,028 L)	220-240 V	58094, Type: II	58038	58335	•
561GD	Europe	1	127.0 (57.6)	58386 (800 gal./3,028 L)	220-240 V	58094, Type: II	58038	58330	•
561GD	Asia, Africa & Latin America	1	123.2 (55.9)	58386 (800 gal./3,028 L)	220-240 V	58094, Type: II	58038	58335	•

Remote control included with LED light



7 Colors
8 Modes
3 Speeds
5 Brightness levels





FEATURES & TECHNOLOGIES


CLICKCONNECT SYSTEM™
Corrosion Prevention



BUILD



DURAPLUS™
3-Layer Puncture-Resistant Liner



CONVENIENCE



Drain Valve Corrosion-Resistant Steel Frame 3-Ply PVC Wall Support Band No Tools Required Easy To Assemble

PACKAGING
Sturdy Cardboard Box with Pictures



15 ft. x 48 in. / 4.57 m x 1.22 m

Water Capacity (90%): 4,231 gal. (16,015 L)



Item #	Region	Pack	lbs (kg)	Filter Pump	Voltage	Cartridge	Cover	Ladder
56690E	US	1	136.7 (62.0)	58388 (1,000 gal./3,785 L)	110-120 V	58012, Type: III - A/C	58038	58336
56439	N. America / Asia, Africa & Latin America	1	135.5 (61.5)	58387 (800 gal./3,028 L)	110-120 V	58012, Type: III - A/C	58038	58336
56439	Oceania	1	135.5 (61.5)	58386 (800 gal./3,028 L)	220-240 V	58094, Type: II	58038	58336
56438	Europe	1	140.0 (63.5)	58386 (800 gal./3,028 L)	220-240 V	58094, Type: II	58038	58331
56438	Asia, Africa & Latin America	1	133.9 (60.8)	58386 (800 gal./3,028 L)	220-240 V	58094, Type: II	58038	58336

16 ft. x 48 in. / 4.88 m x 1.22 m

Water Capacity (90%): 5,145 gal. (19,480 L)



Item #	Region	Pack	lbs (kg)	Filter Pump	Voltage	Cartridge	Cover	Ladder
5613AE	US	1	153.9 (69.8)	58390 (1,500 gal./5,678 L)	110-120 V	58012, Type: III - A/C	58249	58336
5613A	N. America / Asia, Africa & Latin America	1	153.6 (69.7)	58390 (1,500 gal./5,678 L)	110-120 V	58012, Type: III - A/C	58249	58336
5613A	Oceania	1	153.6 (69.7)	58389 (1,500 gal./5,678 L)	220-240 V	58012, Type: III - A/C	58249	58336
5612Z	Europe	1	160.5 (72.8)	58389 (1,500 gal./5,678 L)	220-240 V	58012, Type: III - A/C	58249	58331
5612Z	Asia, Africa & Latin America	1	153.2 (69.5)	58389 (1,500 gal./5,678 L)	220-240 V	58012, Type: III - A/C	58249	58336

18 ft. x 48 in. / 5.49 m x 1.22 m

Water Capacity (90%): 6,092 gal. (23,062 L)



Item #	Region	Pack	lbs (kg)	Filter Pump	Voltage	Cartridge	Cover	Ladder
56463E	US	1	172.1 (78.0)	58390 (1,500 gal./5,678 L)	110-120 V	58012, Type: III - A/C	58039	58336
56463	N. America / Asia, Africa & Latin America	1	171.8 (77.9)	58390 (1,500 gal./5,678 L)	110-120 V	58012, Type: III - A/C	58039	58336
56463	Oceania	1	171.8 (77.9)	58389 (1,500 gal./5,678 L)	220-240 V	58012, Type: III - A/C	58039	58336
56462	Europe	1	178.1 (80.8)	58389 (1,500 gal./5,678 L)	220-240 V	58012, Type: III - A/C	58039	58331
56462	Asia, Africa & Latin America	1	171.4 (77.8)	58389 (1,500 gal./5,678 L)	220-240 V	58012, Type: III - A/C	58039	58336



FEATURES & TECHNOLOGIES


ADVANCED CLICKCONNECT SYSTEM™
Corrosion Prevention



BUILD



DURAPLUS™
3-Layer Puncture-Resistant Liner



CONVENIENCE



Drain Valve Corrosion-Resistant Steel Frame 3-Ply PVC Wall Support Band No Tools Required Easy To Assemble

PACKAGING
Sturdy Cardboard Box with Pictures



18 ft. x 52 in. / 5.49 m x 1.32 m

Water Capacity (90%): 6,869 gal. (26,000 L)

NEW



Item #	Region	Pack	lbs (kg)	Filter Pump	Voltage	Cartridge	Cover	Ladder
561FHE	US	1	223.3 (101.3)	58390 (1,500 gal./5,678 L)	110-120 V	58012, Type: III - A/C	58039	58337
561FH	N. America / Asia, Africa & Latin America	1	223.1 (101.2)	58390 (1,500 gal./5,678 L)	110-120 V	58012, Type: III - A/C	58039	58337
561FH	Oceania	1	223.1 (101.2)	58389 (1,500 gal./5,678 L)	220-240 V	58012, Type: III - A/C	58039	58337
561FJ	Europe	1	229.5 (104.1)	58389 (1,500 gal./5,678 L)	220-240 V	58012, Type: III - A/C	58039	58332
561FJ	Asia, Africa & Latin America	1	221.7 (100.6)	58389 (1,500 gal./5,678 L)	220-240 V	58012, Type: III - A/C	58039	58337

20 ft. x 52 in. / 6.10 m x 1.32 m

Water Capacity (90%): 8,781 gal. (33,240 L)

NEW



Item #	Region	Pack	lbs (kg)	Filter Pump	Voltage	Cartridge	Cover	Ladder
561FKE	US	1	261.7 (118.7)	58392 (2,500 gal./9,463 L)	110-120 V	58095, Type: IV - B	•	58337
561FK	N. America / Asia, Africa & Latin America	1	261.4 (118.6)	58392 (2,500 gal./9,463 L)	110-120 V	58095, Type: IV - B	•	58337
561FK	Oceania	1	261.4 (118.6)	58391 (2,500 gal./9,463 L)	220-240 V	58095, Type: IV - B	•	58337
561FM	Europe	1	269.9 (122.4)	58391 (2,500 gal./9,463 L)	220-240 V	58095, Type: IV - B	•	58332
561FM	Asia, Africa & Latin America	1	261.3 (118.5)	58391 (2,500 gal./9,463 L)	220-240 V	58095, Type: IV - B	•	58337





Bestway
Steel Pro™
MAX

POWER STEEL®

ABOUT

The strength and security of rigid, super strong steel tube framing, plus simple, minimal-tool assembly makes a Bestway® Power Steel pool the smart choice for families.

HIGHLIGHTS




SEAL & LOCK SYSTEM™ Superior Steel Frame Design

Engineered for durability, the Seal & Lock System provides strength, corrosion-resistance, and remarkable frame connection for your Power Steel pool.




CLICKCONNECT SYSTEM™ Corrosion Prevention

Simple to set up, the ClickConnect System ensures remarkable strength and durable frame connection – all with a protective coating that prevents damage. This system also features quick-click technology that expedites the set-up process.



TRITECH™ Puncture-Resistant Liner

This 3-layer, sturdy material blends PVC and mesh to create a durable material that is reinforced for strength and puncture-resistance.



CHEMCONNECT™ DISPENSER

Works with your pool pump to safely and evenly release chlorine across your pool, replacing the need for a floating dispenser. Dispenses 1 in. / 2.54 cm chemical tablets.



FROSTED FINISH

The specialty finish on the pool frame prevents the liner from sticking to the steel supports, especially when it's hot outside.



POWER STEEL® RANGE




STANDARD SERIES

The Power Steel® Standard Series pools are perfect for a summer full of fun in the sun. With lasting durability and minimal-tool assembly, these pools are the ultimate choice for families.



SWIM VISTA SERIES™ II

The Power Steel® Swim Vista Series™ pools offer an incredibly unique swimming experience. With built-in portholes, kids can wave to onlookers while gliding by and parents can easily keep an eye on them as they swim underwater!



COMFORT JET SERIES™

The Power Steel® Comfort Jet Series™ has two built-in nozzles that spray concentrated water jet streams for a soothing massage to provide users with the ideal combination of fun and relaxation.

PRODUCT MATRIX


STANDARD SERIES

RECTANGULAR

9 ft. 3 in. x 6 ft. 5 in. x 33 in. /
2.82 m x 1.96 m x 84 cm
PG. 40



13 ft. 3 in. x 6 ft. 7 in. x 39.5 in. /
4.04 m x 2.01 m x 1.00 m
PG. 40



13 ft. 6 in. x 6 ft. 7 in. x 48 in. /
4.12 m x 2.01 m x 1.22 m
PG. 40



16 ft. x 8 ft. x 48 in. /
4.88 m x 2.44 m x 1.22 m
PG. 41



18 ft. x 9 ft. x 48 in. /
5.49 m x 2.74 m x 1.22 m
PG. 41



21 ft. x 9 ft. x 52 in. /
6.40 m x 2.74 m x 1.32 m
PG. 43



24 ft. x 12 ft. x 52 in. /
7.32 m x 3.66 m x 1.32 m
PG. 43



31 ft. 4 in. x 16 ft. x 52 in. /
9.56 m x 4.88 m x 1.32 m
PG. 43




OVAL

10 ft. x 6 ft. 7 in. x 33 in. /
3.05 m x 2.00 m x 84 cm
PG. 44



14 ft. x 8 ft. 2 in. x 39.5 in. /
4.27 m x 2.50 m x 1.00 m
PG. 44



16 ft. x 10 ft. x 42 in. /
4.88 m x 3.05 m x 1.07 m
PG. 44



18 ft. x 9 ft. x 48 in. /
5.49 m x 2.74 m x 1.22 m
PG. 45



20 ft. x 12 ft. x 48 in. /
6.10 m x 3.66 m x 1.22 m
PG. 47



24 ft. x 12 ft. x 52 in. /
7.32 m x 3.66 m x 1.32 m
PG. 47



NEW

SWIM VISTA SERIES™ II

ROUND

16 ft. x 48 in. /
4.88 m x 1.22 m
PG. 48



18 ft. x 48 in. /
5.49 m x 1.22 m
PG. 48



OVAL

14 ft. x 8 ft. 2 in. x 39.5 in. /
4.27 m x 2.50 m x 1.00 m
PG. 51




18 ft. x 9 ft. x 48 in. /
5.49 m x 2.74 m x 1.22 m
PG. 51



COMFORT JET SERIES™

OVAL

20 ft. x 12 ft. x 48 in. /
6.10 m x 3.66 m x 1.22 m
PG. 52



NEW DES.

FEATURES & TECHNOLOGIES

SEAL & LOCK SYSTEM™
Superior Steel Frame



BUILD



TRITECH™ **FROSTED FINISH** **CHEMCONNECT™ DISPENSER**



CONVENIENCE



PACKAGING
Sturdy Cardboard Box with Pictures



**9 ft. 3 in. x 6 ft. 5 in. x 33 in. /
2.82 m x 1.96 m x 84 cm**

Water Capacity (90%): 967 gal. (3,662 L)



Item #	Region	Pack	lbs (kg)	Filter Pump	Voltage	Cartridge	ChemConnect™ Dispenser
56631E	US	1	88.2 (40.0)	58511 (330 gal./1,249 L)	110-120 V	58093, Type: I	•
56631	N. America / Asia, Africa & Latin America	1	83.8 (38.0)	58511 (330 gal./1,249 L)	110-120 V	58093, Type: I	•
56631	Oceania	1	83.8 (38.0)	58381 (330 gal./1,249 L)	220-240 V	58093, Type: I	•
56629	Europe	1	83.8 (38.0)	58381 (330 gal./1,249 L)	220-240 V	58093, Type: I	•
56629	Asia, Africa & Latin America	1	83.8 (38.0)	58381 (330 gal./1,249 L)	220-240 V	58093, Type: I	•

**13 ft. 3 in. x 6 ft. 7 in. x 39.5 in. /
4.04 m x 2.01 m x 1.00 m**

Water Capacity (90%): 1,711 gal. (6,478 L)



Item #	Region	Pack	lbs (kg)	Filter Pump	Voltage	Cartridge	Ladder	ChemConnect™ Dispenser
56441	Europe	1	135.2 (61.3)	58383 (530 gal./2,006 L)	220-240 V	58094, Type: II	58330	•
56441	Asia, Africa & Latin America	1	133.2 (60.4)	58383 (530 gal./2,006 L)	220-240 V	58094, Type: II	58335	•
56660	N. America / Asia, Africa & Latin America	1	147.5 (66.9)	58516 (800 gal./3,028 L)	110-120 V	Sand Filtration	58335	•
56660	Oceania	1	147.5 (66.9)	58515 (800 gal./3,028 L)	220-240 V	Sand Filtration	58335	•
56442	Europe	1	149.9 (68.0)	58515 (800 gal./3,028 L)	220-240 V	Sand Filtration	58330	•
56442	Asia, Africa & Latin America	1	147.6 (67.0)	58515 (800 gal./3,028 L)	220-240 V	Sand Filtration	58335	•

**13 ft. 6 in. x 6 ft. 7 in. x 48 in. /
4.12 m x 2.01 m x 1.22 m**

Water Capacity (90%): 2,146 gal. (8,124 L)



Item #	Region	Pack	lbs (kg)	Filter Pump	Voltage	Cartridge	Ladder	ChemConnect™ Dispenser
56458E	US	1	160.7 (72.9)	58384 (530 gal./2,006 L)	110-120 V	58012, Type: III - A/C	58336	•
56458	N. America / Asia, Africa & Latin America	1	157.3 (71.3)	58384 (530 gal./2,006 L)	110-120 V	58012, Type: III - A/C	58336	•
56458	Oceania	1	157.3 (71.3)	58383 (530 gal./2,006 L)	220-240 V	58094, Type: II	58336	•
56456	Europe	1	162.0 (73.5)	58383 (530 gal./2,006 L)	220-240 V	58094, Type: II	58331	•
56456	Asia, Africa & Latin America	1	156.4 (70.9)	58383 (530 gal./2,006 L)	220-240 V	58094, Type: II	58336	•
56457	Europe	1	178.5 (81.0)	58515 (800 gal./3,028 L)	220-240 V	Sand Filtration	58331	•
56457	Asia, Africa & Latin America	1	172.2 (78.1)	58515 (800 gal./3,028 L)	220-240 V	Sand Filtration	58336	•

**16 ft. x 8 ft. x 48 in. /
4.88 m x 2.44 m x 1.22 m**

Water Capacity (90%): 3,046 gal. (11,532 L)



Item #	Region	Pack	lbs (kg)	Filter Pump	Voltage	Cartridge	Cover	Ladder	ChemConnect™ Dispenser
56672	N. America / Asia, Africa & Latin America	1	201.9 (91.6)	58387 (800 gal./3,028 L)	110-120 V	58012, Type: III - A/C	•	58336	•
56672	Oceania	1	201.9 (91.6)	58386 (800 gal./3,028 L)	220-240 V	58094, Type: II	•	58336	•
56670	Europe	1	207.7 (94.2)	58386 (800 gal./3,028 L)	220-240 V	58094, Type: II	•	58331	•
56670	Asia, Africa & Latin America	1	201.0 (91.2)	58386 (800 gal./3,028 L)	220-240 V	58094, Type: II	•	58336	•
56673	N. America / Asia, Africa & Latin America	1	217.4 (98.6)	58516 (800 gal./3,028 L)	110-120 V	Sand Filtration	•	58336	•
56673	Oceania	1	217.4 (98.6)	58515 (800 gal./3,028 L)	220-240 V	Sand Filtration	•	58336	•
56671	Europe	1	223.7 (101.5)	58515 (800 gal./3,028 L)	220-240 V	Sand Filtration	•	58331	•
56671	Asia, Africa & Latin America	1	217.6 (98.7)	58515 (800 gal./3,028 L)	220-240 V	Sand Filtration	•	58336	•

**18 ft. x 9 ft. x 48 in. /
5.49 m x 2.74 m x 1.22 m**

Water Capacity (90%): 3,913 gal. (14,812 L)



Item #	Region	Pack	lbs (kg)	Filter Pump	Voltage	Cartridge	Cover	Ladder	ChemConnect™ Dispenser
56536E	US	1	224.4(101.8)	58390 (1,500 gal./5,678 L)	110-120 V	58012, Type: III - A/C	•	58336	•
56467	N. America / Asia, Africa & Latin America	1	223.4(101.3)	58390 (1,500 gal./5,678 L)	110-120 V	58012, Type: III - A/C	•	58336	•
56467	Oceania	1	223.4(101.3)	58389 (1,500 gal./5,678 L)	220-240 V	58012, Type: III - A/C	•	58336	•
56465	Europe	1	233.6 (105.9)	58389 (1,500 gal./5,678 L)	220-240 V	58012, Type: III - A/C	•	58331	•
56465	Asia, Africa & Latin America	1	223.6(101.4)	58389 (1,500 gal./5,678 L)	220-240 V	58012, Type: III - A/C	•	58336	•
56468E	US	1	239.7(108.7)	58498 (1,500 gal./5,678 L)	110-120 V	Sand Filtration	•	58336	•
56468	N. America / Asia, Africa & Latin America	1	239.6(108.7)	58498 (1,500 gal./5,678 L)	110-120 V	Sand Filtration	•	58336	•
56468	Oceania	1	239.6(108.7)	58497 (1,500 gal./5,678 L)	220-240 V	Sand Filtration	•	58336	•
56466	Europe	1	247.8 (112.4)	58497 (1,500 gal./5,678 L)	220-240 V	Sand Filtration	•	58331	•
56466	Asia, Africa & Latin America	1	241.1 (109.4)	58497 (1,500 gal./5,678 L)	220-240 V	Sand Filtration	•	58336	•



FEATURES & TECHNOLOGIES

SEAL & LOCK SYSTEM™
Superior Steel Frame



BUILD



Color




Inner Liner



Hardware



TRITECH™



FROSTED FINISH



CHEMCONNECT™ DISPENSER



CONVENIENCE



Drain Valve



Corrosion-Resistant Steel Frame



C-Connector



No Tools Required
Easy To Assemble

PACKAGING

Sturdy Cardboard Box with Pictures





**21 ft. x 9 ft. x 52 in. /
6.40 m x 2.74 m x 1.32 m**

Water Capacity (90%): 5,094 gal. (19,281 L)



Item #	Region	Pack	lbs (kg)	Filter Pump	Voltage	Cartridge	Cover	Ladder	ChemConnect™ Dispenser
5611Z	Europe	1 Ea., 2 boxes	290.0 (131.5)	58389 (1,500 gal./5,678 L)	220-240 V	58012, Type: III - A/C	•	58332	•
5611Z	Asia, Africa & Latin America	1 Ea., 2 boxes	286.7 (130.1)	58389 (1,500 gal./5,678 L)	220-240 V	58012, Type: III - A/C	•	58337	•
5612AE	US	1 Ea., 2 boxes	305.4 (138.5)	58498 (1,500 gal./5,678 L)	110-120 V	Sand Filtration	•	58337	•
5612A	N. America / Asia, Africa & Latin America	1 Ea., 2 boxes	304.2 (138.0)	58498 (1,500 gal./5,678 L)	110-120 V	Sand Filtration	•	58337	•
5612A	Oceania	1 Ea., 2 boxes	304.2 (138.0)	58497 (1,500 gal./5,678 L)	220-240 V	Sand Filtration	•	58337	•
5612B	Europe	1 Ea., 2 boxes	308.7 (140.0)	58497 (1,500 gal./5,678 L)	220-240 V	Sand Filtration	•	58332	•
5612B	Asia, Africa & Latin America	1 Ea., 2 boxes	305.7 (138.6)	58497 (1,500 gal./5,678 L)	220-240 V	Sand Filtration	•	58337	•

**24 ft. x 12 ft. x 52 in. /
7.32 m x 3.66 m x 1.32 m**

Water Capacity (90%): 7,937 gal. (30,045 L)



Item #	Region	Pack	lbs (kg)	Filter Pump	Voltage	Cartridge	Cover	Ladder	ChemConnect™ Dispenser
56474	Europe	1 Ea., 2 boxes	378.4 (171.7)	58391 (2,500 gal./9,463 L)	220-240 V	58095, Type: IV - B	•	58332	•
56474	Asia, Africa & Latin America	1 Ea., 2 boxes	371.9 (168.7)	58391 (2,500 gal./9,463 L)	220-240 V	58095, Type: IV - B	•	58337	•
56477E	US	1 Ea., 2 boxes	373.0 (169.2)	58498 (1,500 gal./5,678 L)	110-120 V	Sand Filtration	•	58337	•
56477	N. America / Asia, Africa & Latin America	1 Ea., 2 boxes	373.0 (169.2)	58498 (1,500 gal./5,678 L)	110-120 V	Sand Filtration	•	58337	•
56477	Oceania	1 Ea., 2 boxes	373.0 (169.2)	58497 (1,500 gal./5,678 L)	220-240 V	Sand Filtration	•	58337	•
56475	Europe	1 Ea., 2 boxes	377.1 (171.1)	58497 (1,500 gal./5,678 L)	220-240 V	Sand Filtration	•	58332	•
56475	Asia, Africa & Latin America	1 Ea., 2 boxes	374.5 (169.9)	58497 (1,500 gal./5,678 L)	220-240 V	Sand Filtration	•	58337	•

**31 ft. 4 in. x 16 ft. x 52 in. /
9.56 m x 4.88 m x 1.32 m**

Water Capacity (90%): 13,798 gal. (52,231 L)




Item #	Region	Pack	lbs (kg)	Filter Pump	Voltage	Cartridge	Cover	Ladder	ChemConnect™ Dispenser
56625E	US	1 Ea., 2 boxes	491.2 (222.8)	58500 (2,200 gal./8,327 L)	110-120 V	Sand Filtration	•	58337	•
56625	N. America / Asia, Africa & Latin America	1 Ea., 2 boxes	491.2 (222.8)	58500 (2,200 gal./8,327 L)	110-120 V	Sand Filtration	•	58337	•
56625	Oceania	1 Ea., 2 boxes	491.2 (222.8)	58499 (2,200 gal./8,327 L)	220-240 V	Sand Filtration	•	58337	•
56623	Europe	1 Ea., 2 boxes	494.9 (224.5)	58499 (2,200 gal./8,327 L)	220-240 V	Sand Filtration	•	58332	•
56623	Asia, Africa & Latin America	1 Ea., 2 boxes	492.7 (223.5)	58499 (2,200 gal./8,327 L)	220-240 V	Sand Filtration	•	58337	•

FEATURES & TECHNOLOGIES

SEAL & LOCK SYSTEM™ Superior Steel Frame




BUILD



TRITECH™

FROSTED FINISH

CHEMCONNECT™ DISPENSER



CONVENIENCE



Drain Valve Corrosion-Resistant Steel Frame 3-Ply PVC Wall Support Band T-Connector

PACKAGING

Full Color Box & Sturdy Cardboard Box With Pictures



10 ft. x 6 ft. 7 in. x 33 in. / 3.05 m x 2.00 m x 84 cm

Water Capacity (90%): 969 gal. (3,668 L)



Item #	Region	Pack	lbs (kg)	Filter Pump	Voltage	Cartridge	ChemConnect™ Dispenser
5613ZE	US	1	69.4 (31.5)	58511 (330 gal./1,249 L)	110-120 V	58093, Type: I	•
5613Z	N. America / Asia, Africa & Latin America	1	69.2 (31.4)	58511 (330 gal./1,249 L)	110-120 V	58093, Type: I	•
5613Z	Oceania	1	69.2 (31.4)	58381 (330 gal./1,249 L)	220-240 V	58093, Type: I	•
5614A	Europe	1	69.7 (31.6)	58381 (330 gal./1,249 L)	220-240 V	58093, Type: I	•
5614A	Asia, Africa & Latin America	1	69.7 (31.6)	58381 (330 gal./1,249 L)	220-240 V	58093, Type: I	•

14 ft. x 8 ft. 2 in. x 39.5 in. / 4.27 m x 2.50 m x 1.00 m

Water Capacity (90%): 1,915 gal. (7,250 L)




Item #	Region	Pack	lbs (kg)	Filter Pump	Voltage	Cartridge	Ladder	ChemConnect™ Dispenser
56622E	US	1	112.9 (51.2)	58384 (530 gal./2,006 L)	110-120 V	58012, Type: III - A/C	58335	•
56622	N. America / Asia, Africa & Latin America	1	111.3 (50.5)	58384 (530 gal./2,006 L)	110-120 V	58012, Type: III - A/C	58335	•
56622	Oceania	1	111.3 (50.5)	58383 (530 gal./2,006 L)	220-240 V	58094, Type: II	58335	•
56620	Europe	1	113.4 (51.5)	58383 (530 gal./2,006 L)	220-240 V	58094, Type: II	58330	•
56620	Asia, Africa & Latin America	1	110.6 (50.2)	58383 (530 gal./2,006 L)	220-240 V	58094, Type: II	58335	•

16 ft. x 10 ft. x 42 in. / 4.88 m x 3.05 m x 1.07 m

Water Capacity (90%): 2,893 gal. (10,949 L)



Item #	Region	Pack	lbs (kg)	Filter Pump	Voltage	Cartridge	Cover	Ladder	ChemConnect™ Dispenser
56655E	US	1	149.2 (67.7)	58388 (1,000 gal./3,785 L)	110-120V	58012, Type: III - A/C	•	58335	•
56450	N. America / Asia, Africa & Latin America	1	146.6 (66.5)	58387 (800 gal./3,028 L)	110-120V	58012, Type: III - A/C	•	58335	•
56450	Oceania	1	146.6 (66.5)	58386 (800 gal./3,028 L)	220-240 V	58094, Type: II	•	58335	•
56448	Europe	1	148.2 (67.2)	58386 (800 gal./3,028 L)	220-240 V	58094, Type: II	•	58330	•
56448	Asia, Africa & Latin America	1	145.9 (66.2)	58386 (800 gal./3,028 L)	220-240 V	58094, Type: II	•	58335	•



**18 ft. x 9 ft. x 48 in. /
5.49 m x 2.74 m x 1.22 m**

Water Capacity (90%): 3,548 gal. (13,430 L)



Item #	Region	Pack	lbs (kg)	Filter Pump	Voltage	Cartridge	Cover	Ladder	ChemConnect™ Dispenser
56711E	US	1	187.9 (85.2)	58390 (1,500 gal./5,678 L)	110-120 V	58012, Type: III - A/C	•	58336	•
56711	N. America / Asia, Africa & Latin America	1	186.8 (84.7)	58390 (1,500 gal./5,678 L)	110-120 V	58012, Type: III - A/C	•	58336	•
56711	Oceania	1	186.8 (84.7)	58389 (1,500 gal./5,678 L)	220-240 V	58012, Type: III - A/C	•	58336	•
56710	Europe	1	193.3 (87.7)	58389 (1,500 gal./5,678 L)	220-240 V	58012, Type: III - A/C	•	58331	•
56710	Asia, Africa & Latin America	1	187.0 (84.8)	58389 (1,500 gal./5,678 L)	220-240 V	58012, Type: III - A/C	•	58336	•



FEATURES & TECHNOLOGIES

SEAL & LOCK SYSTEM™
Superior Steel Frame



BUILD

			
Pattern	Inner Liner	Inner Liner	Hardware



TRITECH™ **FROSTED FINISH** **CHEMCONNECT™ DISPENSER**



CONVENIENCE



PACKAGING
Sturdy Cardboard Box with Pictures



**20 ft. x 12 ft. x 48 in. /
6.10 m x 3.66 m x 1.22 m**

Water Capacity (90%): 5,347 gal. (20,241 L)



Item #	Region	Pack	lbs (kg)	Filter Pump	Voltage	Cartridge	Cover	Ladder	ChemConnect™ Dispenser
5611SE	US	1	212.4 (96.4)	58390 (1,500 gal./5,678 L)	110-120 V	58012, Type: III - A/C	•	58336	•
5611S	N. America / Asia, Africa & Latin America	1	211.4 (95.9)	58390 (1,500 gal./5,678 L)	110-120 V	58012, Type: III - A/C	•	58336	•
5611S	Oceania	1	211.4 (95.9)	58389 (1,500 gal./5,678 L)	220-240 V	58012, Type: III - A/C	•	58336	•
5611R	Europe	1	217.6 (98.7)	58389 (1,500 gal./5,678 L)	220-240 V	58012, Type: III - A/C	•	58331	•
5611R	Asia, Africa & Latin America	1	211.9 (96.1)	58389 (1,500 gal./5,678 L)	220-240 V	58012, Type: III - A/C	•	58336	•

**24 ft. x 12 ft. x 52 in. /
7.32 m x 3.66 m x 1.32 m**

Water Capacity (90%): 7,415 gal. (28,068 L)

NEW



Item #	Region	Pack	lbs (kg)	Filter Pump	Voltage	Cartridge	Cover	Ladder	ChemConnect™ Dispenser
561ERE	US	1	283.6 (128.6)	58392 (2,500 gal./9,463 L)	110-120 V	58095, Type: IV - B	•	58337	•
561ER	N. America / Asia, Africa & Latin America	1	282.6 (128.2)	58392 (2,500 gal./9,463 L)	110-120 V	58095, Type: IV - B	•	58337	•
561ER	Oceania	1	282.6 (128.2)	58391 (2,500 gal./9,463 L)	220-240 V	58095, Type: IV - B	•	58337	•
561ES	Europe	1	291.4 (132.2)	58391 (2,500 gal./9,463 L)	220-240 V	58095, Type: IV - B	•	58332	•
561ES	Asia, Africa & Latin America	1	284.7 (129.1)	58391 (2,500 gal./9,463 L)	220-240 V	58095, Type: IV - B	•	58337	•




FEATURES & TECHNOLOGIES

CLICKCONNECT SYSTEM™ Corrosion Prevention



BUILD



TRITECH™ CHEMCONNECT™ DISPENSER



CONVENIENCE



PACKAGING Sturdy Cardboard Box with Pictures



4 Swim Vista Portholes 16 ft. x 48 in. / 4.88 m x 1.22 m Water Capacity (90%): 5,145 gal. (19,480 L)



Item #	Region	Pack	lbs (kg)	Filter Pump	Voltage	Cartridge	Cover	Ladder	ChemConnect™ Dispenser
56726E	US	1	166.3 (75.4)	58390 (1,500 gal./5,678 L)	110-120 V	58012, Type: III - A/C	58249	58336	•
56726	N. America / Asia, Africa & Latin America	1	166.3 (75.4)	58390 (1,500 gal./5,678 L)	110-120 V	58012, Type: III - A/C	58249	58336	•
56726	Oceania	1	166.3 (75.4)	58389 (1,500 gal./5,678 L)	220-240 V	58012, Type: III - A/C	58249	58336	•
56725	Europe	1	172.6 (78.3)	58389 (1,500 gal./5,678 L)	220-240 V	58012, Type: III - A/C	58249	58331	•
56725	Asia, Africa & Latin America	1	166.6 (75.6)	58389 (1,500 gal./5,678 L)	220-240 V	58012, Type: III - A/C	58249	58336	•

4 Swim Vista Portholes 18 ft. x 48 in. / 5.49 m x 1.22 m Water Capacity (90%): 6,092 gal. (23,062 L)



Item #	Region	Pack	lbs (kg)	Filter Pump	Voltage	Cartridge	Cover	Ladder	ChemConnect™ Dispenser
56976E	US	1	185.1 (84.0)	58390 (1,500 gal./5,678 L)	110-120 V	58012, Type: III - A/C	58039	58336	•
56976	N. America / Asia, Africa & Latin America	1	185.1 (84.0)	58390 (1,500 gal./5,678 L)	110-120 V	58012, Type: III - A/C	58039	58336	•
56976	Oceania	1	185.1 (84.0)	58389 (1,500 gal./5,678 L)	220-240 V	58012, Type: III - A/C	58039	58336	•
56977	Europe	1	191.5 (86.9)	58389 (1,500 gal./5,678 L)	220-240 V	58012, Type: III - A/C	58039	58331	•
56977	Asia, Africa & Latin America	1	185.5 (84.1)	58389 (1,500 gal./5,678 L)	220-240 V	58012, Type: III - A/C	58039	58336	•





SWIM VISTA

Built-in pool portholes bring function and fun to our line of Power Steel® Swim Vista Series™ II pools. Peek inside of the pool or dive down for an underwater photo.


FEATURES & TECHNOLOGIES

SEAL & LOCK SYSTEM™
Superior Steel Frame



BUILD

- Pattern
- Inner Liner
- Hardware



TRITECH™ FROSTED FINISH CHEMCONNECT™ DISPENSER



CONVENIENCE



PACKAGING
Sturdy Cardboard
Box with Pictures





2 Swim Vista Portholes
14 ft. x 8 ft. 2 in. x 39.5 in. /
4.27 m x 2.50 m x 1.00 m
 Water Capacity (90%): 1,915 gal. (7,250 L)



Item #	Region	Pack	lbs (kg)	Filter Pump	Voltage	Cartridge	Cover	Ladder	ChemConnect™ Dispenser
56715E	US	1	121.2 (55.0)	58384 (530 gal./2,006 L)	110-120 V	58012, Type: III - A/C	58425	58335	•
56715	N. America / Asia, Africa & Latin America	1	119.6 (54.2)	58384 (530 gal./2,006 L)	110-120 V	58012, Type: III - A/C	58425	58335	•
56715	Oceania	1	119.6 (54.2)	58383 (530 gal./2,006 L)	220-240 V	58094, Type: II	58425	58335	•
56714	Europe	1	121.8 (55.3)	58383 (530 gal./2,006 L)	220-240 V	58094, Type: II	58425	58330	•
56714	Asia, Africa & Latin America	1	118.7 (53.8)	58383 (530 gal./2,006 L)	220-240 V	58094, Type: II	58425	58335	•

4 Swim Vista Portholes
18 ft. x 9 ft. x 48 in. /
5.49 m x 2.74 m x 1.22 m
 Water Capacity (90%): 3,548 gal. (13,430 L)



Item #	Region	Pack	lbs (kg)	Filter Pump	Voltage	Cartridge	Cover	Ladder	ChemConnect™ Dispenser
56717E	US	1	197.7 (89.7)	58390 (1,500 gal./5,678 L)	110-120 V	58012, Type: III - A/C	•	58336	•
56717	N. America / Asia, Africa & Latin America	1	196.7 (89.2)	58390 (1,500 gal./5,678 L)	110-120 V	58012, Type: III - A/C	•	58336	•
56717	Oceania	1	196.7 (89.2)	58389 (1,500 gal./5,678 L)	220-240 V	58012, Type: III - A/C	•	58336	•
56716	Europe	1	202.9 (92.0)	58389 (1,500 gal./5,678 L)	220-240 V	58012, Type: III - A/C	•	58331	•
56716	Asia, Africa & Latin America	1	196.9 (89.3)	58389 (1,500 gal./5,678 L)	220-240 V	58012, Type: III - A/C	•	58336	•




FEATURES & TECHNOLOGIES

SEAL & LOCK SYSTEM™
Superior Steel Frame



BUILD
Pattern Inner Liner Hardware



TRITECH™ **FROSTED FINISH** **MULTI-COLORED LED LIGHT**



CONVENIENCE



PACKAGING
Sturdy Cardboard Box with Pictures



20 ft. x 12 ft. x 48 in. / 6.10 m x 3.66 m x 1.22 m
Water Capacity (90%): 5,347 gal. (20,241 L)

NEW DESIGN



Item #	Region	Pack	lbs (kg)	Filter Pump	Voltage	Cartridge	Ladder	LED Light
56720E	US	1	219.2 (99.4)	58392 (2,500 gal./9,463 L)	110-120 V	58095, Type: IV - B	58336	•
56720	N. America / Asia, Africa & Latin America	1	218.2 (99.0)	58392 (2,500 gal./9,463 L)	110-120 V	58095, Type: IV - B	58336	•
56720	Oceania	1	218.2 (99.0)	58391 (2,500 gal./9,463 L)	220-240 V	58095, Type: IV - B	58336	•
56719	Europe	1	224.8 (102.0)	58391 (2,500 gal./9,463 L)	220-240 V	58095, Type: IV - B	58331	•
56719	Asia, Africa & Latin America	1	219.8 (99.7)	58391 (2,500 gal./9,463 L)	220-240 V	58095, Type: IV - B	58336	•



A woman with dark curly hair and sunglasses is relaxing on a wooden lounge chair with a grey control panel, positioned on a green lawn next to a swimming pool. The pool has a blue mosaic tile pattern. A white spa jet nozzle is shown floating in the water. A dark blue circular callout contains the text '7-COLOR LED LIGHT!'.

**7-COLOR
LED LIGHT!**

BUILT-IN SPA JETS!

Two built-in massage
nozzles with easy-to-
use control station

HYDRIUM™

ABOUT

This top-tier pool line features enhanced durability, quality and longevity. With superior galvanized steel construction, these pools can withstand the elements all year long, so they can even be used as a more fixed landscaping feature.

HIGHLIGHTS



STEEL SIDEWALLS & FRAME SUPPORT

The tough, steel structure of a Hydrium pool provides unparalleled durability and damage-resistance.



INTEGRATED SURFACE SKIMMER

These built-in skimmers help keep your pool clean and free of debris.



YEAR-ROUND PROTECTION

Resistant to damage from scratches, abrasions and cracks 365 days a year, Hydrium pools are perfect to keep in your yard year-round.

PRODUCT MATRIX

48 in. / 1.22 m				52 in. / 1.32 m			
10 ft. x 48 in. / 3.05 m x 1.22 m PG. 57	12 ft. x 48 in. / 3.66 m x 1.22 m PG. 57	15 ft. x 48 in. / 4.57 m x 1.22 m PG. 57	16 ft. 5 in. x 12 ft. x 48 in. 5.00 m x 3.66 m x 1.22 m PG. 58	20 ft. x 12 ft. x 48 in. / 6.10 m x 3.66 m x 1.22 m PG. 58	16 ft. x 52 in. / 4.88 m x 1.32 m PG. 61	18 ft. x 52 in. / 5.49 m x 1.32 m PG. 61	24 ft. x 12 ft. x 52 in. / 7.32 m x 3.66 m x 1.32 m PG. 61



FEATURES & TECHNOLOGIES

YEAR-ROUND PROTECTION

Protected Against the Elements



BUILD




Color



Inner Liner



Hardware



BUILT-IN SKIMMER



CHEMCONNECT™ DISPENSER



CONVENIENCE



Reinforced Steel Sidewalls



Premium Pool Liner




Shipped On A Pallet

PACKAGING

Sturdy Cardboard Box with Pictures





10 ft. x 48 in. / 3.05 m x 1.22 m

Water Capacity (90%): 2,018 gal. (7,630 L)



Item #	Region	Pack	lbs (kg)	Filter Pump	Voltage	Cartridge	Cover	Ground Cloth	Ladder	ChemConnect™ Dispenser
56566	Europe	1	219.8 (99.7)	58515 (800 gal./3,028 L)	220-240 V	Sand Filtration	58291	58001	58331	•

12 ft. x 48 in. / 3.66 m x 1.22 m

Water Capacity (90%): 2,906 gal. (10,990 L)



Item #	Region	Pack	lbs (kg)	Filter Pump	Voltage	Cartridge	Cover	Ground Cloth	Ladder	ChemConnect™ Dispenser
56575	Oceania	1	249.8 (113.3)	58515 (800 gal./3,028 L)	220-240 V	Sand Filtration	58292	58002	58331	•
56574	Europe	1	249.8 (113.3)	58515 (800 gal./3,028 L)	220-240 V	Sand Filtration	58292	58002	58331	•

15 ft. x 48 in. / 4.57 m x 1.22 m

Water Capacity (90%): 4,605 gal. (17,430 L)



Item #	Region	Pack	lbs (kg)	Filter Pump	Voltage	Cartridge	Cover	Ground Cloth	Ladder	ChemConnect™ Dispenser
56385E	US	1	307.6 (139.5)	58498 (1,500 gal./5,678 L)	110-120 V	Sand Filtration	58249	58003	58336	•
56385	Oceania	1	312.0 (141.5)	58497 (1,500 gal./5,678 L)	220-240 V	Sand Filtration	58249	58003	58331	•
56384	Europe	1	312.0 (141.5)	58497 (1,500 gal./5,678 L)	220-240 V	Sand Filtration	58249	58003	58331	•




FEATURES & TECHNOLOGIES

YEAR-ROUND PROTECTION
Protected Against the Elements



BUILD



BUILT-IN SKIMMER



CHEMCONNECT™ DISPENSER



CONVENIENCE



PACKAGING
Sturdy Cardboard Box with Pictures



**16 ft. 5 in. x 12 ft. x 48 in. /
5.00 m x 3.66 m x 1.22 m**

Water Capacity (90%): 4,305 gal. (16,296 L)



Item #	Region	Pack	lbs (kg)	Filter Pump	Voltage	Cartridge	Cover	Ground Cloth	Ladder	ChemConnect™ Dispenser
56587E	US	1	378.2 (171.5)	58516 (800 gal./3,028 L)	110-120 V	Sand Filtration	•	•	58336	•
56587	Oceania	1	382.6 (173.5)	58515 (800 gal./3,028 L)	220-240 V	Sand Filtration	•	•	58331	•
56586	Europe	1	382.6 (173.5)	58515 (800 gal./3,028 L)	220-240 V	Sand Filtration	•	•	58331	•


**20 ft. x 12 ft. x 48 in. /
6.10 m x 3.66 m x 1.22 m**

Water Capacity (90%): 5,265 gal. (19,929 L)



Item #	Region	Pack	lbs (kg)	Filter Pump	Voltage	Cartridge	Cover	Ground Cloth	Ladder	ChemConnect™ Dispenser
56370E	US	1	470.0 (213.2)	58498 (1,500 gal./5,678 L)	110-120 V	Sand Filtration	•	•	58336	•
56370	Oceania	1	474.4 (215.2)	58497 (1,500 gal./5,678 L)	220-240 V	Sand Filtration	•	•	58331	•
56369	Europe	1	474.4 (215.2)	58497 (1,500 gal./5,678 L)	220-240 V	Sand Filtration	•	•	58331	•






FEATURES & TECHNOLOGIES

YEAR-ROUND PROTECTION
Protected Against the Elements



BUILD


- Pattern
- Inner Liner
- Hardware



BUILT-IN SKIMMER **CHEMCONNECT™ DISPENSER**



CONVENIENCE



PACKAGING
Sturdy Cardboard Box with Pictures





16 ft. x 52 in. / 4.88 m x 1.32 m

Water Capacity (90%): 5,678 gal. (21,490 L)



Item #	Region	Pack	lbs (kg)	Filter Pump	Voltage	Cartridge	Cover	Ground Cloth	Ladder	ChemConnect™ Dispenser
561CVE	US	1	439.2 (199.2)	58498 (1,500 gal./5,678 L)	110-120 V	Sand Filtration	58039	•	58337	•
561CV	Oceania	1	443.6 (201.2)	58497 (1,500 gal./5,678 L)	220-240 V	Sand Filtration	58039	•	58332	•
561CU	Europe	1	443.6 (201.2)	58497 (1,500 gal./5,678 L)	220-240 V	Sand Filtration	58039	•	58332	•

18 ft. x 52 in. / 5.49 m x 1.32 m

Water Capacity (90%): 7,192 gal. (27,221 L)



Item #	Region	Pack	lbs (kg)	Filter Pump	Voltage	Cartridge	Cover	Ground Cloth	Ladder	ChemConnect™ Dispenser
561CTE	US	1	490.4 (222.4)	58498 (1,500 gal./5,678 L)	110-120 V	Sand Filtration	•	•	58337	•
561CT	Oceania	1	494.8 (224.4)	58497 (1,500 gal./5,678 L)	220-240 V	Sand Filtration	•	•	58332	•
561CS	Europe	1	494.8 (224.4)	58497 (1,500 gal./5,678 L)	220-240 V	Sand Filtration	•	•	58332	•

24 ft. x 12 ft. x 52 in. / 7.32 m x 3.66 m x 1.32 m

Water Capacity (90%): 7,157 gal. (27,090 L)



Item #	Region	Pack	lbs (kg)	Filter Pump	Voltage	Cartridge	Cover	Ground Cloth	Ladder	ChemConnect™ Dispenser
561CXE	US	1	658.7 (298.8)	58498 (1,500 gal./5,678 L)	110-120 V	Sand Filtration	•	•	58337	•
561CX	Oceania	1	663.1 (300.8)	58497 (1,500 gal./5,678 L)	220-240 V	Sand Filtration	•	•	58332	•
561CW	Europe	1	663.1 (300.8)	58497 (1,500 gal./5,678 L)	220-240 V	Sand Filtration	•	•	58332	•



KIDDIE POOLS

ABOUT

Play pools are made for family fun! Easy to set up and constructed with durable materials, these pools ensure that the summer fun lasts all season long.

HIGHLIGHTS



UV CAREFUL™
Safe, Shaded Fun in the Sun™



EASY SETUP
It's as easy as 1-2-3!
Simply unpack, build, and fill!

PRODUCT MATRIX

My First Play Pools				Splash-In-Shade Pools		
56217/E 48 in. x 48 in. x 12 in. / 1.22 m x 1.22 m x 30.5 cm PG. 64	NEW DES. 56283 5 ft. x 15 in. / 1.52 m x 38 cm PG. 64	NEW DES. 57241/E 5 ft. x 15 in. / 1.52 m x 38 cm PG. 64	NEW DES. 561CF/E 7 ft. x 48 in. x 12 in. / 2.13 m x 1.22 m x 30.5 cm PG. 65	5618S/E & 5618T 6 ft. x 20 in. / 1.83 m x 51 cm PG. 66	56543/E & 56432 8 ft. x 20 in. / 2.44 m x 51 cm PG. 67	





My First Frame Pool

Water Capacity (90%): 153 gal. (580 L)

NEW DESIGN

Item #	Size	Pack	lbs (kg)	Packaging
56283	5 ft. x 15 in. / 1.52 m x 38 cm	6	58.4 (26.5)	Full color box

- Age: 2+
- Corrosion resistant metal frames
- Easy 10-minute setup with 2-3 people
- Easy to take down for off-season storage
- Round shape means easy installation, enhanced stability, less wasted space
- Underwater adhesive repair patch



My First Frame Pool

Water Capacity (90%): 96 gal. (365 L)

NEW DESIGN

Item #	Size	Pack	lbs (kg)	Packaging
56217/E	48 in. x 48 in. x 12 in. / 1.22 m x 1.22 m x 30.5 cm	3	27.2 (12.4)	Full color box

- Age: 2+
- Easy set up
- Corrosion resistant metal frames
- Easy to take down for off-season storage
- Rectangular shape provides more area for swimming and playing
- Underwater adhesive repair patch



My First Fast Set™ Pool

Water Capacity (80%): 126 gal. (477 L)

NEW DESIGN

Item #	Size	Pack	lbs (kg)	Packaging
57241/E	5 ft. x 15 in. / 1.52 m x 38 cm	6	26.9 (12.2)	Full color box

- Age: 2+
- Easy set up
- Heavy-duty PVC and polyester 3-ply side walls
- Liner is supported by an inflatable top ring
- Select a level surface, inflate top ring and the pool will rise as it's filled with water
- Easy to take down for off-season storage
- Underwater adhesive repair patch



My First Frame Pool And Sandpit

Water Capacity (90%): 96 gal. (365 L) / Sand Capacity (50%): 441 lbs (200 kg)

Item #	Size	Pack	lbs (kg)	Packaging
561CF/E	7 ft. x 48 in. x 12 in. / 2.13 m x 1.22 m x 30.5 cm	4	78.5 (35.6)	Full color box

- Age: 2+
- Walls constructed with DuraPlus™ material, which is reinforced with a polyester mesh core and two layers of high gauge PVC for superior strength and durability
- Corrosion resistant metal frames
- Easy to set up and take down for off-season storage
- Pool and sandpit combo gives kids two ways to play
- Rectangular shape provides more area for swimming and playing
- Underwater adhesive repair patch





Splash-In-Shade Play Pool

Water Capacity (90%): 246 gal. (930 L)

Item #	Region	Size	Pack	Ibs (kg)	Packaging
5618SE	US				
5618S	North America	6 ft. x 20 in. / 1.83 m x 51 cm	1	20.4 (9.2)	Full color box
5618S	Oceania				
5618T	Europe				

- The pool walls are constructed with DuraPlus™, a material reinforced with a polyester mesh core and two layers of high gauge PVC for superior strength and durability
- FrameLink System™ – custom-molded T-connectors prevent metal-on-metal corrosion
- Outer wall features underwater world printing
- UPF 40+ rated sunshade
- Water mister on the top of shade attaches to garden hose
- Easy 20-minute setup
- Easy to disassemble when preparing for off-season storage
- Pool is equipped with fittings for compatibility with Bestway® filter pumps
- Built-in flow control drain valve makes it easy to drain by attaching the valve to a garden hose (with included adapter) to drain away water
- Round shape means easy installation, enhanced stability, less wasted space
- Underwater adhesive repair patch




Splash-In-Shade Play Pool

Water Capacity (90%): 446 gal. (1,688 L)

Item #	Region	Size	Pack	lbs (kg)	Packaging
56543E	US				
56543	North America	8 ft. x 20 in. / 2.44 m x 51 cm	1	29.5 (13.4)	Full color box
56543	Oceania				
56432	Europe				

- The pool walls are constructed with DuraPlus™, a material reinforced with a polyester mesh core and two layers of high gauge PVC for superior strength and durability
- FrameLink System™ - custom-molded T-connectors prevent metal-on-metal corrosion
- Outer wall with tropical leaf printing
- UPF 40+ Rated
- Water mister on the top of shade attaches to garden hose
- Easy 20-minute setup
- Easy to disassemble when preparing for off-season storage
- Built-in flow control drain valve makes it easy to drain by attaching the valve to a garden hose (with included adapter) to drain away water
- Pool is equipped with fittings for compatibility with Bestway® filter pumps
- Round shape means easy installation, enhanced stability, less wasted space
- Underwater adhesive repair patch



POOL ACCESSORIES

ABOUT

Bestway® offers a wide range of products to help pool-owners maintain and clean their pools, enhance the ambiance of the surrounding area, and enjoy their product for as long as possible.

CATEGORIES



FILTRATION

Bestway cartridge and sand filter pumps come in many different sizes to give each pool-owner the options they need to keep their pools sparkling.



ENVIRONMENT

From lights to fountains, Bestway environment items add personality to the pool area.



MAINTENANCE EQUIPMENT

Bestway's variety of items, from vacuums to skimming nets, help pool-owners maintain crystal clear water by removing floating debris.



POOL COVERS & GROUND CLOTHS

Protect the bottom of the pool and the yard with Bestway items, made specifically for covering the ground beneath the pool.

PLANOGRAM

Actual in-store displays may vary.



US DISPLAY



INTERNATIONAL DISPLAY



NEW BRANDING

Bestway® pool accessories have a new look! The packaging displays all relevant features with an easy-to-understand design, so pool-owners will know exactly what comes in the box. It's streamlined, efficient and clean, just like every consumer's pool after they use Bestway pool accessories!

Previous Branding



Updated Branding



OVERVIEW

Front Panel – US Version

Bestway Logo

Better brand recognition

Unified Color Scheme

Provides a fresh, modern look to our packaging while creating more brand consistency across the different product ranges

Clear & Simple Callouts

Updated callouts help illustrate the product features & benefits that can easily be understood in both US and INTL markets

Large Product Photography



Lifestyle Photography

Shows the product in-use in an environment

Callout Images

Provides the consumer with a quick glimpse of everything included in the box



ICONS








New icons were created for use in both US and INTL markets. Some examples include:

Pump & Pool Compatibility



POOL PUMP RANGE

Item	58511/E	58381	58384/E	58383	58387	58386	58388E	58390/E	58389	58614E	58680	58392/E	58391
Product Photo													
Hose Size	1.25 in. / 3.2 cm	1.25 in. / 3.2 cm	1.25 in. / 3.2 cm	1.25 in. / 3.2 cm	1.25 in. / 3.2 cm	1.25 in. / 3.2 cm	1.25 in. / 3.2 cm	1.5 in. / 3.8 cm	1.5 in. / 3.8 cm	1.5 in. / 3.8 cm	1.5 in. / 3.8 cm	1.5 in. / 3.8 cm	1.5 in. / 3.8 cm
Adapters Included								1.5 / 1.25 in. / 3.8 / 3.2 cm		1.5 / 1.25 in. / 3.8 / 3.2 cm		1.5 / 1.25 in. / 3.8 / 3.2 cm	
Filter Cartridge Or Sand Grain/ Polysphere™	58093 (I)	58012 (III-A/C)	58094 (II)	58012 (III-A/C)	58094 (II)	58012 (III-A/C)	58012 (III-A/C)	58012 (III-A/C)	58012 (III-A/C)	58095 (IV-B)	58095 (IV-B)	58095 (IV-B)	58095 (IV-B)
Pump Flow Rate Gal. (L) / Hour	330 (1,249)	530 (2,006)	800 (3,028)	1,000 (3,785)	1,500 (5,678)	2,000 (7,570)	2,500 (9,463)						
System Flow Rate Gal. (L) / Hour	280 (1,060)	480 (1,817)	580 (2,195)	780 (2,952)	1,050 (3,974)	1,500 (5,678)	2,050 (7,760)						
Pool Compatibility	For use with 300–2,200 gal. (1,100–8,300 L) pools	For use with 300–3,800 gal. (1,100–14,300 L) pools	For use with 300–4,600 gal. (1,100–17,400 L) pools	For use with 300–5,100 gal. (1,100–19,300 L) pools	For use with 300–8,400 gal. (1,100–31,700 L) pools	For use with 300–12,000 gal. (1,100–45,424 L) pools	For use with 300–16,400 gal. (1,100–62,000 L) pools						
Rating	110–120V~, 0.2A 220–240V~, 16W	110–120V~, 0.6A 220–240V~, 29W	110–120V~, 0.6A 220–240V~, 32W	110–120V~, 1.1A	110–120V~, 1.8A 220–240V~, 86W	110–120V~, 1.45A 220–240V~, 110W	110–120V~, 3.3A 220–240V~, 350W						

58516/E	58515	58515GS	58498/E	58497	58497GS	58500/E	58499	58499GS	58692/E	58486	58486GS	
												
1.25 in. / 3.2 cm	1.5 in. / 3.8 cm		1.5 in. / 3.8 cm		1.5 in. / 3.8 cm		1.5 in. / 3.8 cm		1.5 in. / 3.8 cm		1.5 in. / 3.8 cm	
	1.5 / 1.25 in. (3.8 / 3.2 cm)		1.5 / 1.25 in. (3.8 / 3.2 cm)		1.5 / 1.25 in. (3.8 / 3.2 cm)		1.5 / 1.25 in. (3.8 / 3.2 cm)		1.5 / 1.25 in. (3.8 / 3.2 cm)		1.5 / 1.25 in. (3.8 / 3.2 cm)	
Required sand size: #20 silica sand, 0.45–0.85 mm, approximately 8.5 kg. Polysphere™ compatible	Required sand size: #20 silica sand, 0.45–0.85 mm, approximately 9 kg. Polysphere™ compatible		Required sand size: #20 silica sand, 0.45–0.85 mm, approx. 36 kg Polysphere™ compatible		Required sand size: #20 silica sand, 0.45–0.85 mm, approximately 20 kg. Polysphere™ compatible		Required sand size: #20 silica sand, 0.45–0.85 mm, approx. 45 kg. Polysphere™ compatible		Required sand size: #20 silica sand, 0.45–0.85 mm, approx. 36 kg. Polysphere™ compatible		Required sand size: #20 silica sand, 0.45–0.85 mm, approx. 55 kg. Polysphere™ compatible	
800 (3,028)	1,500 (5,678)		2,200 (8,327)		3,000 (11,355)							
600 (2,271)	550 (2,082)	1,400 (5,300)	1,300 (4,920)	1,800 (6,813)	1,700 (6,435)	2,200 (8,327)	2,000 (7,570)					
For use with 300–4,800 gal. (1,100–18,100 L) pools	For use with 300–4,400 gal. (1,100–16,600 L) pools		For use with 300–11,200 gal. (1,100–42,300 L) pools		For use with 300–10,400 gal. (1,100–39,300 L) pools		For use with 300–14,400 gal. (1,100–54,500 L) pools		For use with 300–13,600 gal. (1,100–51,400 L) pools		For use with 300–16,000 gal. (1,100–60,500 L) pools	
110–120V~, 1A	220–240V~, 85W		110–120V~, 3.2A		220–240V~, 230W		110–120V~, 3.5A		220–240V~, 280W		110–120V~, 4.8A	220–240V~, 500W

A LOOK AT THE BUILD OF BESTWAY® FILTERS

Sand Filter Pumps

Bestway sand filters are truly a “no fuss” option. More efficient than filter pumps, a properly operated sand filter requires little maintenance, with a charge of sand lasting for at least a season. The models in the range cover a broad spectrum of applications and are compatible with almost all pools in the market. They all feature a built-in pre-filter to catch larger debris and safeguard against clogging. Four of the filters have a convenient pump-mounted switch. You can recommend Bestway sand filters with confidence.



Cartridge Filter Pumps

Leave the dirty work to Bestway filter pumps. Two hoses are included with each pump and are attached at two separate points on the swimming pool. The loose end of one hose is connected to the filter pump. Water is pumped out of the pool and through the hose, before being sanitized by the filter cartridge and pumped back through the other hose. It then begins the process all over again, providing clean, clear and hygienic water.





58497, 58498/E



58497GS

58499, 58500/E



58499GS

Sand Filter - 800 Gal. (3,028 L)

Item #	Certification	Rating	Tank Dia. (in./cm)	Pack	lbs (kg)
58515	CE	220-240V~, 85W	10.5 (27)	1	16.4 (7.4)
58515GS	CE/GS	220-240V~, 85W	10.5 (27)	1	17.8 (8.1)
58516	C-ETL	110-120V~, 1A	10.5 (27)	1	17.0 (7.7)
58516E	ETL-US	110-120V~, 1A	10.5 (27)	1	17.3 (7.8)

Item #	Sand Capacity (lbs./kg)	Polysphere Capacity (lbs./g)
58515	18.7 (8.5)	0.53 (240)
58515GS	18.7 (8.5)	0.53 (240)
58516	18.7 (8.5)	0.53 (240)
58516E	18.7 (8.5)	0.53 (240)

Pump Flow Rate: 800 gal./h (3,028 L/h)

System Flow Rate: 600 gal./h (2,271 L/h)

System Flow Rate: 550 gal./h (2,082 L/h) (For GS only)

Pool Compatibility: For use with 300-4,800 gal. (1,100-18,100 L) pools

Pool Compatibility: For use with 300-4,400 gal. (1,100-16,600 L) pools (For GS only)

- Uses approximately 18.7 lbs (8.5 kg) #20 silica sand, 0.45-0.85 mm or 0.53 lbs (240 g) Polysphere™ Pool Filtration Balls (neither included)
- Durable, corrosion-resistant tank
- ChemConnect™ dispenser provides a stable level of chlorine to maintain clean, healthy pool water and proper chemical balance
- 6-position handle to easily switch filter functions (filter, closed, backwash, rinse, drain, circulate)
- Flange clamp with 360° rotation
- Easy-to-read pressure gauge
- Pre-filter strainer basket catches larger debris to increase pump efficiency & longevity
- Preassembled for quick & easy installation
- Full color box

Sand Filter - 1,500 Gal. (5,678 L)

Item #	Certification	Rating	Tank Dia. (in./cm)	Pack	lbs (kg)
58497	CE	220-240V~, 230W	10 (25.4)	1	25.7 (11.7)
58497GS	CE/GS	220-240V~, 230W	15 (38.5)	1	31.6 (14.4)
58498	C-ETL	110-120V~, 3.2A	10 (25.4)	1	25.6 (11.6)
58498E	ETL-US	110-120V~, 3.2A	10 (25.4)	1	25.8 (11.7)

Item #	Sand Capacity (lbs./kg)	Polysphere Capacity (lbs./g)
58497	19.8 (9.0)	0.55 (250)
58497GS	79.4 (36.0)	2.20 (1,000)
58498	19.8 (9.0)	0.55 (250)
58498E	19.8 (9.0)	0.55 (250)

Pump Flow Rate: 1,500 gal./h (5,678 L/h)

System Flow Rate: 1,400 gal./h (5,300 L/h)

System Flow Rate: 1,300 gal./h (4,920 L/h) (For GS only)

Pool Compatibility: For use with 300-11,200 gal. (1,100-42,300 L) pools

Pool Compatibility: For use with 300-10,400 gal. (1,100-39,300 L) pools (For GS only)

- Uses approximately 19.8 lbs (9 kg) #20 silica sand, 0.45-0.85 mm or 0.55 lbs (250 g) Polysphere™ Pool Filtration Balls (neither included)
- Uses approximately 79.4 lbs (36 kg) #20 silica sand, 0.45-0.85 mm or 2.2 lbs (1 kg) Polysphere™ Pool Filtration Balls (neither included) (For GS only)
- Durable, corrosion-resistant tank
- ChemConnect™ dispenser provides a stable level of chlorine to maintain clean, healthy pool water and proper chemical balance
- 6-position handle to easily switch filter functions (filter, closed, backwash, rinse, drain, circulate)
- Built-in timer lets you set an automated working period (For 58497/GS only)
- Flange clamp with 360° rotation
- Easy-to-read pressure gauge
- Pre-filter strainer basket catches larger debris to increase pump efficiency & longevity
- Preassembled for quick & easy installation
- Compatible with 3.8 cm (1.5") threaded valves and 3.2 cm (1.25") valves using included adapters
- Full color box

Sand Filter - 2,200 Gal. (8,327 L)

Item #	Certification	Rating	Tank Dia. (in./cm)	Pack	lbs (kg)
58499	CE	220-240V~, 280W	12.5 (32)	1	30.4 (13.8)
58499GS	CE/GS	220-240V~, 280W	16.6 (42.2)	1	36.1 (16.4)
58500	C-ETL	110-120V~, 3.5A	12.5 (32)	1	30.4 (13.8)
58500E	ETL-US	110-120V~, 3.5A	12.5 (32)	1	30.6 (13.9)

Item #	Sand Capacity (lbs./kg)	Polysphere Capacity (lbs./g)
58499	44.1 (20.0)	1.23 (560)
58499GS	99.2 (45.0)	2.78 (1,260)
58500	44.1 (20.0)	1.23 (560)
58500E	44.1 (20.0)	1.23 (560)

Pump Flow Rate: 2,200 gal./h (8,327 L/h)

System Flow Rate: 1,800 gal./h (6,813 L/h)

System Flow Rate: 1,700 gal./h (6,435 L/h) (For GS only)

Pool Compatibility: For use with 300-14,400 gal. (1,100-54,500 L) pools

Pool Compatibility: For use with 300-13,600 gal. (1,100-51,400 L) pools (For GS only)

- Uses approximately 44.1 lbs (20 kg) #20 silica sand, 0.45-0.85 mm or 1.23 lbs (560 g) Polysphere™ Pool Filtration Balls (neither included)
- Uses approximately 99.2 lbs (45 kg) #20 silica sand, 0.45-0.85 mm or 2.78 lbs (1,260 g) Polysphere™ Pool Filtration Balls (neither included) (For GS only)
- Durable, corrosion-resistant tank
- ChemConnect™ dispenser provides a stable level of chlorine to maintain clean, healthy pool water and proper chemical balance
- 6-position handle to easily switch filter functions (filter, closed, backwash, rinse, drain, circulate)
- Built-in timer lets you set an automated working period (For 58499/GS only)
- Flange clamp with 360° rotation
- Easy-to-read pressure gauge
- Pre-filter strainer basket catches larger debris to increase pump efficiency & longevity
- Preassembled for quick & easy installation
- Compatible with 1.5 in. (3.8 cm) threaded valves and 1.25 in. (3.2 cm) valves using included adapters
- Full color box

58486, 58692/E

58486GS



Sand Filter - 3,000 Gal. (11,355 L)

Item #	Certification	Rating	Tank Dia. (in, cm)	Pack	lbs (kg)
58486	CE	220-240V~, 500W	15 (38.5)	1	36.8 (16.7)
58486GS	CE/GS	220-240V~, 500W	19 (48.5)	1	43.9 (19.9)
58692	C-ETL	110-120V~, 4.8A	15 (38.5)	1	36.1 (16.4)
58692E	ETL-US	110-120V~, 4.8A	15 (38.5)	1	36.3 (16.5)

Item #	Sand Capacity (lbs (kg))	Polysphere Capacity (lbs (g))
58486	79.4 (36.0)	2.20 (1,000)
58486GS	121.3 (55.0)	3.40 (1,540)
58692	79.4 (36.0)	2.20 (1,000)
58692E	79.4 (36.0)	2.20 (1,000)

Pump Flow Rate: 3,000 gal./h (11,355 L/h)

System Flow Rate: 2,200 gal./h (8,327 L/h)

System Flow Rate: 2,000 gal./h (7,570 L/h) (For GS only)

Pool Compatibility: For use with 300-17,600 gal. (1,100-66,600 L) pools

Pool Compatibility: For use with 300-16,000 gal. (1,100-60,500 L) pools (For GS only)

- Uses approximately 79.4 lbs (36 kg) #20 silica sand, 0.45-0.85 mm or 2.20 lbs (1,000 g) Polysphere™ Pool Filtration Balls (neither included)
- Uses approximately 121.3 lbs (55 kg) #20 silica sand, 0.45-0.85 mm or 3.40 lbs (1,540 g) Polysphere™ Pool Filtration Balls (neither included) (For GS only)
- Durable, corrosion-resistant tank
- ChemConnect™ dispenser provides a stable level of chlorine to maintain clean, healthy pool water and proper chemical balance
- 6-position handle to easily switch filter functions (filter, closed, backwash, rinse, drain, circulate)
- Built-in timer lets you set an automated working period (For 58486/GS only)
- Flange clamp with 360° rotation
- Easy-to-read pressure gauge
- Pre-filter strainer basket catches larger debris to increase pump efficiency & longevity
- Preassembled for quick & easy installation
- Compatible with 1.5 in. (3.8 cm) threaded valves and 1.25 in. (3.2 cm) valves using included adapters
- Full color box

Polysphere™ Pool Filtration Balls

Item #	Pack	Lbs (kg)	Packaging
58475/E	6	12.1 (5.5)	Full Color Box
30014/E	1	21.4 (9.7) 20.6 (9.3)	Display Shelf

NEW GEN.

- Compatible with most sand filter pumps
- Reusable sand replacement - 0.06 lbs (28 g) of filtration balls = 2.2 lbs (1 kg) of sand
- Hand-wash only with included mesh bag
- Made with recyclable & non-toxic material
- Lower pressure allows for higher flow rate & longer lifespan
- Lightweight & easy to transport
- Not compatible with sand filter backwashing function



58475

58475E

Sand Filter	Region	Weight (if using sand, lbs (kg))	Weight (if using Polysphere, lbs (g))
800 gal. /h (3,028 L/h)	All	18.74 (8.5)	0.53 (240)
1,500 gal. /h (5,678 L/h)	Except GS	19.84 (9)	0.55 (250)
1,500 gal. /h (5,678 L/h)	GS	79.37 (36)	2.20 (1,000)
2,200 gal. /h (8,327 L/h)	Except GS	44.09 (20)	1.23 (560)
2,200 gal. /h (8,327 L/h)	GS	99.21 (45)	2.78 (1,260)
3,000 gal. /h (11,355 L/h)	Except GS	79.37 (36)	2.20 (1,000)
3,000 gal. /h (11,355 L/h)	GS	121.25 (55)	3.40 (1,540)



12 Ea. Included

APP CONTROLLED WI-FI FILTER PUMP

BESTWAY SMART HUB™ APP | CONTROL AT YOUR FINGERTIPS



ON/OFF
Switch



SET TIMER
(10 Hour Max)



MAINTENANCE STATUS
Low Flow Rate & Filter Cleaning/
Replacement Indicator



Smart Touch™ Wi-Fi Filter Pump

Item #	Pump Flow Rate Gal. (L) / Hr	System Flow Rate Gal. (L) / Hr	Pool Capacity	Certification	Rating	Pack	lbs (kg)	Filter Cartridge
58614E	2,000 (7,570)	1,500 (5,678)	For use with 300–12,000 gal. (1,100–45,424 L) pools	ETL-US	110–120V~, 1.45A	1	23.1 (10.5)	58095 – Type IV
58680	2,000 (7,570)	1,500 (5,678)	For use with 300–12,000 gal. (1,100–45,424 L) pools	CE	220–240V~, 110W	1	22.0 (10.0)	58095 – Type IV

- Compatible with 1.5 in. (3.8 cm) threaded valves and 1.25 in. (3.2 cm) valves using included adapters
- Uses Type IV-B cartridges
- Can be controlled through a smartphone app; turn on/off, set 10 hour timer, check status of flow rate and filter cartridge
- Intuitive digital control panel with run time countdown
- Pressure release valve lets out air from inside the filter
- Full color box





CONTROL PANEL



AIR PRESSURE
RELEASE VALVE



PUMP MOTOR

PUMP FILTER
CARTRIDGE



POOL WATER
INTAKE VALVE



POOL WATER
OUTLET VALVE



Filter Pump - 330 Gal. (1,249 L)



Item #	Pump Flow Rate Gal. (L) / Hr	System Flow Rate Gal. (L) / Hr	Pool Capacity	Certification	Rating	Pack	lbs (kg)	Filter Cartridge
58511E	330 (1,249)	280 (1,060)	For use with 300-2,200 gal. (1,100-8,300 L) pools	ETL-US	110-120V~, 0.2A	4	25.0 (11.3)	58093 - Type I
58511	330 (1,249)	280 (1,060)		C-ETL	110-120V~, 0.2A	4	24.7 (11.2)	58093 - Type I
58381	330 (1,249)	280 (1,060)		CE	220-240V~, 16W	4	25.1 (11.4)	58093 - Type I

Filter Pump - 530 Gal. (2,006 L)



Item #	Pump Flow Rate Gal. (L) / Hr	System Flow Rate Gal. (L) / Hr	Pool Capacity	Certification	Rating	Pack	lbs (kg)	Filter Cartridge
58384E	530 (2,006)	480 (1,817)	For use with 300-3,800 gal. (1,100-14,300 L) pools	ETL-US	110-120V~, 0.6A	4	32.9 (14.9)	58012 - Type III - A/C
58384	530 (2,006)	480 (1,817)		C-ETL	110-120V~, 0.6A	4	32.0 (14.5)	58012 - Type III - A/C
58383	530 (2,006)	480 (1,817)		CE	220-240V~, 29W	4	29.4 (13.3)	58094 - Type II

Filter Pump - 800 Gal. (3,028 L)



Item #	Pump Flow Rate Gal. (L) / Hr	System Flow Rate Gal. (L) / Hr	Pool Capacity	Certification	Rating	Pack	lbs (kg)	Filter Cartridge
58386	800 (3,028)	580 (2,195)	For use with 300-4,600 gal. (1,100-17,400 L) pools	CE	220-240V~, 32W	4	30.8 (14.0)	58094 - Type II
58387	800 (3,028)	580 (2,195)		C-ETL	110-120V~, 0.6A	4	31.5 (14.3)	58012 - Type III - A/C

Filter Pump - 1,000 Gal. (3,785 L)



Item #	Pump Flow Rate Gal. (L) / Hr	System Flow Rate Gal. (L) / Hr	Pool Capacity	Certification	Rating	Pack	lbs (kg)	Filter Cartridge
58388E	1,000 (3,785)	780 (2,952)	For use with 300-5,100 gal. (1,100-19,300 L) pools	ETL-US	110-120V~, 1.1A	4	38.1 (17.3)	58012 - Type III - A/C

Filter Pump - 1,500 Gal. (5,678 L)



Item #	Pump Flow Rate Gal. (L) / Hr	System Flow Rate Gal. (L) / Hr	Pool Capacity	Certification	Rating	Pack	lbs (kg)	Filter Cartridge
58390E	1,500 (5,678)	1,050 (3,974)	For use with 300-8,400 gal. (1,100-31,700 L) pools	ETL-US	110-120V~, 1.8A	1	14.2 (6.4)	58012 - Type III - A/C
58390	1,500 (5,678)	1,050 (3,974)		C-ETL	110-120V~, 1.8A	1	14.0 (6.3)	58012 - Type III - A/C
58389	1,500 (5,678)	1,050 (3,974)		CE	220-240V~, 86W	1	14.1 (6.4)	58012 - Type III - A/C

Filter Pump - 2,500 Gal. (9,463 L)



Item #	Pump Flow Rate Gal. (L) / Hr	System Flow Rate Gal. (L) / Hr	Pool Capacity	Certification	Rating	Pack	lbs (kg)	Filter Cartridge
58392E	2,500 (9,463)	2,050 (7,760)	For use with 300-16,400 gal. (1,100-62,000 L) pools	ETL-US	110-120V~, 3.3A	1	24.7 (11.2)	58095 - Type IV - B
58392	2,500 (9,463)	2,050 (7,760)		C-ETL	110-120V~, 3.3A	1	24.4 (11.1)	58095 - Type IV - B
58391	2,500 (9,463)	2,050 (7,760)		CE	220-240V~, 350W	1	24.5 (11.1)	58095 - Type IV - B





Skimatic™ Filter Pump

Item #	Pump Flow Rate Gal. (L) / Hr	System Flow Rate Gal. (L) / Hr	Pool Capacity	Certification	Rating	Pack	lbs (kg)	Filter Cartridge
58463E	680 (2,574)	680 (2,574)	For use with 300-5,400 gal. (1,100-20,500 L) pools	ETL-US	110-120V~, 0.75A	1	17.6 (8.0)	58012 - Type III - A/C
58463	680 (2,574)	680 (2,574)		C-ETL	110-120V~, 0.75A	1	17.4 (7.9)	58012 - Type III - A/C
58462	680 (2,574)	680 (2,574)		CE / GS	220-240V~, 48W	1	17.5 (7.9)	58012 - Type III - A/C

Item #	Pump Flow Rate Gal. (L) / Hr	System Flow Rate Gal. (L) / Hr	Pool Capacity	Certification	Rating	Pack	lbs (kg)	Filter Cartridge
58470E	1,050 (3,974)	1,050 (3,974)	For use with 300-8,400 gal. (1,100-31,700 L) pools	ETL-US	110-120V~, 1.4A	1	22.0 (10.0)	58012 - Type III - A/C
58470	1,050 (3,974)	1,050 (3,974)		C-ETL	110-120V~, 1.4A	1	21.8 (9.9)	58012 - Type III - A/C
58469	1,050 (3,974)	1,050 (3,974)		CE / GS	220-240V~, 73W	1	21.4 (9.7)	58012 - Type III - A/C

- Can only be used with battery-powered or manual maintenance equipment
- Uses Type III-A/C cartridges
- Quiet, automatic filtration and cleaning
- Large strainer basket traps floating leaves and debris
- Easy to install without additional hoses or adapters
- Adjustable hanger attaches to pool wall
- Self-contained 1.25 in. / 3.2 cm connector
- Isolated 12V AC transformer
- Full color box



AquaLite™ Filter Cartridge Cleaning Tool





Item #	Pack	lbs (kg)	Packaging
58662/E	12	8.4 (3.8)	Clam Shell

NEW DESIGN

- Comb head designed to fit inside and fully clean the deep folds of filtration paper
- Concentrated stream of water removes more particles in less time than a standard garden hose
- Extends lifespan of the filter pump and cartridge
- Flow control knob to start, stop & adjust water flow
- Easily connects to garden hose through quick connection valve
- Suitable for all filter cartridge types



Filter Cartridges

Item	58093/E	58094	58012/E	58095/E
Product Photo				
	Twin Pack	Twin Pack		
Size	Ø3.1 in. x H3.5 in. (Ø8 cm x H9 cm)	Ø4.2 in. x H5.4 in. (Ø10.6 cm x H13.6 cm)	Ø4.2 in. x H8.0 in. (Ø10.6 cm x H20.3 cm)	Ø5.6 in. x H10.0 in. (Ø14.2 cm x H25.4 cm)
Pump Type	330 gal. (1,249 L)	530 / 800 gal. (2,006 / 3,028 L) (220-240 V~)	530 - 1,500 gal. (2,006 - 5,678 L) (110-120 V~) 1,500 gal. (5,678 L) (220-240 V~)	2,500 gal. (9,463 L)
Pack	12	12	12	6
lbs (kg)	3.9 (1.8)	6.7 (3.0)	4.8 (2.2)	5.4 (2.5)
Packaging	Shrink wrapped with insert card	Shrink wrapped with insert card	Shrink wrapped with insert card	Shrink wrapped with insert card

Hose

Item #	Size	Pack	lbs (kg)	Packaging
58368	9 ft. 10 in. / 3 m long, 1.5 in. / 3.8 cm diameter	6	15.5 (7.0)	Full Color Box

- Compatible with cartridge & sand filter pumps that use 1.5 in. / 3.8 cm hoses



Hose

Item #	Size	Pack	lbs (kg)	Packaging
58369	9 ft. 10 in. / 3 m long, 1.25 in. / 3.2 cm diameter	12	16.7 (7.6)	Full Color Box

- Compatible with cartridge & sand filter pumps that use 1.25 in. / 3.2 cm hoses



Hose

NEW DESIGN

Item #	Size	Pack	lbs (kg)	Packaging
58703/E	30 ft. / 9.00 m long, 1.5 in. / 38 mm diameter	4	22.5 (10.2)	Shrink Wrapped with Insert Card

- Compatible with most pools
- 1 rotatable end that connects to vacuum heads
- Inner diameter of 1.5 in. / 38 mm
- Included adapters fit 1.25 in. / 32 mm diameter accessories



Hose Adaptor

Item #	Pack	lbs (kg)	Packaging
58236/E	12	4.9 (2.2)	Blister Card

- Durable, corrosion-resistant materials
- Connects 1.5 in. / 38 mm hoses to 1.25 in. / 32 mm pool valves





SolarFlow™ 2.1 gal. / 8 L Outdoor Shower

Item #	Size	Water Reservoir, Gal. (L)	Pack	lbs (kg)	Packaging
58694/E	19.5 in. x 19.5 in. x 86 in. / 50 cm x 50 cm x 2.18 m	2.1 (8)	1	19.6 (8.9)	Full Color Box

- Black 2.1 gal. (8 L) shower reservoir allows the sun to heat the water
- Easy to install with included base or can be mounted to most surfaces
- Large base provides stability
- Fixed oversized shower head
- Adjustable water flow and temperature handle
- Quick connector for easy connection to garden hose (hose not included)



SolarFlow™ 5.2 gal. / 20 L Outdoor Shower

Item #	Size	Water Reservoir, Gal. (L)	Pack	lbs (kg)	Packaging
58695/E	24.5 in. x 24.5 in. x 86 in. / 62 cm x 62 cm x 2.18 m	5.2 (20)	1	30.0 (13.5)	Full Color Box

- Black 5.2 gal. (20 L) shower reservoir allows the sun to heat the water
- Easy to install with included base or can be mounted to most surfaces
- Large base provides stability
- Adjustable shower head can be fixed or handheld and has multiple spray settings
- Adjustable water flow and temperature handle
- Quick connector for easy connection to garden hose (hose not included)



SolarFlow™ 9.2 gal. / 35 L Outdoor Shower

Item #	Size	Water Reservoir, Gal. (L)	Pack	lbs (kg)	Packaging
58696/E	24.5 in. x 24.5 in. x 86 in. / 62 cm x 62 cm x 2.18 m	9.2 (35)	1	40.6 (18.4)	Full Color Box

- Black & gray 9.2 gal. (35 L) shower reservoir allows the sun to heat the water
- Easy to install with included base or can be mounted to most surfaces
- Large base provides stability
- Adjustable shower head can be fixed or handheld and has multiple spray settings
- Adjustable water flow and temperature handle
- Convenient soap tray
- Quick connector for easy connection to garden hose (hose not included)





**Detachable
LED Light!**






Soothing LED Waterfall

Item #	Size	Pack	lbs (kg)	Packaging
58619/E	13.6 in. x 9.5 in. x 12.6 in. / 34.5 cm x 24 cm x 32 cm	3	18.7 (8.5)	Full Color Box

- Compatible with 530–3,000 gal. (2,006–11,335 L) cartridge & sand filter pumps
- Compatible with all above ground frame pools (except steel wall pools)
- Lightshow and waterfall can be used together or independently
- 7-color detachable LED light (8 modes: 7 fixed & 1 alternating)
- Light requires 3x AA batteries (not included)
- Waterfall runs continuously when connected to filter pump
- 2 hour light auto-shutoff
- IP67 waterproof rating – completely submerge-proof and protects from dust
- Includes 1.5 in. / 3.8 cm and 1.25 in. / 3.2 cm hose adapter






FloatBright™ LED Pool Light

Item #	Size	Pack	lbs (kg)	Packaging
58419/E	Ø5.5 in. / Ø14 cm	12	9.6 (4.4) 9.3 (4.2)	Full Color Box

- 4-color LED light (7 modes: 1 fixed & 6 alternating)
- Requires 3x AA batteries (not included)
- One-touch ON/OFF button
- 1 hour auto-shutoff
- IP68 waterproof rating - completely submerge-proof and protects from dust
- Light projects up to 8 ft. (2.44 m) in diameter & 5 ft. (1.52 m) deep
- Can be used in or out of the water



SolarFloat™ LED Pool Light

Item #	Size	Pack	lbs (kg)	Packaging
58111/E	Ø7 in. / Ø18 cm	24	20.9 (9.5) 20.2 (9.2)	Full Color Box

- 7-color LED light (1 alternating mode)
- Solar-powered light turns on automatically at night
- Runs for 8 hours at a time
- IP67 waterproof rating - completely submerge-proof and protects from dust
- Can be used in or out of the water



Shoots Up To
3 ft. / 1 m High!

FloatBright™ Rechargeable LED Pool Fountain

NEW
DESIGN

Item #	Size	Pack	lbs (kg)	Packaging
58493/E	Ø7.4 in. / Ø18.9 cm	6	13.5 (6.1)	Full Color Box

- Lightshow and water fountain can be used together or independently
- 3-color LED light (5 alternating modes: 3 below water, 2 above water)
- 2 fountain modes (pulse or constant)
- Built-in rechargeable battery runs for 2-3 hours
- One-touch ON/OFF buttons
- 1 hour auto-shutoff
- IP67 waterproof rating - completely submerge-proof and protects from dust
- Light projects up to 8 ft. (2.44 m) in diameter & 5 ft. (1.52 m) deep



MusicWave™ Floating LED Bluetooth Speaker














NEW
DESIGN

Item #	Pack	lbs (kg)	Packaging
58700/E	6	11.8 (5.3)	Full Color Box

- V5.1 Bluetooth speaker provides clear sound, also compatible with V4.2 & V2.1+EDR devices
- 3-color LED light (7 modes: 3 fixed & 4 alternating)
- Built-in rechargeable battery runs for up to 6 hours & recharges in 5-7 hours
- IP67 waterproof rating - completely submerge-proof and protects from dust
- Convenient carry handle
- Communication distance: 33-49 ft. / 10-15 m



POOL CLEANERS

Item	58013/E AquaClear™ Pool Maintenance Kit	58794/E AquaClear™ Pool Accessories Kit	58212/E AquaPristine™ Pool Vacuum	58234/E AquaClean™ Pool Maintenance Kit	58237/E AquaClean™ Deluxe Maintenance Kit	58282/E AquaClean™ Pool Vacuum
Product Photo						
Recommended Pool	Any model	Any model	Any model	Any model	Any model	Any model
	Any model	Any model	Any model	Any model	Any model	Any model
	Up to 13 ft. (3.96 m) diameter	Up to 13 ft. (3.96 m) diameter	Up to 15 ft. (4.57 m) diameter	Up to 20 ft. (6.10 m) diameter	Up to 20 ft. (6.10 m) diameter	Any model
	Up to 13 ft. (3.96 m) diameter	Up to 13 ft. (3.96 m) diameter	Up to 15 ft. (4.57 m) diameter	Up to 20 ft. (6.10 m) diameter	Up to 20 ft. (6.10 m) diameter	Any model
	Up to 13 ft. (3.96 m) wide	Up to 13 ft. (3.96 m) wide	Up to 12 ft. (3.66 m) wide	Up to 12 ft. (3.66 m) wide	Up to 12 ft. (3.66 m) wide	Any model
	Up to 13 ft. (3.96 m) wide	Up to 13 ft. (3.96 m) wide	Up to 12 ft. (3.66 m) wide	Up to 12 ft. (3.66 m) wide	Up to 12 ft. (3.66 m) wide	Any model
	Up to 13 ft. (3.96 m) diameter	Up to 13 ft. (3.96 m) diameter	Up to 15 ft. (4.57 m) diameter	Up to 20 ft. (6.10 m) diameter	Up to 20 ft. (6.10 m) diameter	Any model
	Any model	Any model	Any model	Any model	Any model	Any model
Details	Garden Hose – Venturi Effect		Garden Hose – Venturi Effect		Filter and Sand Pumps – flow rate above 530 gal./h (2,006 L/h)	
Operating System	Garden Hose – Venturi Effect		Garden Hose – Venturi Effect		Filter and Sand Pumps – flow rate above 530 gal./h (2,006 L/h)	
Handling	Manual	Manual	Manual	Manual	Manual	Manual
Pole Length	65.7 in. (1.67 m)	63.3 in. (1.61 m)	74.6 in. (1.90 m)	110 in. (2.79 m)	110 in. (2.79 m)	
Hose Length			19.7 ft. (6.00 m)	24.5 ft. (7.50 m)	24.5 ft. (7.50 m)	
Valve Compatibility			1.25 in. (3.2 cm) / 1.5 in. (3.8 cm) adapters included	1.25 in. (3.2 cm) / 1.5 in. (3.8 cm) adapters included	1.25 in. (3.2 cm) / 1.5 in. (3.8 cm) adapters included	
Inner Wall Cleaning			Yes	Yes	Yes	Yes
Minimum Flow			Outlet 530 gal. (2,006 L/h)	Outlet 530 gal. (2,006 L/h)	Outlet 530 gal. (2,006 L/h)	Outlet 530 gal. (2,006 L/h)
Minimum Wattage						
Highlights	<ul style="list-style-type: none"> • Reusable debris bag • Skimmer net 	<ul style="list-style-type: none"> • Reusable debris bag • Skimmer net • ChemGuard™ chemical dispenser • Pool & spa test strips • Heavy-duty repair patch 	<ul style="list-style-type: none"> • Reusable debris bag • Two angled conversion nozzles, one with brush 	<ul style="list-style-type: none"> • Reusable debris bag • Skimmer net 	<ul style="list-style-type: none"> • Reusable debris bag • Skimmer net • Automatic pool surface skimmer 	

<p>NEW DESIGN</p> <p>58657/E AquaSuction™ Pool Leaf Vacuum</p>	<p>NEW</p> <p>58770/E AquaTech™ Cordless Pool Vacuum</p>	<p>NEW</p> <p>58771/E AquaSurge™ Rechargeable Pool Vacuum</p>	<p>NEW GEN.</p> <p>58665/E AquaDrift™ Automatic Pool Vacuum</p>	<p>NEW</p> <p>58765 + 58766/E AquaTronix™ G200 Robotic Pool Vacuum</p>
---	---	--	--	---



Any model	Any model	Any model		
Any model	Up to 10 ft. (3.05 m) diameter	Up to 20 ft. (6.10 m) diameter	Up to 22 ft. (6.70 m) diameter	Up to 24 ft. (7.32 m) in diameter
Any model	Up to 10 ft. (3.05 m) diameter	Up to 20 ft. (6.10 m) diameter	Up to 22 ft. (6.70 m) diameter	Up to 24 ft. (7.32 m) in diameter
Any model	Up to 10 ft. (3.05 m) wide	Up to 20 ft. (6.10 m) wide	Up to 22 ft. (6.70 m) wide	Up to 31 ft. 4 in. (9.56 m) in length
Any model	Up to 10 ft. (3.05 m) wide	Up to 20 ft. (6.10 m) wide	Up to 22 ft. (6.70 m) wide	Up to 26 ft. (7.92 m) in length
Any model	Up to 10 ft. (3.05 m) diameter	Up to 20 ft. (6.10 m) diameter	Up to 22 ft. (6.70 m) diameter	Up to 24 ft. (7.32 m) in diameter
Any model	Any model	Any model		

Garden Hose - Venturi Effect			Filter pumps or sand filters with 1,500-3,200 gal./h (5,678-12,113 L/h) flow rates	Rechargeable lithium battery
Manual	Manual	Manual	Automatic	Automatic
	41.3 in. (1.05 m)	78.7 in. (2.0 m)	22.95 ft. (7.00 m)	
	Yes	Yes	1.25 in. (3.2 cm) / 1.5 in. (3.8 cm) adapters included	
			Outlet 1,500 gal. (5,678 L/h)	
			86W	

- Reusable debris bag
- 8x AA batteries (not included)
- Reusable debris bag
- Battery recharges in 4-5 hours
- ~50 min. run-time
- Reusable debris bag
- Interchangeable vacuum heads
- Handles for easy retrieval from the water
- Large 0.45 gal. (1.7 L) easy-to-clean strainer
- Bottom scrapers help collect debris
- Cordless design for full range motion
- Built-in sensors activate the device
- Anti-slip wheels & directional jet system
- Side & top handles for quick direction changes
- Large 0.8 gal. (3.5 L) easy-to-clean debris compartment
- Quick-click buckle clasps




AquaTech™ Cordless Pool Vacuum

NEW

Item #	Pack	lbs (kg)	Packaging
58770/E	6	19.6 (8.9) 19.0 (8.6)	Full Color Box

- Compatible with above ground pools up to 10 ft. (3.05 m) in diameter
- Lightweight, connectable pole for easy length adjustment in hard-to-reach areas
- Requires 8x AA batteries (not included)
- Simple press-button operation
- Large 0.23 gal. (0.9 L) transparent debris compartment



AquaSurge™ Rechargeable Pool Vacuum

NEW


Item #	Pack	Lbs (kg)	Packaging
58771/E	4	14.5 (6.6)	Full Color Box

- Compatible with above ground pools up to 20 ft. (6.10 m) in diameter
- Lightweight, connectable pole for easy length adjustment in hard-to-reach areas
- 2 interchangeable vacuum heads to clean flat walls or corners
- Built-in rechargeable battery runs for approximately 50 min. & recharges in 4-5 hours
- Simple press-button operation
- USB port for charging
- Large 0.12 gal. (0.54 L) transparent debris compartment



 **BUILT-IN RECHARGEABLE BATTERY**
RUNS FOR APPROXIMATELY 90 MIN.

PROPELS ITSELF




AquaTronix™ G200 Robotic Pool Vacuum

NEW

Item #	Plug Type	Voltage	Pack	Lbs (kg)	Packaging
58765	TYPE C	100-240V~	1	12.9 (5.9)	Full Color Box
58766/E	TYPE A	DC 9.0V			

- Recommended for flat-bottom above ground pools up to 538 ft.² (50 m²) in total area
- Recommended pool sizes:
 - Round - Up to 24 ft. (7.32 m) in diameter
 - Rectangular - Up to 31 ft. 4 in. (9.56 m) in length
 - Oval - Up to 26 ft. (7.92 m) in length
- Automatic pool cleaner propels itself along the bottom of the pool to collect debris
- Built-in rechargeable battery runs for approximately 90 min. & recharges in 5-6 hours
- Cordless design for full range motion; eliminates tangled cords
- Built-in sensors activate the device when fully submerged in water and deactivate it when out of the water for motor protection
- Anti-slip wheels & directional jet system creates optimal movability and pivots easily when encountering walls or obstacles
- Side & top handles for quick direction changes & easy retrieval from the water
- Large 0.8 gal. (3.5 L) easy-to-clean debris compartment
- Quick-click buckle clasps for easy assembly and maintenance





AquaDrift™ Automatic Pool Vacuum

NEW
GEN.

Item #	Pack	lbs (kg)	Packaging
58665/E	1	13.9 (6.3)	Full Color Box

- Compatible with 1,500–3,200 gal. (5,678–12,113 L) cartridge & sand filter pumps
- Compatible with above ground pools up to 22 ft. (6.70 m) in length
- Automatic pool cleaner uses the power from the filter to propel itself along the bottom of the pool to collect debris
- Runs continuously when pump is on
- Anti-slip multi-directional wheels increase movability and pivot when encountering walls or obstacles
- Multiple settings to choose the direction and angle of the wheels
- Handles for easy retrieval from the water
- Large 0.45 gal. (1.7 L) easy-to-clean strainer
- Bottom scrapers help collect debris
- Flow adjustment valve for use with filtration systems of different flow rates
- Includes hoses and connectors compatible with most leading pool pump brands



CONNECTS TO FILTER PUMP
∞ FOR UNLIMITED RUN TIME

PROPELS ITSELF




AquaClean™ Pool Vacuum

NEW DESIGN

Item #	Pack	lbs (kg)	Packaging
58282/E	12	22.2 (10.1)	Header Card

- Compatible with in-ground and above ground pools
- Compatible with poles with inner diameter of 1.2 in. / 30 mm (not included)
- Brushes remove algae and grime






AquaSuction™ Pool Leaf Vacuum

NEW DESIGN

Item #	Pack	lbs (kg)	Packaging
58657/E	6	15.7 (7.1)	Full Color Box

- Compatible with poles with inner diameter of 1.2 in. / 30 mm (not included)
- Compatible with in-ground and above ground pools
- 8 high-pressure jets create suction to vacuum leaves and debris
- 4 multi-directional wheels for easy movement and maneuverability
- 3 brushes along the bottom for a closer clean
- Connects to a standard garden hose with universal adapter (hose not included)
- Large, durable & reusable mesh debris bag with stay-in-place lock






AquaNet™ Essential Pool Skimmer

NEW DESIGN

Item #	Size	Pack	lbs (kg)	Packaging
58278/E	16.9 in. x 8.3 in. / 43 cm x 21 cm	12	7.1 (3.2)	Header Card

- Compatible with poles with inner diameter of 1.2 in. / 30 mm (not included)
- Net with durable mesh material




AquaNet™ Pool Skimmer

NEW DESIGN

Item #	Size	Pack	lbs (kg)	Packaging
58660/E	19.5 in. x 11.5 in. / 50 cm x 29.5 cm	12	13.5 (6.1)	Header Card

- Compatible with poles with inner diameter of 1.2 in. / 30 mm (not included)
- Net with durable mesh material




AquaNet™ Deluxe Pool Skimmer


NEW DESIGN

Item #	Size	Pack	lbs (kg)	Packaging
58661/E	19.5 in. x 10.0 in. / 50 cm x 26 cm	12	17.6 (8.0)	Header Card

- Compatible with poles with inner diameter of 1.2 in. / 30 mm (not included)
- High-strength aluminum handle and frame
- Large net with durable mesh material



Aluminum Inner Frame!



AquaScrub™ Rotatable Pool Brush

NEW

Item #	Size	Pack	lbs (kg)	Packaging
58786/E	25 in. / 63.5 cm	12	6.8 (3.1)	Header Card

- Compatible with poles with inner diameter of 1.2 in. / 30 mm (not included)
- Rotatable by 180°
- Curved brush head quickly removes algae and grime from pool walls, corners and floor



AquaBroom™ Pool Brush

NEW DESIGN

Item #	Size	Pack	lbs (kg)	Packaging
58280/E	20 in. / 50.5 cm	12	8.2 (3.7)	Header Card

- Compatible with poles with inner diameter of 1.2 in. / 30 mm (not included)
- Push pins attach broom head to pole
- Curved brush head quickly removes algae and grime from pool walls, corners and floor



AquaBroom™ Deluxe Pool Brush


NEW DESIGN

Item #	Size	Pack	lbs (kg)	Packaging
58658/E	25 in. / 63.5 cm	12	13.1 (5.9)	Header Card

- Compatible with poles with inner diameter of 1.2 in. / 30 mm (not included)
- High-strength metal handle with corrosion resistant coating
- Curved brush head quickly removes algae and grime from pool walls, corners and floor



Nylon Bristles!




AquaClear™ Pool Maintenance Kit

NEW DESIGN

Item #	Pack	lbs (kg)	Packaging
58013/E	6	13.9 (6.3)	Full Color Box

Pole Length: 65.7 in. / 1.67 m
Cleans Inner Wall

- Compatible with pools up to 13 ft. (3.96 m) in diameter
- Lightweight pole with interchangeable vacuum and skimmer heads
- Vacuum head has a reusable debris bag
- Vacuum connects to a garden hose to create suction (hose not included)
- Skimmer head has durable mesh netting




AquaClear™ Pool Accessories Kit

NEW

Item #	Pack	lbs (kg)	Packaging
58794/E	4	12.4 (5.6)	Each Set In A Clam Shell

Pole Length: 63.3 in. / 1.61 m
Cleans Inner Wall

- Compatible with pools up to 13 ft. (3.96 m) in diameter
- Lightweight pole with interchangeable vacuum and skimmer heads
- Chemical floater with built-in chemical-handling glove and thermometer; dispenses up to 3 in. / 7.6 cm chlorine or bromine tablets (not included)
- 3-in-1 test strips use an instant color-match system to measure free chlorine (0-10 ppm), pH (6.2-8.4) & total alkalinity (0-240 ppm)
- 6.5 sq. in. (42 sq. cm) stick-on patches




AquaPristine™ Pool Vacuum

NEW DESIGN

Item #	Pack	lbs (kg)	Packaging
58212/E	6	30.3 (13.8) 29.3 (13.3)	Full Color Box

Pole Length: 74.6 in. / 1.90 m
Cleans Inner Wall

- Compatible with 530 gal. (2,006 L) or larger cartridge & sand filter pumps
- Compatible with above ground pools up to 15 ft. (4.57 m) in diameter
- 4-piece aluminum pole is easy to assemble
- Removable and reusable debris bag
- 2 interchangeable cleaning heads: standard and brush
- Hose (19.5 ft. / 6.00 m length, 1.25 in. / 32 mm diameter) attaches to the filter pump to create suction
- Includes adapter for skimmer pumps





AquaClean™ Pool Maintenance Kit

NEW DESIGN

Item #	Pack	lbs (kg)	Packaging
58234/E	4	32.5 (14.8) 33.2 (15.1)	Full Color Box

Pole Length: 110 in. / 2.79 m
Cleans Inner Wall

- Compatible with 530 gal. (2,006 L) or larger cartridge & sand filter pumps
- Compatible with pools up to 20 ft. (6.10 m) in diameter
- Lightweight pole with interchangeable vacuum and skimmer heads
- Vacuum head has a reusable debris bag
- Vacuum hose (24.5 ft. / 7.50 m length, 1.25 in. / 32 mm diameter) attaches to the filter pump to create suction
- Skimmer head has durable mesh netting
- Includes adapter for skimmer pumps


AquaClean™ Deluxe Maintenance Kit

NEW DESIGN

Item #	Pack	lbs (kg)	Packaging
58237/E	2	28.3 (12.8)	Full Color Box

Pole Length: 110 in. / 2.79 m
Cleans Inner Wall

- Compatible with 530 gal. (2,006 L) or larger cartridge & sand filter pumps
- Compatible with pools up to 20 ft. (6.10 m) in diameter
- Automatic pool skimmer features a large strainer basket that attaches to the filter pump to trap larger debris before water is filtered through the pump
- Lightweight pole with interchangeable vacuum and skimmer heads
- Vacuum head has a reusable debris bag
- Vacuum hose (24.5 ft. / 7.50 m length, 1.25 in. / 32 mm diameter) attaches to the filter pump to create suction
- Skimmer head has durable mesh netting






StorePro™ Pool Accessory Organizer

NEW
DESIGN

Item #	Pack	lbs (kg)	Packaging
58674/E	12	29.3 (13.3)	Full Color Box

- Weight Capacity: 22 lbs (10 kg)
- Constructed with durable steel & ABS plastic
- Stores up to 2 poles & 5 skimmers, brushes, rakes or vacuums with 1.2 in. / 3 cm diameter handles
- 2 built-in hooks and included strap to hold additional accessories
- Can be hooked to fence with included hanger (adjustable up to 3 in. / 7.62 cm) or secured to other types of structures with included self-tapping screws
- Easy assembly



Pool Surface Skimmer

NEW DESIGN

Item #	Pack	lbs (kg)	Packaging
58233/E	4	17.9 (8.1)	Full Color Box

- Compatible with 530 gal. (2,006 L) or larger cartridge & sand filter pumps
- Compatible with above ground pools (except steel wall pools)
- Durable & corrosion-resistant plastic material
- Large strainer basket attaches to the filter pump to trap larger debris before water is filtered through the pump
- Easy to install without additional hoses or adapters
- Adjustable hanger attaches to pool wall




AquaScoop™ Essential Pool Skimmer

NEW DESIGN

Item #	Size	Pack	lbs (kg)	Packaging
58277	12.5 in. x 12 in. / 32 cm x 30.5 cm	12	5.9 (2.7)	Header Card

- Compatible with poles with inner diameter of 1.2 in. / 3 cm (not included)
- Net with durable mesh material



AquaScoop™ Pool Skimmer

NEW DESIGN

Item #	Size	Pack	lbs (kg)	Packaging
58635/E	64 in. / 163 cm	12	12.0 (5.4)	Header Card

- Compatible with pools up to 13 ft. (3.96 m) in diameter
- Lightweight, collapsible aluminum pole
- Net with durable mesh material that repairs itself when rubbed between 2 fingers
- Angled design easily collects debris from pool floor and corners



Self Repairing Mesh



AquaScoop™ Deluxe Pool Skimmer

NEW DESIGN

Item #	Size	Pack	lbs (kg)	Packaging
58659/E	16 in. x 13.5 in. / 40 cm x 34 cm	12	15.2 (6.9)	Header Card

- Compatible with poles with inner diameter of 1.2 in. / 30 mm
- High-strength aluminum handle and frame
- Large net with durable mesh material



Self Repairing Mesh



Aluminum Inner Frame

Collapsible Telescopic Pole

NEW DESIGN

Item #	Size	Pack	lbs (kg)	Packaging
58702/E	15 ft. / 4.57 m	8	25.4 (11.5)	Shrink Wrapped with Insert Card

- 3-section, collapsible pole
- Length Range: 41 in. - 15 ft. (1.04-4.57 m)
- Corrosion-resistant anodized finish
- 1.2 in. / 30 mm inner diameter



Pole

NEW DESIGN

Item #	Size	Pack	lbs (kg)	Packaging
58279/E	11 ft. 10 in. / 3.60 m	24	43.7 (19.8)	Polybag with Labels

- Lightweight aluminum material
- 1.2 in. / 30 mm inner diameter
- Attaches to pool-cleaning accessories



Pool & Spa Test Strips

Item #	Pack	lbs (kg)	Packaging
58142/E	24	2.7 (1.2) 3.0 (1.4)	Full Color Box

- 3-in-1 test strips use an instant color-match system to measure free chlorine (0-10 ppm), pH (6.2-8.4) & total alkalinity (0-240 ppm)
- 18-month shelf life
- New full color box packaging for improved shelf efficiency



Pool & Spa Saltwater Test Strips

NEW

Item #	Pack	lbs (kg)	Packaging
58767/E	24	2.5 (1.2) 2.8 (1.3)	Full Color Box

- Uses an instant color-match system to measure salt levels (0-8000 ppm)
- 18-month shelf life
- New full color box packaging for improved shelf efficiency



Heavy Duty Repair Patch

Item #	Pack	lbs (kg)	Packaging
62068/E	36	1.9 (0.9)	Blister Card

- 10 pcs included
- 6.55 sq. in. (42.3 sq. cm) stick-on patches
- Repairs punctures and abrasions on all inflatable items



Underwater Adhesive Repair Patch

Item #	Pack	lbs (kg)	Packaging
62091/E	36	2.3 (1.0)	Blister Card

- 10 pcs included
- 6.55 sq. in. (42.3 sq. cm) stick-on patches
- Repairs punctures and abrasions on pools and other underwater items



Pool Drain Pump

Item #	Pump Flow Rate Gal. (L) / Hr	Certification	Rating	Pack	lbs (kg)	Packaging
58261/E	800 (3,028)	cTUVus	110-120V~, 0.8A	4	28.6 (13.0)	Full Color Box
58230		CE	220-240V~, 80W		30.5 (13.8)	

- Pump Flow Rate: 800 gal./h (3,028 L/h)
- Durable, corrosion-resistant materials
- Quickly & automatically drains pool water
- 16.5 ft. / 5.00 m drain hose with 1.25 in. / 32 mm diameter
- Includes garden hose adapters



16.5 ft. / 5 m
Long Drain Hose





Pool Heater

NEW DESIGN

Item #	Pack	lbs (kg)	Packaging
58748	4	74.5 (33.8)	Full Color Box

- Compatible with 530 gal. (2,006 L) or larger cartridge & sand filter pumps
- Compatible with above ground pools up to 7,925 gal. (30,000 L) in water capacity
- Anti-corrosion titanium heat exchanger
- Energy-efficient heating and temperature regulation (≤ 4.4 kW) for all year pool use
- COP 4.8
- Uses eco-friendly low GWP R32 refrigerant
- Easy installation and use
- IPX5 waterproof
- Water sensor power switch
- Working temperature: 12–43°C (54–109°F)
- Includes adapters for both 1.25 in. (3.2 cm) and 1.5 in. (3.8 cm) filter pump connection
- Not available for US market





Solar-Powered Pool Heater Pad

Item #	Pack	lbs. (kg)	Packaging
58423/E	4	58.5 (26.5)	Full Color Box

- Compatible with up to 2,500 gal. (9,462 L) cartridge filter pumps & 2,200 gal. (8,327 L) sand filter pumps
- Durable weather-resistant material
- Energy-efficient heating and temperature regulation
- Increases pool temperatures by 5–9°F (3–5°C) depending on weather conditions
- Multiple may be needed for larger pool sizes
- Includes adapters compatible with 1.25 in. (3.2 cm) and 1.5 in. (3.8 cm) hoses



Pool Heater

NEW DESIGN

Item #	Pack	lbs. (kg)	Packaging
58259	4	51.0 (23.1)	Full Color Box

- Compatible with 1,000 gal. (3,785 L) or smaller cartridge & sand filter pumps
- Compatible with above ground pools between 400–4,500 gal. (1,520–17,035 L) in water capacity
- Temperature regulation (≤ 2.9 kW) for all year pool use
- Equipped with residual current device for electrical safety
- Easy installation and use
- Water sensor power switch and temperature control panel with on/off button
- Maximum temperature output: 40°C (104°F)
- Not available for US market





Floating Pool Thermometer

NEW DESIGN

Item #	Pack	lbs (kg)	Packaging
58072/E	36	6.7 (3.1)	Blister Card

- Easy-to-read temperature gradation in both Fahrenheit and Celsius
- Floating design stays on the water's surface
- String attached to keep thermometer in place
- Shatterproof, long-lasting design



Decorative Floating Pool Thermometer

NEW

Item #	Pack	lbs (kg)	Packaging
58763/E	24	7.7 (3.5)	Blister Card

- Easy-to-read temperature gradation in both Fahrenheit and Celsius
- Floating design stays on the water's surface
- String attached to keep thermometer in place
- Shatterproof, long-lasting design



Floating Pool Thermometer

Item #	Pack	lbs (kg)	Packaging
--------	------	----------	-----------

58697/E	9	1.5 (0.7)	Shelf Box with Picture
---------	---	-----------	------------------------

- Easy-to-read temperature gradation in both Fahrenheit and Celsius
- Floating design stays on the water's surface
- String attached to keep thermometer in place
- Shatterproof, long-lasting design



58697 PDQ



Digital Floating Pool Thermometer

NEW

Item #	Pack	lbs (kg)	Packaging
--------	------	----------	-----------

58764/E	24	9.9 (4.5)	Clam Shell
---------	----	-----------	------------

- Easy-to-read, backlit LCD screen displays both Fahrenheit and Celsius
- Built-in solar-powered battery
- One-touch ON/OFF button
- String attached to keep thermometer in place
- Temperature range: 32-122°F / 0-50°C
- IPX7 waterproof rating - completely submerge-proof
- Shatterproof, long-lasting design





Chemical Dispenser

NEW DESIGN

Item #	Pack	lbs (kg)	Packaging
58210	24	4.4 (2.0)	Shrink Wrapped with Insert Card

- Dispenses 1 in. / 2.5 cm chlorine or bromine tablets (not included)
- Adjustable dial controls release of chemicals



Chemical Dispenser

NEW

Item #	Pack	lbs (kg)	Packaging
58769/E	24	13.7 (6.2)	Corrugated Sleeve Box

- Holds 3 chlorine or bromine tablets up to 3 in. / 7.6 cm in diameter (not included)
- Adjustable dial controls release of chemicals
- Clear-view top



ChemGuard™ Chemical Dispenser

NEW
DESIGN

Item #	Pack	lbs (kg)	Packaging
58701/E	12	11.0 (5.0)	Corrugated Sleeve Box

- Dispenses up to 3 in. / 7.6 cm chlorine or bromine tablets (not included)
- Lid becomes built-in glove for safe handling of chemical tablets
- Child safe lock secures lid
- Adjustable dial controls release of chemicals
- Integrated thermometer has easy-to-read temperature gauge with Fahrenheit and Celsius display





SALT WATER
INPUT

CHLORINE
OUTPUT



Hydrogenic™ 6 G/H Saltwater Chlorinator

NEW DESIGN

Item #	Pack	lbs (kg)	Packaging
58677E		13.0 (5.9)	
58677	1	12.7 (5.8)	Full Color Box
58678		11.2 (5.1)	

- Compatible with 330 gal. (1,249 L) or larger cartridge & sand filter pumps
- Compatible with above ground pools up to 7,000 gal. (26,498 L) in capacity
- Uses salt to produce chlorine that keeps the pool clean while being gentle on skin, eyes and hair
- Easy-to-use control panel with self-locking function
- Automatic self-cleaning mode
- Includes adapters for most above ground pools
- Includes 3-in-1 test strips and saltwater test strips that use an instant color-match system to measure free chlorine (0-10 ppm), pH (6.2-8.4), total alkalinity (0-240 ppm) & salt (0-8,000 ppm)



Hydrogenic™ 12 G/H Saltwater Chlorinator

NEW

Item #	Pack	lbs (kg)	Packaging
58774E		14.9 (6.8)	
58774	1	14.6 (6.6)	Full Color Box
58775		13.1 (5.9)	

- Compatible with 330 gal. (1,249 L) or larger cartridge & sand filter pumps
- Compatible with above ground pools up to 15,000 gal. (56,775 L) in capacity
- Uses salt to produce chlorine that keeps the pool clean while being gentle on skin, eyes & hair
- Easy-to-use control panel with self locking function
- Automatic self-cleaning mode
- Includes adapters for most above ground pools
- Includes 3-in-1 test strips and saltwater test strips that use an instant color-match system to measure free chlorine (0-10 ppm), pH (6.2-8.4), total alkalinity (0-240 ppm) & salt (0-8,000 ppm)





33 in. / 84 cm Pool Ladder

Item #	Region	Pack	lbs (kg)	Packaging
58430	Except North America	1	12.8 (5.8)	Sturdy Cardboard Box With Pictures

- Corrosion-resistant metal frame with heavy-duty plastic steps
- Compatible with above ground pools up to 84 cm (33") tall
- Easy assembly



58335/E



58330 & 58787E

NEW

42 in. / 1.07 m Pool Ladder

Item #	Region	Pack	lbs (kg)	Packaging
58335E	US		15.9 (7.2)	
58335	N. America / Asia, Africa & L. America	1	15.9 (7.2)	Sturdy Cardboard Box With Pictures
58330	Europe		19.4 (8.8)	
58787E	US		18.7 (8.5)	

- Corrosion-resistant metal frame with heavy-duty plastic steps
- Compatible with above ground pools up to 42 in. (1.07 m) tall
- Easy assembly
- Outer ladder can be secured in an upward position to prevent kids from entering the pool unsupervised (58330 & 58787E)



58336/E



58331 & 58611E

NEW

48 in. / 1.22 m Pool Ladder

Item #	Region	Pack	lbs (kg)	Packaging
58336E	US		21.1 (9.6)	
58336	N. America / Asia, Africa & L. America	1	21.1 (9.6)	Sturdy Cardboard Box With Pictures
58331	Europe		26.2 (11.9)	
58611E	US		25.0 (11.3)	

- Corrosion-resistant metal frame with heavy-duty plastic steps
- Compatible with above ground pools up to 48 in. (1.22 m) tall
- Easy assembly
- Outer ladder can be secured in an upward position to prevent kids from entering the pool unsupervised (58331 & 58611E)

52 in. / 1.32 m Pool Ladder

Item #	Region	Pack	lbs (kg)	Packaging
58337E	US		25.3 (11.5)	
58337	N. America / Asia, Africa & L. America	1	25.3 (11.5)	Sturdy Cardboard Box With Pictures
58332	Europe		29.0 (13.1)	
58788E	US		29.0 (13.1)	

NEW

- Compatible with above ground pools up to 52 in. (1.32 m) tall
- Corrosion-resistant metal frame with heavy-duty plastic steps
- Easy assembly
- Outer ladder can be secured in an upward position to prevent kids from entering the pool unsupervised (58332 & 58788E)





Pool Canopy

Item #	Fits Pools:	Pack	lbs (kg)	Packaging
58681/E	10 ft. (3.05 m) - 18 ft. (5.49 m)	4	19.9 (9.0)	Full Color Box

- Compatible with round above ground frame pools between 10-18 ft. (3.05-5.49 m) in diameter
- Easily attaches to and detaches from the frame of an above ground pool
- Curtains can be rolled up and down using the zipper to control the shade
- UPF 40+ sun protection
- Semi-open design provides shade over a portion of the pool
- Setup time: 10 min.



Pool Canopy

Item #	Fits Pools:	Pack	lbs (kg)	Packaging
58746/E	6 ft. 11 in. (2.10 m) ~ 11 ft. 3 in. (3.44 m)	4	34.2 (15.5)	Full Color Box

- Compatible with rectangular and oval frame pools with widths of both sides between 6 ft. 11 in. (2.11 m) and 11 ft. 3 in. (3.44 m)
- Easily attaches to and detaches from the frame of an above ground pool
- UPF 40+ sun protection
- Setup time: 10 min.





Ground Cloths

Item #	Size	Fits Pools:	Pack	lbs (kg)
58000	9 ft. x 9 ft. / 2.74 m x 2.74 m	- 8 ft. (2.44 m) Fast Set™ Pools - 8 ft. (2.44 m) Steel Pro® Pools	6	8.9 (4.1)
58001/E	11 ft. x 11 ft. / 3.35 m x 3.35 m	- 10 ft. (3.05 m) Fast Set™ Pools - 10 ft. (3.05 m) Steel Pro® Pools - 10 ft. (3.05 m) Steel Pro MAX™ Pools - 10 ft. x 48 in. (3.00 m x 1.20 m) Hydrium™ Pools	4	8.6 (3.9)
58002/E	13 ft. x 13 ft. / 3.96 m x 3.96 m	- 12 ft. (3.66 m) Fast Set™ Pools - 12 ft. (3.66 m) Steel Pro® Pools - 12 ft. (3.66 m) Steel Pro MAX™ Pools - 12 ft. x 36 in. (3.60 m x 90 cm) Hydrium™ Splasher Pools - 12 ft. x 48 in. (3.60 m x 1.20 m) Hydrium™ Pools	4	11.8 (5.4)
58003/E	16 ft. x 16 ft. / 4.88 m x 4.88 m	- 15 ft. (4.57 m) Fast Set™ Pools - 15 ft. (4.57 m) Steel Pro MAX™ Pools - 14 ft. (4.27 m) Steel Pro MAX™ Pools - 14 ft. (4.27 m) Power Steel® Pools - 14 ft. (4.27 m) Power Steel® Deluxe Series™ Pools - 15 ft. x 36 in. (4.60 m x 90 cm) Hydrium™ Splasher Pools - 15 ft. x 48 in. (4.60 m x 1.20 m) Hydrium™ Pools	4	16.8 (7.6)


- PE material
- Provides extra protection for the bottom of the pool
- Full color box



Floor Protector

Item #	Size	Contents	Colors	Pack	lbs (kg)
58220/E	20 in. x 20 in. / 50 cm x 50 cm	9 Pieces		30	50.3 (22.8)
NEW DESIGN 58636/E	31 in. x 31 in. / 78 cm x 78 cm			8	33.4 (15.1)

- Multiple packages may be needed to cover the desired area
- Provides added protection for pools or spas
- Shrink wrapped with insert card



Decorative Floor Protector

Item #	Size	Contents	Colors	Pack	lbs (kg)
58712/E	20 in. x 20 in. / 50 cm x 50 cm	12 Pieces		24	69.8 (31.7)


- Product Coverage: 32.2 sq. ft. / 3.00 sq. m
- Multiple packages may be needed to cover the desired area
- Provides added protection for pools or spas
- Realistic wooden pattern
- Attachable pieces create straight edges
- Shrink wrapped with insert card



INDEX

30014/E	Polysphere™ Display	P 77	561FY	Steel Pro MAX™ Pool Set	P 26	56456	Power Steel® Rectangular Pool Set	P 40	56672	Power Steel® Rectangular Pool Set	P 41
5611R	Power Steel® Oval Pool Set	P 47	561GBE	Steel Pro MAX™ Pool Set	P 30	56457	Power Steel® Rectangular Pool Set	P 40	56673	Power Steel® Rectangular Pool Set	P 41
5611S/E	Power Steel® Oval Pool Set	P 47	561GC	Steel Pro MAX™ Pool Set	P 30	56458/E	Power Steel® Rectangular Pool Set	P 40	56690E	Steel Pro MAX™ Pool Set	P 32
5611Z	Power Steel® Rectangular Pool Set	P 43	561GD	Steel Pro MAX™ Pool Set	P 30	56462	Steel Pro MAX™ Pool Set	P 33	56710	Power Steel® Oval Pool Set	P 45
5612A/E	Power Steel® Rectangular Pool Set	P 43	561GFE	Steel Pro MAX™ Pool Set	P 25	56463/E	Steel Pro MAX™ Pool Set	P 33	56711/E	Power Steel® Oval Pool Set	P 45
5612B	Power Steel® Rectangular Pool Set	P 43	56217/E	My First Frame Pool	P 64	56465	Power Steel® Rectangular Pool Set	P 41	56714	Power Steel® Swim Vista Series™ II Oval Pool Set	P 51
5612X	Steel Pro MAX™ Pool Set	P 29	56260	Steel Pro MAX™ Pool Set	P 25	56466	Power Steel® Rectangular Pool Set	P 41	56715/E	Power Steel® Swim Vista Series™ II Oval Pool Set	P 51
5612Y	Steel Pro MAX™ Pool Set	P 29	56283	My First Frame Pool	P 64	56467	Power Steel® Rectangular Pool Set	P 41	56716	Power Steel® Swim Vista Series™ II Oval Pool Set	P 51
5612Z	Steel Pro MAX™ Pool Set	P 32	56369	Hydrium™ Oval Pool Set	P 58	56468/E	Power Steel® Rectangular Pool Set	P 41	56717/E	Power Steel® Swim Vista Series™ II Oval Pool Set	P 51
5613A/E	Steel Pro MAX™ Pool Set	P 32	56370/E	Hydrium™ Oval Pool Set	P 58	56474	Power Steel® Rectangular Pool Set	P 43	56719	Power Steel® Comfort Jet Series™ Oval Pool Set	P 52
5613HE	Steel Pro MAX™ Pool Set	P 29	56384	Hydrium™ Pool Set	P 57	56475	Power Steel® Rectangular Pool Set	P 43	56720/E	Power Steel® Comfort Jet Series™ Oval Pool Set	P 52
5613Z/E	Power Steel® Oval Pool Set	P 44	56385/E	Hydrium™ Pool Set	P 57	56477/E	Power Steel® Rectangular Pool Set	P 43	56725	Power Steel® Swim Vista Series™ II Pool Set	P 48
5614A	Power Steel® Oval Pool Set	P 44	56401	Steel Pro® Pool	P 20	56493/E	Steel Pro MAX™ Pool	P 24	56726/E	Power Steel® Swim Vista Series™ II Pool Set	P 48
5618S/E	Splash-In-Shade Play Pool	P 66	56403	Steel Pro® Pool	P 20	56496/E	Steel Pro® Pool	P 20	56948E	Steel Pro MAX™ Pool Set	P 29
5618T	Splash-In-Shade Play Pool	P 66	56404	Steel Pro® Pool	P 20	56498/E	Steel Pro® Pool	P 20	56949	Steel Pro MAX™ Pool Set	P 29
5618UE	Steel Pro MAX™ Pool Set	P 29	56405	Steel Pro® Pool	P 21	56512/E	Steel Pro® Pool	P 21	56950	Steel Pro MAX™ Pool Set	P 29
5618V	Steel Pro MAX™ Pool Set	P 29	56406	Steel Pro MAX™ Pool	P 24	56536E	Power Steel® Rectangular Pool Set	P 41	56976/E	Power Steel® Swim Vista Series™ II Pool Set	P 48
5618W	Steel Pro MAX™ Pool Set	P 29	56407/E	Steel Pro MAX™ Pool Set	P 24	56543/E	Splash-In-Shade Play Pool	P 67	56977	Power Steel® Swim Vista Series™ II Pool Set	P 48
561CF/E	My First Frame Pool and Sandpit	P 65	56408	Steel Pro MAX™ Pool Set	P 24	56545/E	Steel Pro® Pool	P 20	57241/E	My First Fast Set™ Pool	P 64
561CS	Hydrium™ Pool Set	P 61	56411	Steel Pro® Pool Set	P 20	56566	Hydrium™ Pool Set	P 57	57273	Fast Set™ Pool	P 15
561CT/E	Hydrium™ Pool Set	P 61	56412/E	Steel Pro® Pool Set	P 20	56574	Hydrium™ Pool Set	P 57	57274	Fast Set™ Pool Set	P 15
561CU	Hydrium™ Pool Set	P 61	56416	Steel Pro MAX™ Pool Set	P 25	56575	Hydrium™ Pool Set	P 57	57275	Fast Set™ Pool Set	P 15
561CV/E	Hydrium™ Pool Set	P 61	56417	Steel Pro MAX™ Pool Set	P 25	56586	Hydrium™ Oval Pool Set	P 58	57308/E	Fast Set™ Pool	P 15
561CW	Hydrium™ Oval Pool Set	P 61	56418	Steel Pro MAX™ Pool Set	P 25	56587/E	Hydrium™ Oval Pool Set	P 58	57313	Fast Set™ Pool Set	P 17
561CX/E	Hydrium™ Oval Pool Set	P 61	56419	Steel Pro MAX™ Pool Set	P 25	56595	Steel Pro MAX™ Pool Set	P 29	57315/E	Fast Set™ Pool Set	P 17
561ER/E	Power Steel® Oval Pool Set	P 47	56420	Steel Pro MAX™ Pool Set	P 25	56597/E	Steel Pro MAX™ Pool Set	P 29	57371/E	Fast Set™ Pool Set	P 17
561ES	Power Steel® Oval Pool Set	P 47	56421	Steel Pro MAX™ Pool Set	P 25	56620	Power Steel® Oval Pool Set	P 44	57372	Fast Set™ Pool Set	P 17
561FH/E	Steel Pro MAX™ Pool Set	P 34	56424	Steel Pro® Pool Set	P 21	56622/E	Power Steel® Oval Pool Set	P 44	57375/E	Fast Set™ Pool Set	P 17
561FJ	Steel Pro MAX™ Pool Set	P 34	56425/E	Steel Pro® Pool Set	P 21	56623	Power Steel® Rectangular Pool Set	P 43	57376	Fast Set™ Pool Set	P 17
561FK/E	Steel Pro MAX™ Pool Set	P 34	56432	Splash-In-Shade Play Pool	P 67	56625/E	Power Steel® Rectangular Pool Set	P 43	57392/E	Fast Set™ Pool	P 14
561FM	Steel Pro MAX™ Pool Set	P 34	56438	Steel Pro MAX™ Pool Set	P 32	56629	Power Steel® Rectangular Pool Set	P 40	57444	Fast Set™ Pool Set	P 17
561FX/E	Steel Pro MAX™ Pool Set	P 26	56439	Steel Pro MAX™ Pool Set	P 32	56631/E	Power Steel® Rectangular Pool Set	P 40	57445	Fast Set™ Pool Set	P 17
			56441	Power Steel® Rectangular Pool Set	P 40	56655E	Power Steel® Oval Pool Set	P 44	57447/E	Fast Set™ Pool	P 14
			56442	Power Steel® Rectangular Pool Set	P 40	56660	Power Steel® Rectangular Pool Set	P 40	57448	Fast Set™ Pool	P 14
			56448	Power Steel® Oval Pool Set	P 44	56670	Power Steel® Rectangular Pool Set	P 41	57449/E	Fast Set™ Pool Set	P 14
			56450	Power Steel® Oval Pool Set	P 44	56671	Power Steel® Rectangular Pool Set	P 41	57450	Fast Set™ Pool Set	P 14

57455/E	Fast Set™ Pool	P 15	58234/E	AquaClean™ Pool Maintenance Kit	P 103	58419/E	FloatBright™ LED Pool Light	P 88	58681/E	Pool Canopy	P 122
57456	Fast Set™ Pool	P 15	58236/E	Hose Adaptor	P 83	58423/E	Solar-Powered Pool Heater Pad	P 111	58692/E	Sand Filter	P 77
57457/E	Fast Set™ Pool Set	P 15	58237/E	AquaClean™ Deluxe Maintenance Kit	P 103	58424	Oval Pool Cover	P 121	58694/E	SolarFlow™ 2.1 gal. / 8 L Outdoor Shower	P 84
57458	Fast Set™ Pool Set	P 15	58240	Rectangle Solar Pool Cover	P 120	58425	Oval Pool Cover	P 121	58695/E	SolarFlow™ 5.2 gal. / 20 L Outdoor Shower	P 84
57497E	Fast Set™ Pool Set	P 15	58241/E	Round Solar Pool Cover	P 120	58430	Pool Ladder	P 118	58696/E	SolarFlow™ 9.2 gal. / 35 L Outdoor Shower	P 84
57498E	Fast Set™ Pool Set	P 17	58242/E	Round Solar Pool Cover	P 120	58442	Rectangle Pool Cover	P 121	58697/E	Floating Pool Thermometer	P 113
58000	Ground Cloth	P 124	58248/E	Round Pool Cover	P 121	58462	Skimatic™ Filter Pump	P 82	58700/E	MusicWave™ Floating LED Bluetooth Speaker	P 89
58001/E	Ground Cloth	P 124	58249/E	Round Pool Cover	P 121	58463/E	Skimatic™ Filter Pump	P 82	58701/E	ChemGuard™ Chemical Dispenser	P 115
58002/E	Ground Cloth	P 124	58252/E	Round Solar Pool Cover	P 120	58469	Skimatic™ Filter Pump	P 82	58702/E	Collapsible Telescopic Pole	P 107
58003/E	Ground Cloth	P 124	58253/E	Round Solar Pool Cover	P 120	58470/E	Skimatic™ Filter Pump	P 82	58703/E	Hose	P 83
58012/E	Filter Cartridge (III-A/C)	P 83	58259	Pool Heater	P 111	58475/E	Polysphere™ Pool Filtration Balls	P 77	58712/E	Decorative Floor Protector	P 125
58013/E	AquaClear™ Pool Maintenance Kit	P 102	58261/E	Pool Drain Pump	P 109	58486/GS	Sand Filter	P 77	58746/E	Pool Canopy	P 123
58032/E	Round Pool Cover	P 121	58277	AquaScoop™ Essential Pool Skimmer	P 106	58493/E	FloatBright™ Rechargeable LED Pool Fountain	P 88	58748	Pool Heater	P 110
58036/E	Round Pool Cover	P 121	58278/E	AquaNet™ Essential Pool Skimmer	P 100	58497/GS	Sand Filter	P 76	58763/E	Decorative Floating Pool Thermometer	P 112
58037/E	Round Pool Cover	P 121	58279/E	Pole	P 107	58498/E	Sand Filter	P 76	58764/E	Digital Floating Pool Thermometer	P 113
58038/E	Round Pool Cover	P 121	58280/E	AquaBroom™ Pool Brush	P 101	58499/GS	Sand Filter	P 76	58765	AquaTronix™ G200 Robotic Pool Vacuum	P 95
58039/E	Round Pool Cover	P 121	58282/E	AquaClean™ Pool Vacuum	P 98	58500/E	Sand Filter	P 76	58766/E	AquaTronix™ G200 Robotic Pool Vacuum	P 95
58060/E	Round Solar Pool Cover	P 120	58292	Round Pool Cover	P 121	58511/E	Filter Pump	P 80	58767/E	Pool & Spa Saltwater Test Strips	P 108
58072/E	Floating Pool Thermometer	P 112	58330	Flip & Lock™ Pool Ladder	P 118	58515/GS	Sand Filter	P 76	58769/E	Chemical Dispenser	P 114
58093/E	Filter Cartridge (I)	P 83	58331	Flip & Lock™ Pool Ladder	P 118	58516/E	Sand Filter	P 76	58770/E	AquaTech™ Cordless Pool Vacuum	P 92
58094	Filter Cartridge (II)	P 83	58332	Flip & Lock™ Pool Ladder	P 119	58611E	Flip & Lock™ Pool Ladder	P 118	58771/E	AquaSurge™ Rechargeable Pool Vacuum	P 93
58095/E	Filter Cartridge (IV-B)	P 83	58335/E	Pool Ladder	P 118	58614E	Smart Touch™ Wi-Fi Filter Pump	P 78	58774/E	Hydrogenic™ 12 G/H Saltwater Chlorinator	P 117
58103	Rectangle Pool Cover	P 121	58336/E	Pool Ladder	P 118	58619/E	Soothing LED Waterfall	P 87	58775	Hydrogenic™ 12 G/H Saltwater Chlorinator	P 117
58105	Rectangle Pool Cover	P 121	58337/E	Pool Ladder	P 119	58635/E	AquaScoop™ Pool Skimmer	P 106	58786/E	AquaScrub™ Rotatable Pool Brush	P 101
58106	Rectangle Pool Cover	P 121	58368	Hose	P 83	58636/E	Pool Protector	P 125	58787E	Flip & Lock™ Pool Ladder	P 118
58107	Rectangle Pool Cover	P 121	58369	Hose	P 83	58657/E	AquaSuction™ Pool Leaf Vacuum	P 99	58788E	Flip & Lock™ Pool Ladder	P 119
58111/E	SolarFloat™ LED Pool Light	P 88	58381	Filter Pump	P 80	58658/E	AquaBroom™ Deluxe Pool Brush	P 101	58794/E	AquaClear™ Pool Accessories Kit	P 102
58142/E	Pool & Spa Test Strips	P 108	58383	Filter Pump	P 80	58659/E	AquaScoop™ Deluxe Pool Skimmer	P 106	62068/E	Heavy Duty Repair Patch	P 109
58173/E	Round Solar Pool Cover	P 120	58384/E	Filter Pump	P 80	58660/E	AquaNet™ Pool Skimmer	P 100	62091/E	Underwater Adhesive Repair Patch	P 109
58210	Chemical Dispenser	P 114	58386	Filter Pump	P 80	58661/E	AquaNet™ Deluxe Pool Skimmer	P 100			
58212/E	AquaPristine™ Pool Vacuum	P 102	58387	Filter Pump	P 80	58662/E	AquaLite™ Filter Cartridge Cleaning Tool	P 82			
58220/E	Pool Protector	P 125	58388E	Filter Pump	P 81	58665/E	AquaDrift™ Automatic Pool Vacuum	P 96			
58228	Rectangle Solar Pool Cover	P 120	58389	Filter Pump	P 81	58674/E	StorePro™ Pool Accessory Organizer	P 105			
58230	Pool Drain Pump	P 109	58390/E	Filter Pump	P 81	58677/E	Hydrogenic™ 6 G/H Saltwater Chlorinator	P 117			
58232	Rectangle Pool Cover	P 121	58391	Filter Pump	P 81	58678	Hydrogenic™ 6 G/H Saltwater Chlorinator	P 117			
58233/E	Pool Surface Skimmer	P 106	58392/E	Filter Pump	P 81	58680	Smart Touch™ Wi-Fi Filter Pump	P 78			



ABOVE GROUND POOLS 2024

SHANGHAI

Bestway Inflatables & Material Corp.
No. 208 Jin Yuan Wu Road,
Shanghai, 201812, China
Tel: +86 21 6913 5588
E-mail: info@bestwaycorp.com

HONG KONG

Bestway (Hong Kong) International Ltd.
Suite 713, 7/Floor, East Wing, Tsim Sha Tsui Centre,
66 Mody Road, Kowloon, Hong Kong
Tel: +852 2997 7169
E-mail: info@bestwaycorp.hk

U.S.A.

Bestway (USA) Inc.
3435 S. McQueen Road, Chandler,
AZ 85286, United States of America
Tel: +1 480 838 3888
E-mail: info@bestwaycorp.us

EUROPE

Bestway Europe S.p.a.
Via Resistenza, 5
20098 San Giuliano M.se (Mi), Italy
Tel: +39 02 9884 881
E-mail: info@bestwaycorp.eu

EASTERN EUROPE

Bestway Eastern Europe Sp. z o.o.
Ul. Ekologiczna 24
05-080 Klauodyn Poland
Tel: +48 22 60 22 508
E-mail: info@bestwaycorp.pl

LATIN AMERICA

Bestway Central & South America Ltda
Salar Ascotan 1282, Parque Enea,
Pudahuel, Santiago, Chile
Tel: +562 3203 6438
E-mail: info@bestwaycorp.lat

BRAZIL

Bestway Brazil
Av Cerro Azul, 2783 Maringá - PR - Brazil
Zip Code: 87010-055
Tel: +55 44 3046 2950 / +0800 001 8400
E-mail: info@bestwaycorp.com.br

AUSTRALIA

Bestway Australia Pty Limited
Unit 2/98-104 Carnarvon St
Silverwater, NSW 2128, Australia
Tel: +61 2 9037 1388
E-mail: info@bestwaycorp.com.au

FRANCE

Bestway France Sarl
1681 route des Dolines - Les Taissounières - Belem
06560 VALBONNE
Tel: +33 4 97 04 92 99
E-mail: info@bestwaycorp.fr

GERMANY

Bestway Deutschland GmbH
Parkstraße 11
24534 Neumünster, Germany
Tel: +49 4321 555 05 - 0
E-mail: info@bestwaycorp.de

SCANDINAVIA

Bestway Scandinavia A/S
Amagertorv 17, 3rd Fl
DK-1160 Copenhagen K Denmark
Tel: +45 78744569
E-mail: info@bestwayscandinavia.eu

Bestway

WWW.BESTWAYCORP.COM



©2023 Bestway Inflatables & Material Corp. All rights reserved.
® ™ Trademarks owned and managed by Bestway Inflatables & Material Corp.